

2023 年

1: Hayashi T, Yamamoto S, Ohashi J, Ugata Y, Sakakura K, Fujita H.  
Role of retrograde conduction from the left bundle to right bundle in determining the morphology of premature ventricular contractions triggering ventricular fibrillation. *HeartRhythm Case Rep.* 2023 Oct 31;10(1):63-67. doi:10.1016/j.hrcr.2023.10.024. PMID: 38264112; PMCID: PMC10801071.

2: Jinnouchi H, Sakakura K, Yamamoto K, Taniguchi Y, Fujita H.  
A unique mechanism of restenosis after drug-coated balloon in peripheral artery: Insight from optical frequency domain imaging. *Cardiovasc Revasc Med.* 2023 Dec 11:S1553-8389(23)00927-2. doi: 10.1016/j.carrev.2023.12.004. Epub ahead of print. PMID: 38114363.

3: Konoma S, Sakakura K, Jinnouchi H, Taniguchi Y, Tsukui T, Hatori M, Tamanaha Y, Kasahara T, Watanabe Y, Yamamoto K, Seguchi M, Fujita H.  
Impact of the Japanese Version of High Bleeding Risk Criteria on Clinical Outcomes in Patients with ST-segment Elevation Myocardial Infarction. *J Atheroscler Thromb.* 2023 Dec 14. doi: 10.5551/jat.64445. Epub ahead of print. PMID: 38092385.

4: Nishimoto Y, Inohara T, Kohsaka S, Sakakura K, Kawai T, Kikuchi A, Watanabe T, Yamada T, Fukunami M, Yamaji K, Ishii H, Amano T, Kozuma K; J-PCI Registry Investigators. Changing Trends in Mechanical Circulatory Support Use and Outcomes in Patients Undergoing Percutaneous Coronary Interventions for Acute Coronary Syndrome Complicated With Cardiogenic Shock: Insights From a Nationwide Registry in Japan. *J Am Heart Assoc.* 2023 Dec 5;12(23):e031838. doi: 10.1161/JAHA.123.031838. Epub 2023 Dec 1. PMID: 38038195; PMCID: PMC10727314.

5: Murakami T, Sakakura K, Jinnouchi H, Taniguchi Y, Tsukui T, Hatori M, Tamanaha Y, Kasahara T, Watanabe Y, Yamamoto K, Seguchi M, Wada H, Fujita H.  
Development of a simple prediction model for mechanical complication in ST-segment elevation myocardial infarction patients after primary percutaneous coronary intervention. *Heart Vessels.* 2023 Nov 27. doi: 10.1007/s00380-023-02336-8. Epub ahead of print. PMID: 38008806.

6: Yamashita T, Sakakura K, Jinnouchi H, Taniguchi Y, Tsukui T, Hatori M, Tamanaha Y, Kasahara T, Watanabe Y, Yamamoto K, Seguchi M, Fujita H.

Impact of Excessive Increase in Systolic Blood Pressure after Exercise on Clinical Outcomes in Patients with ST-Segment Elevation Myocardial Infarction.

J Clin Med. 2023 Nov 4;12(21):6928. doi: 10.3390/jcm12216928. PMID: 37959393; PMCID:

PMC10647226.

7: Sakakura K, Jinnouchi H, Taniguchi Y, Tsukui T, Watanabe Y, Yamamoto K, Seguchi M, Fujita H.

Halftime rotational atherectomy: a unique concept for diffuse long severely calcified lesions. Cardiovasc Interv Ther. 2024 Jan;39(1):18-27. doi: 10.1007/s12928-023-00968-1. Epub 2023 Nov 10. PMID: 37947951; PMCID: PMC10764388.

8: Ishibashi S, Sakakura K, Ikeda T, Taniguchi Y, Jinnouchi H, Tsukui T, Watanabe Y, Hatori M, Yamamoto K, Seguchi M, Fujita H. Appetite Predicts Long-Term Clinical Outcomes in Patients with Acute Myocardial Infarction.

J Clin Med. 2023 Sep 22;12(19):6134. doi: 10.3390/jcm12196134. PMID: 37834778; PMCID: PMC10573926.

9: Kobayashi S, Sakakura K, Jinnouchi H, Taniguchi Y, Tsukui T, Hatori M, Watanabe Y, Yamamoto K, Seguchi M, Wada H, Fujita H.

Impact of controlled blood pressure and pulse rate at discharge on clinical outcomes in patients with ST-segment elevation myocardial infarction.

J Cardiol. 2023 Oct4:S0914-5087(23)00243-5. doi: 10.1016/j.jjcc.2023.09.013. Epub ahead of print. PMID: 37802203.

10: Taniguchi Y, Sakakura K, Jinnouchi H, Tsukui T, Hatori M, Tamanaha Y, Kasahara T, Watanabe Y, Yamamoto K, Seguchi M, Fujita H.

Determinants of successful parallel wire technique in percutaneous coronary intervention to coronary chronic total occlusion.

Cardiovasc Revasc Med. 2024 Feb;59:48-52. doi: 10.1016/j.carrev.2023.08.010. Epub 2023 Aug 30. PMID: 37666717.

11: Ban S, Sakakura K, Jinnouchi H, Taniguchi Y, Tsukui T, Hatori M, Watanabe Y, Yamamoto K, Seguchi M, Wada H, Fujita H.

Association of Increased Inter-arm Blood Pressure Difference with Long-term Clinical Outcomes in Patients with Acute Myocardial Infarction who Underwent Percutaneous Coronary Intervention.

Intern Med. 2023 Sep 1. doi: 10.2169/internalmedicine.2320-23. Epub ahead of print. PMID: 37661448.

12: Sakakura K, Jinnouchi H, Taniguchi Y, Yamamoto K, Fujita H.

Lifetime management of severely calcified coronary lesions: the treatment algorithm focused on the shape of calcification.

Cardiovasc Interv Ther. 2023 Oct;38(4):375-380. doi: 10.1007/s12928-023-00950-x. Epub 2023 Aug 5. PMID: 37542662.

13: Taniguchi Y, Sakakura K, Jinnouchi H, Tsukui T, Fujita H.

Rotational atherectomy to left circumflex ostial lesions: tips and tricks.

Cardiovasc Interv Ther. 2023 Oct;38(4):367-374. doi: 10.1007/s12928-023-00941-y. Epub 2023 Jun 10. PMID: 37300802.

14: Sakakura K, Jinnouchi H, Taniguchi Y, Tsukui T, Watanabe Y, Yamamoto K, Seguchi M, Wada H, Tsurumaki Y, Mase T, Tamanaha Y, Arao K, Kubo N, Fujita H.

Study design and rationale for comparison of the incidence of slow flow following rotational atherectomy to severely calcified coronary artery lesions between short single session and long single session: The randomized ROTASOLO trial.

Cardiol J. 2023;30(3):483-488. doi: 10.5603/CJ.a2023.0030. Epub 2023 May 11. PMID: 37165803; PMCID: PMC10287080.

15: Akashi N, Umemoto T, Yamada H, Fujiwara T, Yamamoto K, Taniguchi Y, Sakakura K, Wada H, Momomura SI, Fujita H.

Teneligliptin, a DPP-4 Inhibitor, Improves Vascular Endothelial Function via Divergent Actions Including Changes in Circulating Endothelial Progenitor Cells. Diabetes Metab Syndr Obes. 2023 Apr 13;16:1043-1054. doi: 10.2147/DMSO.S403125. PMID: 37077576; PMCID: PMC10108873.

16: Fujimoto Y, Sakakura K, Fujita H.

Complex and high-risk intervention in indicated patients (CHIP) in contemporary clinical practice.

Cardiovasc Interv Ther. 2023 Jul;38(3):269-274. doi: 10.1007/s12928-023-00930-1.

Epub 2023 Mar 27. PMID: 36971962.

17: Fujimoto Y, Sakakura K, Jinnouchi H, Taniguchi Y, Tsukui T, Watanabe Y, Yamamoto K, Seguchi M, Wada H, Fujita H.

Comparison of Long-Term Clinical Outcomes of Elective Percutaneous Coronary Intervention Between Complex and High-risk Intervention in Indicated Patients (CHIP) versus Non-CHIP.

Am J Cardiol. 2023 May 1;194:1-8. doi: 10.1016/j.amjcard.2023.02.010. Epub 2023 Mar 11. PMID: 36913903.

18: Hori Y, Sakakura K, Jinnouchi H, Taniguchi Y, Tsukui T, Watanabe Y, Yamamoto K, Seguchi M, Wada H, Fujita H.

Association of peak C-reactive protein with long-term clinical outcomes in patients with ST-segment elevation myocardial infarction.

Heart Vessels. 2023 Jun;38(6):764-772. doi: 10.1007/s00380-023-02250-z. Epub 2023 Feb 21. PMID: 36809395.

19: Murakami T, Sakakura K, Jinnouchi H, Taniguchi Y, Tsukui T, Watanabe Y, Yamamoto K, Seguchi M, Wada H, Fujita H.

Acute Ischemic Stroke and Transient Ischemic Attack in ST-Segment Elevation Myocardial Infarction Patients Who Underwent Primary Percutaneous Coronary Intervention.

J Clin Med. 2023 Jan 20;12(3):840. doi: 10.3390/jcm12030840. PMID: 36769488; PMCID: PMC9917385.

20: Manabe O, Tsukui T, Yoshimura K, Oshiro H, Oyama-Manabe N, Aikawa T, Takahashi K, Sakakura K, Fujita H.

<sup>18</sup>F-FDG PET/CT findings in autopsy confirmed a case of ischemic cardiac disease at an early stage.

Eur J Nucl Med Mol Imaging. 2023 Jun;50(7):2224-2225. doi: 10.1007/s00259-023-06116-4. Epub 2023 Jan 24. PMID: 36690881.

21: Sakakura K, Ito Y, Shibata Y, Okamura A, Kashima Y, Nakamura S, Hamazaki Y, Ako J, Yokoi H, Kobayashi Y, Ikari Y.

Clinical expert consensus document on rotational atherectomy from the Japanese association of cardiovascular intervention and therapeutics: update 2023.

Cardiovasc Interv Ther. 2023 Apr;38(2):141-162. doi: 10.1007/s12928-022-00906-7. Epub 2023 Jan 16. PMID: 36642762; PMCID: PMC10020250.

22: Sakakura K, Fujita H.

How to write a revised manuscript in clinical medicine.

Cardiovasc Interv Ther. 2023 Apr;38(2):187-193. doi: 10.1007/s12928-023-00908-z. Epub 2023 Jan 10. PMID: 36626024.

23: Otsuka Y, Ishii M, Ikebe S, Nakamura T, Tsujita K, Kaikita K, Matoba T, Kohro T, Oba Y, Kabutoya T, Kario K, Imai Y, Kiyosue A, Mizuno Y, Nochioka K, Nakayama M, Iwai T, Miyamoto Y, Sato H, Akashi N, Fujita H, Nagai R; CLIDAS research group. BNP level predicts bleeding event in patients with heart failure after percutaneous coronary intervention.

Open Heart. 2023 Dec 7;10(2):e002489. doi: 10.1136/openhrt-2023-002489. PMID: 38065584; PMCID: PMC10711837.

24: Sato M, Kodera S, Setoguchi N, Tanabe K, Kushida S, Kanda J, Saji M, Nanasato M, Maki H, Fujita H, Kato N, Watanabe H, Suzuki M, Takahashi M, Sawada N, Yamasaki M, Sawano S, Katsushika S, Shinohara H, Takeda N, Fujiu K, Daimon M, Akazawa H, Morita H, Komuro I.

Deep Learning Models for Predicting Left Heart Abnormalities From Single-Lead Electrocardiogram for the Development of Wearable Devices.

Circ J. 2023 Dec 25;88(1):146-156. doi: 10.1253/circj.CJ-23-0216. Epub 2023 Nov 14. PMID: 37967949.

25: Yokomachi J, Fukuda T, Mizushima Y, Nozawa N, Ishizaka H, Matsumoto K, Kambe T, Inoue S, Nishikawa K, Toyama Y, Takahashi R, Arakawa T, Yagi H, Yamaguchi S, Ugata Y, Nakamura F, Sakuma M, Abe S, Fujita H, Mizushima T, Toyoda S, Nakajima T. Clinical usefulness of phase angle as an indicator of muscle wasting and malnutrition in inpatients with cardiovascular diseases.

Asia Pac J Clin Nutr. 2023 Sep;32(3):297-307. doi: 10.6133/apjcn.202309\_32(3).0001. PMID: 37789650.

26: Manabe O, Takahashi K, Kawakami H, Ohtsuka A, Aikawa T, Maki H, Ibe T, Fujita H, Oyama-Manabe N.

Diagnostic values of delayed additional FDG PET/CT scan in the evaluation of cardiac

sarcoidosis.

Ann Nucl Med. 2023 Oct;37(10):535-540. doi: 10.1007/s12149-023-01855-8. Epub 2023 Jul 7. PMID: 37418117.

27: Ikebe S, Ishii M, Otsuka Y, Nakamura T, Tsujita K, Matoba T, Kohro T, Oba Y, Kabutoya T, Imai Y, Kario K, Kiyosue A, Mizuno Y, Nochioka K, Nakayama M, Iwai T, Miyamoto Y, Sato H, Akashi N, Fujita H, Nagai R; CLIDAS research group.

Impact of heart failure severity and major bleeding events after percutaneous coronary intervention on subsequent major adverse cardiac events.

Int J Cardiol Cardiovasc Risk Prev. 2023 Jun 25;18:200193. doi: 10.1016/j.ijcrp.2023.200193.

PMID: 37415925; PMCID: PMC10320317.

28: Ugata Y, Hayashi T, Yamamoto S, Fujita H.

Impact of Q wave in synthesized V7-9 lead on long-term outcomes after cardiac resynchronization therapy.

J Cardiol. 2023 Jul;82(1):51-56. doi: 10.1016/j.jjcc.2023.03.005. Epub 2023 Mar 17. PMID: 36935003.

29: Akashi N, Matoba T, Kohro T, Oba Y, Kabutoya T, Imai Y, Kario K, Kiyosue A, Mizuno Y, Nochioka K, Nakayama M, Iwai T, Miyamoto Y, Ishii M, Nakamura T, Tsujita K, Sato H, Fujita H, Nagai R; CLIDAS Research Group.

Sex Differences in Long-Term Outcomes in Patients With Chronic Coronary Syndrome After Percutaneous Coronary Intervention - Insights From a Japanese Real-World Database Using a Storage System.

Circ J. 2023 May 25;87(6):775-782. doi: 10.1253/circj.CJ-22-0653. Epub 2023 Jan 28. PMID: 36709982.

30: Akashi N, Kuwabara M, Matoba T, Kohro T, Oba Y, Kabutoya T, Imai Y, Kario K, Kiyosue A, Mizuno Y, Nochioka K, Nakayama M, Iwai T, Nakao Y, Iwanaga Y, Miyamoto Y, Ishii M, Nakamura T, Tsujita K, Sato H, Fujita H, Nagai R.

Hyperuricemia predicts increased cardiovascular events in patients with chronic coronary syndrome after percutaneous coronary intervention: A nationwide cohort study from Japan. Front Cardiovasc Med. 2023 Jan 10;9:1062894. doi: 10.3389/fcvm.2022.1062894.

PMID: 36704454; PMCID: PMC9871893.