

内科学英語論文業績 (2016)

- 1) Akahoshi, Y., Kanda, J., Gomyo, A., Hayakawa, J., Komiya, Y., Harada, N., Kameda, K., Ugai, T., Wada, H., Ishihara, Y., Kawamura, K., Sakamoto, K., Sato, M., Terasako-Saito, K., Kimura, S., Kikuchi, M., Nakasone, H., Kako, S., Kanda, Y.: Risk factors and impact of secondary failure of platelet recovery after allogeneic stem cell transplantation. *Biol. Blood Marrow Transplant.* 22 (9): 1678-1683, 2016.
- 2) Akahoshi, Y., Kimura, S., Nakano, H., Harada, N., Kameda, K., Ugai, T., Wada, H., Yamasaki, R., Ishihara, Y., Kawamura, K., Sakamoto, K., Ashizawa, M., Sato, M., Terasako-Saito, K., Nakasone, H., Kikuchi, M., Yamazaki, R., Kanda, J., Kako, S., Nishida, J., Kanda, Y.: Significance of a positive clostridium difficile toxin test after hematopoietic stem cell transplantation. *Clin. Transplant.* 30 (6): 703-708, 2016.
- 3) Akimoto, T., Yamazaki, T., Kusano, E., Nagata, D.: Therapeutic dilemmas regarding anticoagulation: An experience in a patient with nephrotic syndrome, pulmonary embolism, and traumatic brain injury. *Clin. Med. Insights. Case Rep.* 9: 103-107, 2016.
- 4) Akimoto, T., Yamazaki, T., Saito, O., Muto, S., Kusano, E., Nagata, D.: A supraglottic pseudotumor in an immunocompromised patient with nephrotic syndrome, herpes zoster, and a cytomegalovirus infection. *Clin. Med. Insights. Case Rep.* 9: 61-65, 2016.
- 5) Ando, Y., Shimazaki, H., Shiota, K., Tetsuka, S., Nakao, K., Shimada, T., Kurata, K., Kuroda, J., Yamashita, A., Sato, H., Sato, M., Eto, S., Onishi, Y., Tanaka, K., Kato, S.: Prevalence of elevated serum anti-N-methyl-D-aspartate receptor antibody titers in patients presenting exclusively with psychiatric symptoms: a comparative follow-up study. *BMC Psychiatry.* 8: 16: 226, 2016. (doi: 10.1186/s12888-016-0948-9.)
- 6) Arai, Y., Kanda, J., Nakasone, H., Kondo, T., Uchida, N., Fukuda, T., Ohashi, K., Kaida, K., Iwato, K., Eto, T., Kanda, Y., Nakamae, H., Nagamura-Inoue, T., Morishima, Y., Hirokawa, M., Atsuta, Y., Murata, M.; GVHD working group of the Japan Society for Hematopoietic Cell Transplantation.: Risk factors and prognosis of hepatic acute GvHD after allogeneic hematopoietic cell transplantation. *Bone Marrow Transplant.* 51(1): 96-102, 2016.
- 7) Arima, N., Nakamura, F., Yabe, T., Tanaka, J., Fuji, S., Ohashi, K., Fukuda, T., Miyamura, K., Iwato, K., Eto, T., Mori, T., Kobayashi, N., Hoshino, T., Kato, C., Kanamori, H., Nakamae, H., Atsuta, Y., Morishima, Y., Kanda, Y.: Influence of differently licensed KIR2DL1-positive natural killer cells in transplant recipients with acute leukemia: A Japanese national registry study. *Biol. Blood Marrow Transplant.* 22(3): 423-431, 2016.
- 8) Arihiro, S., Todo, K., Koga, M., Furui, E., Kinoshita, N., Kimura, K., Yamagami, H., Terasaki, T., Yoshimura, S., Shiokawa, Y., Kamiyama, K., Takizawa, S., Okuda, S., Okada, Y., Nagakane,

- Y., Kameda, T., Hasegawa, Y., Shibuya, S., Ito, Y., Nakashima, T., Takamatsu, K., Nishiyama, K., Matsuki, T., Homma, K., Takasugi, J., Tokunaga, K., Sato, S., Kario, K., Kitazono, T., Toyoda, K.: SAMURAI study investigators. three-month risk-benefit profile of anticoagulation after stroke with atrial fibrillation: The SAMURAI-nonvalvular atrial fibrillation (NVAF) study. *Int. J. Stroke.* 11(5): 565-574, 2016.
- 9) Asayama, K., Ohkubo, T., Hoshide, S., Kario, K., Ohya, Y., Rakugi, H., Umemura, S.: From mercury sphygmomanometer to electric device on blood pressure measurement: correspondence of minamata convention on mercury. *Hypertens. Res.* 39(4): 179-182, 2016.
- 10) Atsumi, T., Yamamoto, K., Takeuchi, T., Yamanaka, H., Ishiguro, N., Tanaka, Y., Eguchi, K., Watanabe, A., Origasa, H., Yasuda, S., Yamanishi, Y., Kita, T., Matsubara, T., Iwamoto, M., Shoji, T., Okada, T., Dèsirée van der Heijde., Miyasaka, N., Koike, T.: The first double-blind, randomised, parallel-group certolizumab pegol study in methotrexate-naïve early rheumatoid arthritis patients with poor prognostic factors, C-OPERA, shows inhibition of radiographic progression. *Ann. Rheum. Dis.* 75(1): 75-83, 2016.
- 11) Bando, M., Pirfenidone: Clinical trials and clinical practice in patients with idiopathic pulmonary fibrosis. *Respir. Investig.* 54(5): 298-304, 2016.
- 12) Bando, M., Yamauchi, H., Ogura, T., Taniguchi, H., Watanabe, K., Azuma, A., Homma, S., Sugiyama, Y., Japan Pifrenidone Clinical Study Group.: Clinical experience of the long-term use of pirfenidone for idiopathic pulmonary fibrosis. *Intern. Med.* 55(5): 443-448, 2016.
- 13) Chen, G., Masuda, A., Konishi, H., Ohkawara, B., Ito, M., Kinoshita, M., Kiyama, H., Matsuura, T., Ohno, K.: Phenylbutazone induces expression of MBNL1 and suppresses formation of MBNL1-CUG RNA foci in a mouse model of myotonic dystrophy. *Sci. Rep.* 6: 25317, 2016. (doi: 10.1038/srep25317.)
- 14) Eguchi, K., Hoshide, S., Miyashita, H., Nagasaka, S., Kario, K.: Why the radial augmentation index is low in patients with diabetes: The J-HOP study. *Atherosclerosis* 246: 338-343, 2016.
- 15) Eguchi, K., Imaizumi, Y., Kaihara, T., Hoshide, S., Kario, K.: Comparison of valsartan and amlodipine on ambulatory blood pressure variability in hypertensive patients. *Clin. Exp. Hypertens.* 38(8): 721-724, 2016.
- 16) Eguchi, K., Kabutoya, T., Hoshide, S., Ishikawa, S., Kario, K.: Add-on use of eplerenone is effective for lowering home and ambulatory blood pressure in drug-resistant hypertension. *J. Clin. Hypertens. (Greenwich)*. 18(12): 1250-1257, 2016.
- 17) Eguchi, K., Ohmaru, T., Ohkuchi, A., Hirashima, C., Takahashi, K., Suzuki, H., Kario, K., Matsubara, S., Suzuki, M.: Ambulatory BP monitoring and clinic BP in predicting small-for-gestational-age infants during pregnancy. *J. Hum. Hypertens.* 30(1): 62-67, 2016.

- 18) Fock, K. M., Talley, N., Goh, K. L., Sugano, K., Katelaris, P., Holtmann, G., Pandolfino, J. E., Sharma, P., Ang, T. L., Hongo, M., Wu, J., Chen, M., Choi, M. G., Law, N. M., Sheu, B. S., Zhang, J., Ho, K. Y., Sollano, J., Rani, A. A., Kositchaiwat, C., Bhatia, S.: Asia-Pacific consensus on the management of gastro-oesophageal reflux disease: an update focusing on refractory reflux disease and Barrett's oesophagus. *Gut*. 65(9): 1402-1415, 2016.
- 19) Fujimoto, S., Osaki, M., Kanazawa, M., Tagawa, N., Kumamoto, M., Oya, Y., Kitazono, T.: Effect of oral cilostazol on acute neurological deterioration and outcome of non-cardioembolic minor stroke. *J. Clin. Gerontol. Geriatrics*. 7(1): 21-26, 2016.
- 20) Fukui, H., Saito, H., Ueno, Y., Uto, H., Obara, K., Sakaida, I., Shibuya, A., Seike, M., Nagoshi, S., Segawa, M., Tsubouchi, H., Moriwaki, H., Kato, A., Hashimoto, E., Michitaka, K., Murawaki, T., Sugano, K., Watanabe, M., Shimosegawa, T.: Evidence-based clinical practice guidelines for liver cirrhosis 2015. *J. Gastroenterol.* 51(7): 629-650, 2016.
- 21) Fukushima, T., Eguchi, K., Ohkuchi, A., Miyashita, H., Kario, K.: Changes in central hemodynamics in women with hypertensive pregnancy between before and after delivery. *J. Clin. Hypertens. (Greenwich)*. 18(4): 329-336, 2016.
- 22) Fukutomi, M., Ogata, N., Nakano, M., Kario, K.: Intra-plaque hematoma and minor intimal disruption detected by optical frequency domain imaging in a case of acute coronary syndrome. *Int. Heart J.* 57(6): 760-762, 2016.
- 23) Gumbilai, V., Ebihara, K., Aizawa-Abe, M., Ebihara, C., Zhao, M., Yamamoto, Y., Mashimo, T., Hosoda, K., Serikawa, T., Nakao, K.: Fat mass reduction with adipocyte hypertrophy and insulin resistance in heterozygous PPAR γ mutant Rats. *Diabetes*. 65(10): 2954-2965, 2016.
- 24) Hara, S., Kawano, M., Mizushima, I., Yamada, K., Fujita, K., Harada, K., Matsumura, M., Yamagishi, M., Sato, Y., Yamaguchi, Y., Nakanuma, Y., Nagata, M.: A condition closely mimicking IgG4-related disease despite the absence of serum IgG4 elevation and IgG4-positive plasma cell infiltration. *Mod. Rheumatol.* 26(5): 784-789, 2016.
- 25) Hatanaka, H., Yamamoto, H., Lefor, A. K., Sugano, K.: Gastroenterology Training in Japan. *Dig Dis Sci.* 61(6): 1448-1450, 2016.
- 26) Hayashi, K., Mochizuki, Y., Koide, R., Kawata, A., Homma, T., Shimizu, T., Komori, T., Isozaki, E.: A Japanese familial ALS patient with autonomic failure and a p.Cys146Arg mutation in the gene for SOD1 (SOD1). *Neuropathology* 36(6): 551-555, 2016.
- 27) Hayashi, Y., Shinozaki, S., Sunada, K., Sato, H., Miura, Y., Ino, Y., Horie, H., Fukushima, N., Lefor, A. K., Yamamoto, H.: Efficacy and safety of endoscopic submucosal dissection for superficial colorectal tumors more than 50 mm in diameter. *Gastrointest Endosc.* 83(3): 602-607, 2016.

- 28) Hirahara, I., Kusano, E., Morishita, Y., Inoue, M., Akimoto, T., Saito, O., Muto, S., Nagata, D.: Matrix metalloproteinase-2 as a superior biomarker for peritoneal deterioration in peritoneal dialysis. *World J. Nephrol.* 5(2): 204-212, 2016.
- 29) Hirama, T., Shiono, A., Egashira, H., Kishi, E., Hagiwara, K., Nakamura, H., Kanazawa, M., Nagata, M.: PCR-based rapid identification system using bridged nucleic acids for detection of clarithromycin-resistant mycobacterium avium-M. intracellulare complex isolates. *J. Clin. Microbiol.* 54(3): 699-704, 2016.
- 30) Hishida, E., Masuda, T., Akimoto, T., Sato, R., Wakabayashi, N., Miki, A., Otani, N., Imai, T., Sugase, T., Takeda, S., Muto, S., Nagata, D.: Renal failure found during the follow-up of sarcoidosis: The relevance of a delay in the diagnosis of concurrent hypercalcemia. *Intern. Med.* 55(14): 1893-1898, 2016.
- 31) Honne, K., Hallgrimsdottir, I., Wu, C., Sebro, R., Jewell, N., Sakurai, T., Iwamoto, M., Minota, S., Jawaheer, D.: A longitudinal genome-wide association study of anti-tumor necrosis factor response among Japanese patients with rheumatoid arthritis. *Arthritis. Res. Ther.* 18: 12, 2016.
- 32) Hoshide, S., Kario, K.: Importance of out-of-clinic blood pressure measurement for device-based hypertensive therapy. *Circ. J.* 80(9): 1898-1900, 2016.
- 33) Hoshide, S., Wang, J., Park, SH., Chen, CH., Cheng, HM., Huang, Q., Park CG., Kario, K.: Treatment considerations of clinical physician on hypertension management in Asia. *Curr. Hypertens. Rev.* 12(2): 164-168, 2016.
- 34) Hoshide, S., Yano, Y., Haimoto, H., Yamagiwa, K., Uchiba, K., Nagasaka, S., Matsui, Y., Nakamura ,A., Fukutomi, M., Eguchi, K., Ishikawa, J., Kario, K.: Morning and evening home blood pressure and risks of incident stroke and coronary artery disease in the Japanese general practice population: The Japan Morning Surge-Home Blood Pressure Study. *Hypertension* 68(1): 54-61, 2016.
- 35) Ikeda, K., Minakawa, K., Muroi, K., Fujiwara, S.I., Yamada-Fujiwara, M., Fujimori, Y., Tanosaki, R., Ohto, H.: Study group for peripheral blood stem cell collection, cell therapy committee, the japan society of transfusion medicine and cell therapy. Prospective randomized and crossover comparison of two apheresis machines for peripheral blood stem cell collection: a multicenter study. *Transfusion*. 56(11): 2839-2847, 2016.
- 36) Imaizumi, Y., Eguchi, K., Imada, H., Hidano, K., Niijima, S., Kawata, H., Fukushima, N., Saito, T., Hiroe, M., Kario, K.: Electron microscopy of contact between a monocyte and a multinucleated giant cell in cardiac sarcoidosis. *Can. J. Cardiol.* 32(12): 1577. e19-1577. e20, 2016.

- 37) Imaizumi, Y., Eguchi, K., Murakami, T., Arakawa, K., Tsuchihashi, T., Kario, K.: High Salt Intake is independently associated with hypertensive target organ damage. *J. Clin. Hypertens.* (Greenwich). 18(4): 315-321, 2016.
- 38) Imaizumi, Y., Ibaraki, A., Asada, S., Tominaga, M., Hayashi, H., Tsuchihashi, T., Eguchi, K., Kario, K., Taketomi, A.: A cushing's syndrome patient's severe insomnia and morning blood pressure surge both improved after her left adrenal tumor resection. *Blood Press Monit.* 21(6): 361-365, 2016.
- 39) Inoue, N., Shimizu, M., Tsunoda, S., Kawano, M., Matsumura, M., Yachie, A.: Cytokine profile in adult-onset Still's disease: Comparison with systemic juvenile idiopathic arthritis. *Clin. Immunol.* 169: 8-13, 2016.
- 40) Ishibashi, S., Yamashita, S., Arai, H., Araki, E., Yokote, K., Suganami, H., Fruchart, JC., Kodama, T.: K-877-04 Study Group. Effects of K-877, a novel selective PPAR α modulator (SPPARM α), in dyslipidaemic patients: A randomized, double blind, active- and placebo-controlled, phase 2 trial. *Atherosclerosis.* 249: 36-43, 2016.
- 41) Iwakiri, K., Kinoshita, Y., Habu, Y., Oshima, T., Manabe, N., Fujiwara, Y., Nagahara, A., Kawamura, O., Iwakiri, R., Ozawa, S., Ashida, K., Ohara, S., Kashiwagi, H., Adachi, K., Higuchi, K., Miwa, H., Fujimoto, K., Kusano, M., Hoshihara, Y., Kawano, T., Haruma, K., Hongo, M., Sugano, K., Watanabe, M., Shimosegawa, T.: Evidence-based clinical practice guidelines for gastroesophageal reflux disease 2015. *J. Gastroenterol.* 51(8): 751-767, 2016.
- 42) JCS, JSH and JCC Joint Working Group. Collaborators: Shimokawa, H., Kario, K., Daida, H., Aonuma, K., Uchiyama, M., Sato, T., Takayama, M., Takeishi, Y., Naito, H., Nakamura, M., Nakamura, M., Nishizawa, M., Hanzawa, K., Hirata, K., Fukumoto, Y., Hoshide, S., Masuyama, T., Miyamoto, Y., Munakata, M., Morisawa, Y., Yasuda, S., Yamashina, A., Watanabe, T., Aihara, K., Asaumi, Y., Ito, K., Goda, A., Kobayashi, A., Koyama, F., Shinke, T., Sekiguchi, Y., Takahashi, J., Hashimoto, T., Yoshihisa, A., Akaishi, M., Itoh, S., Ito, H., Imai, Y., Umemura, S., Ohta, S., Ogawa, H., Kimura, K., Kimura, G., Kurabayashi, M., Shimada, K., Nonogi, H., Hiro, T: Guidelines for disaster medicine for patients with cardiovascular diseases (JCS 2014/JSH 2014/JCC 2014) - Digest Version . *Circ. J.* 80(1): 261-284, 2016.
- 43) Kabutoya, T., Imai, Y., Watanabe, H., Watanabe, T., Komori, T., Kario, K.: A case of useful short-spaced bipolar pacing of a left ventricular lead to avoid phrenic nerve stimulation. *Int. Heart. J.* 57(1): 118-120, 2016.
- 44) Kaihara, T., Eguchi, K., Hoshide, S., Kario, K.: Evaluation of day-by-day variability of home blood pressure using a home blood pressure telemonitoring system. *Blood Press Monit.* 21(3): 184-188, 2016.

- 45) Kako, S., Akahoshi, Y., Harada, N., Nakano, H., Kameda, K., Ugai, T., Wada, H., Yamasaki, R., Ishihara, Y., Kawamura, K., Sakamoto, K., Sato, M., Ashizawa, M., Terasako-Saito, K., Kimura, S., Kikuchi, M., Nakasone, H., Yamazaki, R., Kanda, J., Nishida, J., Kanda, Y.: Meta-analysis and meta-regression analysis to compare the outcomes of chemotherapy for T- and B-lineage acute lymphoblastic leukemia (ALL): the use of dexamethasone, L-asparaginase, and/or methotrexate may improve the outcome of T-lineage ALL. *Ann. Hematol.* 95(1): 87-92, 2016.
- 46) Kameda, K., Kimura, S., Akahoshi, Y., Nakano, H., Harada, N., Ugai, T., Wada, H., Yamasaki, R., Ishihara, Y., Kawamura, K., Sakamoto, K., Ashizawa, M., Sato, M., Terasako-Saito, K., Nakasone, H., Kikuchi, M., Yamazaki, R., Kanda, J., Kako, S., Tanihara, A., Nishida, J., Kanda, Y.: High incidence of afebrile bloodstream infection detected by surveillance blood culture in patients on corticosteroid therapy after allogeneic hematopoietic stem cell transplantation. *Biol. Blood Marrow Transplant.* 22(2): 371-377, 2016.
- 47) Kanda, J., Brazauskas, R., Hu, ZH., Kuwatsuka, Y., Nagafuji, K., Kanamori, H., Kanda, Y., Miyamura, K., Murata, M., Fukuda, T., Sakamaki, H., Kimura, F., Seo, S., Aljurf, M., Yoshimi, A., Milone, G., Wood, W.A., Ustun, C., Hashimi, S., Pasquini, M., Bonfim, C., Dalal, J., Hahn, T., Atsuta, Y., Saber, W.: Graft-versus-host disease after HLA-matched sibling bone marrow or peripheral blood stem cell transplantation: comparison of north american caucasian and japanese populations. *Biol. Blood Marrow Transplant.* 22(4): 744-751, 2016.
- 48) Kanda, J., Ikegame, K., Fuji, S., Kurokawa, M., Kanamori, H., Fukuda, T., Ohashi, K., Ishikawa, J., Ogawa, H., Inoue, M., Ichinohe, T., Atsuta, Y., Kanda, Y.: HLA working group of the japan society for hematopoietic cell transplantation. Haploidentical and matched sibling donor hematopoietic cell transplantation for patients with HLA-homozygous haplotypes. *Biol. Blood Marrow Transplant.* 22(11): 2031-2037, 2016.
- 49) Kanda, Y.: Guest Editorial: Retrospective cohort studies using the registry database of hematopoietic stem cell transplantation in Japan. How can we produce reliable Japanese evidences? *Int. J. Hematol.* 103(1): 1-2, 2016.
- 50) Kanda, Y., Kobayashi, T., Mori, T., Tanaka, M., Nakaseko, C., Yokota, A., Watanabe, R., Kako, S., Kakihana, K., Kato, J., Tanihara, A., Doki, N., Ashizawa, M., Kimura, S.I., Kikuchi, M., Kanamori, H., Okamoto, S., Kanto Study Group for Cell Therapy.: A randomized controlled trial of cyclosporine and tacrolimus with strict control of blood concentrations after unrelated bone marrow transplantation. *Bone Marrow Transplant.* 51(1): 103-109, 2016.
- 51) Kandzari, DE., Kario, K., Mahfoud, F., Cohen, SA., Pilcher, G., Pocock, S., Townsend, R., Weber, MA., Böhm, M.: The SPYRAL HTN global clinical trial program: Rationale and design for studies of renal denervation in the absence (SPYRAL HTN OFF-MED) and presence (SPYRAL HTN ON-MED) of antihypertensive medications. *Am. Heart. J.* 171(1): 82-91, 2016.

- 52) Kario, K.: New insight of morning blood pressure surge into the triggers of cardiovascular disease-synergistic resonance of blood pressure variability. *Am. J. Hypertens.* 29(1): 14-16, 2016.
- 53) Kario, K.: Hypertension; Benefits of strict blood-pressure lowering in hypertension. *Nat. Rev. Cardiol.* 13(3):125-126, 2016.
- 54) Kario, K.: PREFACE; "The lower the better" association between white-coat effect-excluded blood pressure and cardiovascular events in high-risk hypertension: Insights from SPRINT. *Curr. Hypertens. Rev.* 12(1): 2-10, 2016.
- 55) Kario, K.: Evidence and perspectives on the 24-hour management of hypertension: hemodynamic biomarker-Initiated 'anticipation medicine' for zero cardiovascular event. *Prog Cardiovasc Dis* 59(3): 262-281, 2016.
- 56) Kario, K.: Systemic hemodynamic atherothrombotic syndrome and resonance hypothesis of blood pressure variability : Triggering cardiovascular events. *Korean. Circ. J.* 46(4): 456-467, 2016.
- 57) Kario, K., Bhatt, DL., Kandzari, DE., Brar, S., Flack, JM., Gilbert, C., Oparil, S. Robbins, M., Townsend, RR., Bakris, G.: Impact of renal denervation on patients with obstructive sleep apnea and resistant hypertension - Insights from the SYMPLICITY HTN-3 Trial. *Circ. J.* 80: 1404-1412, 2016.
- 58) Kario, K., Hoshide, S., Uchiyama, K., Yoshida, T., Okazaki, O., Noshiro, T., Aoki, H., Mizuno, H., Matsumoto, Y.: Dose timing of an angiotensin II receptor blocker/calcium channel blocker combination in hypertensive patients with paroxysmal atrial fibrillation. *J. Clin. Hypertens. (Greenwich)* 18(10): 1036-1044, 2016.
- 59) Kario, K., Hoshide, S.: Age- and sex-related differences in efficacy with an angiotensin II receptor blocker and a calcium channel blocker in asian hypertensive patients. *J. Clin. Hypertens. (Greenwich)* 18: 672-678, 2016.
- 60) Kario, K., Ikemoto, T., Kuwabara, M., Ishiyama, H., Saito, K., Hoshide, S.: Catheter-based renal denervation reduces hypoxia-triggered nocturnal blood pressure peak in obstructive sleep apnea syndrome. *J. Clin. Hypertens. (Greenwich)* 18(7): 707-709, 2016.
- 61) Kario, K., Okura, A., Okawara, Y., Tomitani, N., Ikemoto, T., Hoshide, S.: Impact of introducing catheter-based renal denervation into Japan for hypertension management: Estimation of number of target patients and clinical relevance of ambulatory blood pressure reduction. *Curr. Hypertens. Rev.* 12(2): 156-163, 2016.
- 62) Kario, K., Saito, I., Kushiro, T., Teramukai, S., Tomono, Y., Okuda, Y., Shimada, K.: Morning home blood pressure is a strong predictor of coronary artery disease: The HONEST Study. *J. Am. Coll. Cardiol* 67(13): 1519-1527, 2016.

- 63) Kario, K., Saito, I., Kushiro, T., Teramukai, S., Yaginuma, M., Mori, Y., Okuda, Y., Kobayashi, F., Shimada, K.: Persistent olmesartan-based blood pressure-lowering effects on morning hypertension in Asians: the HONEST study. *Hypertens. Res.* 39(5): 334-341, 2016.
- 64) Kario, K., Tamaki, Y., Okino, N., Gotou, H., Zhu, M., Zhang, J.: LCZ696, a first-in-class angiotensin receptor-neprilysin inhibitor: The first clinical experience in patients with severe hypertension. *J. Clin. Hypertens. (Greenwich)*. 18(4): 308-314, 2016.
- 65) Kario, K., Tomitani, N., Matsumoto, Y., Hamasaki, H., Okawara, Y., Kondo, M., Nozue, R., Yamagata, H., Okura, A., Hoshide, S.: Research and development of information and communication technology-based home blood pressure monitoring from morning to nocturnal hypertension. *Ann. Glob. Health*. 82(2): 254-273. 2016.
- 66) Kawamata, M., Akimoto, T., Sugase, T., Otani-Takei, N., Miki, T., Masuda, T., Kobayashi, T., Takeda, S., Muto, S., Nagata, D.: Tubulointerstitial nephritis and uveitis syndrome: are drugs offenders or bystanders? *Clin. Med. Insights. Case Rep.* 9: 21-24, 2016.
- 67) Kawamura, K., Ikeda, T., Hagiwara, S., Mori, T., Shinagawa, A., Nishiwaki, K., Ohashi, K., Kubonishi, S., Fukuda, T., Ito, T., Tomita, N., Ichinohe, T., Kato, K., Morishima, Y., Atsuta, Y., Sunami, K., Kanda, Y.: Tandem autologous versus autologous/allogeneic transplantation for multiple myeloma: propensity score analysis. *Leuk. Lymphoma*. 57(9): 2077-2083, 2016.
- 68) Kenzaka, T., Kumabe, A., Kosami, K., Matsuoka, Y., Minami, K., Ninomiya, D., Noda, A., Okayama, M.: Physicians' opinions regarding the criteria for resuming oral intake after aspiration pneumonia: A questionnaire survey and cluster analysis of hospitals across Japan. *Geriatr. Gerontol. Int.* 2016. (doi: 10.1111/ggi.12792.)
- 69) Kim, Y., Koide, R., Isozaki, E., Goto, Y.: Magnetic resonance imaging findings in leigh syndrome with a novel compound heterozygous mutation. *Neurol. Clin. Neurosci.* 4(1): 34-35, 2016.
- 70) Kimura, H., Karasawa, T., Usui, F., Kawashima, A., Endo, Y., Kobayashi, M., Sadatomo, A., Nakamura, J., Iwasaki, Y., Yada, T., Tsutsui, H., Kasahara, T., Takahashi, M.: Caspse-1 deficiency promotes high-fat diet-induced adipose tissue inflammation and the development of obesity. *Am. J. Physiol. Endocrinol. Metab.* 311(5): E881-E890, 2016.
- 71) Kobayashi, M., Usui, F., Karasawa, T., Kawashima, A., Kimura, H., Mizushina, Y., Shirasuna, K., Mizukami, H., Kasahara, T., Hasebe, N., Takahashi, M.: NLRP3 reduces macrophage interleukin-10 production and enhances the susceptibility to doxorubicin - induced cardiotoxicity. *Sci. Rep.* 6: 26489, 2016.
- 72) Koga, M., Yoshimura, S., Hasegawa, Y., Shibuya, S., Ito, Y., Matsuoka, H., Takamatsu, K., Nishiyama, K., Todo, K., Kimura, K., Furui, E., Terasaki, T., Shiokawa, Y., Kamiyama, K., Takizawa, S., Okuda, S., Okada, Y., Kameda, T., Nagakane, Y., Yagita, Y., Kario, K., Shiozawa,

- M., Sato, S., Yamagami, H., Arihiro, S., Toyoda, K.: SAMURAI study investigators. higher risk of ischemic events in secondary prevention for patients with persistent than those with paroxysmal atrial fibrillation. *Stroke* 47(10): 2582-2588, 2016.
- 73) Koh, J. C., Loo, W. M., Goh, K. L., Sugano, K., Chan, W. K., Chiu, W. Y., Choi, M. G., Gonlachanvit, S., Lee, W. J., Lee, W. J., Lee, Y. Y., Lesmana, L. A., Li, Y. M., Liu, C. J., Matsuura, B., Nakajima, A., Ng, E. K., Sollano, J. D., Wong, S. K., Wong, V. W., Yang, Y., Ho, K. Y., Dan, Y. Y.: Asian consensus on the relationship between obesity and gastrointestinal and liver diseases. *J. Gastroenterol. Hepatol.* 31(8): 1405-1413, 2016.
- 74) Kohara, M., Takeda, S., Miki, T., Ohara, K., Yamanaka, Y., Kawamata, M., Hishida, E., Wakabayashi, N., Yamazaki, T., Ichida, M., Akimoto, T., Muto, S., Nagata, D.: Development of acute pericarditis associated with new-onset rheumatoid arthritis in a diabetic patient with renal impairment: the elusive nature of uremia. *Intern. Med.* 55(8): 955-959, 2016.
- 75) Komori, T., Eguchi, K., Kario, K.: The measurement of orthostatic blood pressure as a screening tool for masked hypertension with abnormal circadian blood pressure rhythm. *Hypertens. Res.* 39(9): 631-632, 2016.
- 76) Komori, T., Eguchi, K., Saito, T., Hoshide, S., Kario, K.: Riser pattern: Another determinant of heart failure with preserved ejection fraction. *J. Clin. Hypertens. (Greenwich)* 18(10): 994-999, 2016.
- 77) Komori, T., Eguchi, K., Saito, T., Nishimura, Y., Hoshide, S., Kario, K.: Riser blood pressure pattern is associated with mild cognitive impairment in heart failure patients. *Am. J. Hypertens.* 29(2): 194-201, 2016.
- 78) Kosami, K., Kenzaka, T., Sagara, Y., Minami, K., Matsumura, M.: Clinically mild encephalitis/encephalopathy with a reversible splenial lesion caused by methicillin-sensitive *Staphylococcus aureus* bacteremia with toxic shock syndrome: a case report. *BMC Infect. Dis.* 16: 160, 2016.
- 79) Kurita, D., Hatta, Y., Hojo, A., Kura, Y., Sawada, U., Kanda, Y., Takei, M.: Adult acute lymphoblastic leukemia with a rare b3a3 type BCR/ABL1 fusion transcript. *Cancer Genet.* 209(4): 161-165, 2016.
- 80) Kuwabara, M., Kario, K.: Development of a triggered nocturnal blood pressure monitoring which detects nighttime blood pressure surges in sleep apnea syndrome. *Curr. Hypertens. Rev.* 12(1): 27-31, 2016.
- 81) Kuwabara, M., Motoki, Y., Sato, H., Fujii, M., Ichiura, K., Kuwabara, K., Nakamura, Y.: Low frequency of toothbrushing practices is an independent risk factor for diabetes mellitus in male and dyslipidemia in female: A large-scale, 5-year cohort study in Japan. *J. Cardiol.* pii: S0914-5087(16) 30264-30267, 2016.

- 82) Kuwatsuka, Y., Kanda, J., Yamazaki, H., Mori, T., Miyamura, K., Kako, S., Uchida, N., Ohashi, K., Ozawa, Y., Takahashi, Y., Kato, C., Iwato, K., Ishiyama, K., Kobayashi, H., Eto, T., Kahata, K., Kato, J., Miyamoto, T., Kato, K., Mori, S., Atsuta, Y., Kimura, F., Kanda, Y.; Japan Society for Hematopoietic Cell Transplantation.: A comparison of outcomes for cord blood transplantation and unrelated bone marrow transplantation in adult aplastic anemia. *Biol. Blood Marrow. Transplant.* 22(10): 1836-1843, 2016.
- 83) Makino, N., Makino, S., Ishikawa, Y., Yamamoto, Y., Matsumura, M.: Relationship between career anchors, choosing specialty, and life satisfaction. *Sch. J. App. Med. Sci.* 4(12D): 4468-4472, 2016. (DOI: 10.21276/sjams.2016.4.12.52.)
- 84) Mashiko, T., Sakashita, E., Kasashima, K., Tominaga, K., Kuroiwa, K., Nozaki ,Y., Matsuura, T., Hamamoto, T., Endo, H.: Developmentally-regulated RNA-binding protein 1 (Drb1)/RNA-binding motif protein 45 (RBM45), a nuclear-cytoplasmic trafficking protein, forms TAR DNA-binding protein 43 (TDP-43)-mediated cytoplasmic aggregates. *J. Biol. Chem.* 291(29): 14996-15007, 2016.
- 85) Masuda, T., Murakami, T., Igarashi, Y., Okabe, K., Kobayashi, T., Takeda, S., Saito, T., Sekiguchi, C., Miyazawa, Y., Akimoto, T., Saito, O., Muto, S., Nagata, D.: Dual impact of tolvaptan on intracellular and extracellular water in chronic kidney disease patients with fluid retention. *Intern. Med.* 55(19): 2759-2764, 2016.
- 86) Matsuyama, Y., Muijtjens, AM., Kikukawa, M., Stalmeijer, R., Murakami, R., Ishikawa, S., Okazaki, H.: A first report of east asian students' perception of progress testing: a focus group study. *BMC Med. Educ.* 16(1): 245, 2016.
- 87) Minakata, D., Fujiwara, S., Ito, S., Mashima, K., Umino, K., Nakano, H., Kawasaki, Y., Sugimoto, M., Yamasaki, R., Yamamoto, C., Ashizawa, M., Hatano, K., Okazuka, K., Sato, K., Oh, I., Ohmine, K., Suzuki, T., Muroi, K., Kanda, Y.: A low-dose cytarabine, aclarubicin and granulocyte colony-stimulating factor priming regimen versus a daunorubicin plus cytarabine regimen as induction therapy for older patients with acute myeloid leukemia: A propensity score analysis. *Leuk. Res.* 42: 82-87, 2016.
- 88) Miura, Y., Hayashi, Y., Lefor, A. K., Osawa, H., Yamamoto, H.: The pocket-creation method of ESD for gastric neoplasms. *Gastrointest Endosc.* 83(2): 457-458, 2016.
- 89) Miyoshi, F., Honne, K., Minota, S., Okada, M., Ogawa, N., Mimura, T.: A novel method predicting clinical response using only background clinical data in RA patients before treatment with infliximab. *Mod. Rheumatol.* 26(6) 813-816, 2016.

- 90) Mizuno, H., Hoshide, S., Fukutomi, M., Kario, K.: Differing effects of aliskiren/amlodipine combination and high-dose amlodipine monotherapy on ambulatory blood pressure and target organ protection. *J. Clin. Hypertens. (Greenwich)* 18(1): 70-78, 2016.
- 91) Mori, T., Koh, H., Onishi, Y., Kako, S., Onizuka, M., Kanamori, H., Ozawa, Y., Kato, C., Iida, H., Suzuki, R., Ichinohe, T., Kanda, Y., Maeda, T., Nakao, S., Yamazaki, H.: Impact of cyclophosphamide dose of conditioning on the outcome of allogeneic hematopoietic stem cell transplantation for aplastic anemia from human leukocyte antigen-identical sibling. *Int. J. Hematol.* 103(4): 461-468, 2016.
- 92) Morimoto, M., Koinuma, K., Lefor, A. K., Horie, H., Ito, H., Sata, N., Hayashi, Y., Sunada, K., Yamamoto, H.: Diagnosis of a submucosal mass at the staple line after sigmoid colon cancer resection by endoscopic cutting-mucosa biopsy. *World J. Gastrointest Endosc.* 8(8): 374-377, 2016.
- 93) Morishita, Y., Ookawara, S., Hirahara, I., Muto, S., Nagata, D.: HIF-1 α mediates hypoxia-induced epithelial-mesenchymal transition in peritoneal mesothelial cells. *Ren. Fail.* 38(2): 282-289, 2016.
- 94) Morishita, Y., Yoshizawa, H., Watanabe, M., Imai, R., Imai, T., Hirahara, I., Akimoto, T., Ookawara, S., Muto, S., Nagata, D.: MicroRNA expression profiling in peritoneal fibrosis. *Transl. Res.* 169: 47-66, 2016.
- 95) Murakami, T., Takeda, S., Kanazawa, H., Ugajin, A., Kijima, S., Nakamura, H., Imai, T., Sugase, T., Horikoshi, R., Kobayashi, T., Akimoto, T., Saito, O., Nagata, D.: Subclinical growth of an arteriovenous fistula associated with renal biopsy: a case report. *BMC Nephrol.* 17(1): 81, 2016.
- 96) Nagashima, T., Minota, S.: Comment on "corticosteroid-sparing effect of tacrolimus in the initial treatment of dermatomyositis and polymyositis" by yokoyama et al. *Mod. Rheumatol* 26(4):635, 2016.
- 97) Nagashima, T., Minota, S.: Air bubbles in the knee joint. *J. Clin. Rheumatol.* 22(2):94-95, 2016.
- 98) Nagashima, T., Minota, S.: Autoimmune hemolytic anemia induced by adalimumab. *Intern. Med.* 55(6): 715, 2016.
- 99) Nagashima, S., Morishima, K., Okamoto, H., Ishibashi, S.: Possible involvement of PCSK9 overproduction in hyperlipoproteinemia associated with hepatocellular carcinoma: A case report. *J. Clin. Lipidol.* 10(4): 1045-1049, 2016.
- 100) Nagashima, T., Obata, H., Minota, S.: Intraorbital granuloma in granulomatosis with polyangiitis. *Intern. Med.* 55(10): 1403, 2016.
- 101) Nagatsuka, K., Miyata, S., Kada, A., Kawamura, A., Nakagawara, J., Furui, E., Takiuchi,

- S., Taomoto, K., Kario, K., Uchiyama, S., Saito, K., Nagao, T., Kitagawa, K., Hosomi, N., Tanaka, K., Kaikita, K., Katayama, Y., Abumiya, T., Nakane, H., Wada, H., Hattori, A., Kimura, K., Isshiki, T., Nishikawa, M., Yamawaki, T., Yonemoto, N., Okada, H., Ogawa, H., Minematsu, K., Miyata T.: Cardiovascular events occur independently of high on-aspirin platelet reactivity and residual COX-1 activity in stable cardiovascular patients. *Thromb. Haemost.* 116(2): 356-368, 2016.
- 102) Nakamura, J., Nagashima, T., Nagatani, K., Yoshio, T., Iwamoto, M., Minota, S.: Reactivation of hepatitis B virus in rheumatoid arthritis patients treated with biological disease-modifying antirheumatic drugs. *Int. J. Rheum. Dis.* 19(5): 470-5, 2016.
- 103) Nakamura, R., Kenzaka, T.: Magnetic resonance imaging of cardiac amyloidosis. *QJM.* 109(1): 63, 2016.
- 104) Nakano, H., Ashizawa, M., Akahoshi, Y., Ugai, T., Wada, H., Yamasaki, R., Ishihara, Y., Kawamura, K., Sakamoto, K., Sato, M., Terasako-Saito, K., Kimura, S., Kikuchi, M., Nakasone, H., Kako, S., Kanda, J., Yamazaki, R., Tanihara, A., Nishida, J., Kanda, Y.: Assessment of the ovarian reserve with anti-Müllerian hormone in women who underwent allogeneic hematopoietic stem cell transplantation using reduced-intensity conditioning regimens or myeloablative regimens with ovarian shielding. *Int. J. Hematol.* 104(1): 110-116, 2016.
- 105) Nakano, M., Eguchi, K., Sato, T., Onoguchi, A., Hoshide, S., Kario, K.: Effect of intensive salt-restriction education on clinic, home, and ambulatory blood pressure levels in treated hypertensive patients during a 3-month education period. *J. Clin. Hypertens. (Greenwich)* 18(5): 385-392, 2016.
- 106) Naoi, T., Shimazaki, H., Sawada, M.: The rapid effectiveness of minocycline against scrub typhus meningoencephalitis. *Intern. Med.* 55(7): 805-809, 2016.
- 107) Niijima, S., Nagai, M., Hoshide, S., Takahashi, M., Shimpo, M., Kario, K.; Japan morning surge-home blood pressure study investigators Group.: Long sleep duration: a nonconventional indicator of arterial stiffness in Japanese at high risk of cardiovascular disease: the J-HOP study. *J. Am. Soc. Hypertens.* 10(5): 429-437, 2016.
- 108) Ninomiya, H., Obara, N., Chiba, S., Usuki, K., Nishiwaki, K., Matsumura, I., Shichishima, T., Okamoto, S., Nishimura, J.I., Ohyashiki, K., Nakao, S., Ando, K., Kanda, Y., Kawaguchi, T., Nakakuma, H., Harada, D., Akiyama, H., Kinoshita, T., Ozawa, K., Omine, M., Kanakura, Y.: Interim analysis of post-marketing surveillance of eculizumab for paroxysmal nocturnal hemoglobinuria in Japan. *Int. J. Hematol.* 104(5): 548-558, 2016.
- 109) Oba, Y., Ogata, N., Fukutomi, M., Kario, K.: Usefulness of three-dimensional optical frequency domain imaging for diagnosing in-stent restenosis due to a stent fracture. *EuroIntervention.* 12(11): e1438, 2016.

- 110) Okada, K., Kotani, K., Ebihara, K., Yamazaki, H., Ishibashi, S.: Predictors of response to ipragliflozin treatment in patients with type 2 diabetes mellitus. *Int. J. Clin. Pharmacol. Ther.* 54(12):1004-1008, 2016.
- 111) Okada, K., Kotani, K., Ishibashi, S.: Ankle-brachial index and eicosapentaenoic acid/arachidonic acid ratio in smokers with type 2 diabetes mellitus. *Tob. Induc. Dis.* 14:2, 2016.(doi:10.1186/s 12971-016-0068-9)
- 112) Okada, M., Sakamoto, H., Takezawa, T., Hayashi, Y., Sunada, K., Lefor, A. K., Yamamoto, H.: Laterally spreading tumor of the rectum delineated with linked color imaging technology. *Clin. Endosc.* 49(2): 207-208, 2016.
- 113) Omboni, S., Aristizabal, D., De la Sierra, A., Dolan, E., Head, G., Kahan, T., Kantola, I., Kario, K., Kawecka-Jaszcz, K., Malan, L., Narkiewicz, K., Octavio, JA., Ohkubo, T., Palatini, P., Siègelovà, J., Silva, E., Stergiou, G., Zhang, Y., Mancia, G., Parati, G.; ARTEMIS (international Ambulatory blood pressure Registry; TEleMonitoring of hypertension and cardiovascular rISK project) Investigators.: Hypertension types defined by clinic and ambulatory blood pressure in 14143 patients referred to hypertension clinics worldwide. Data from the ARTEMIS study. *J. Hypertens.* 34(11): 2187-2198, 2016.
- 114) Omori, K., Kobayashi, E., Jeffrey, R., Takahashi, M., Mullen, Y: Mechanisms of islet damage mediated by pancreas cold ischemia/rewarming. *Cyobiology*. 73(2): 126-134, 2016.
- 115) Omori, K., Kobayashi, E., Komatsu, H., Rawson, J., Agrawal, G., Parimi, M., Oancea, A., Valiente, L., Ferreri, K., Al-Abdullah, IS., Kandeel, F., Takahashi, M., Mullen. Y.: Involvement of a pro-apoptotic gene (BBC3) in islet injury mediated by cold preservation and rewarming. *Am. J. Physiol. Endocrinol. Metab.* 310(11): E1016-E1026, 2016.
- 116) Otani-Takei, N., Akimoto, T., Sadatomo, A., Saito, O., Muto, S., Kusano, E., Nagata, D.: Bowel obstruction and peritoneal dialysis: A case report of a patient with complications from a broad ligament hernia. *Clin. Med. Insights. Case Rep.* 9: 57-60, 2016.
- 117) Oyama, J., Tanaka, A., Sato, Y., Tomiyama, H., Sata, M., Ishizu, T., Taguchi, I., Kuroyanagi, T., Teragawa, H., Ishizaka, N., Kanzaki, Y., Ohishi, M., Eguchi, K., Higashi, Y., Yamada, H., Maemura, K., Ako, J., Bando, YK., Ueda, S., Inoue, T., Murohara, T., Node, K.; PRIZE Study Investigators.: Rationale and design of a multicenter randomized study for evaluating vascular function under uric acid control using the xanthine oxidase inhibitor, febuxostat: the PRIZE study. *Cardiovasc. Diabetol.* 15: 87,2016.(doi:10.1186/s 12933-016-0409-2)
- 118) Ozaka, A., Onishi, T., Ueda, Y., Kenzaka, T., Matsumura, M.: A case of pyogenic vertebral osteomyelitis: Importance of physical examination for correct diagnosis. *J. Gen. Fam. Med.* 17(2): 160-163, 2016.

- 119) Palatini, P., Rebaldi, G., Beilin, LJ., Casiglia, E., Eguchi, K., Imai, Y., Kario, K., Ohkubo, T., Pierdomenico, SD., Schwartz, JE., Wing, L., Verdecchia, P.: Prognostic value of ambulatory blood pressure in the obese: The ambulatory blood pressure-international study. *J. Clin. Hypertens.* (Greenwich) 18(2): 111-118, 2016.
- 120) Park, S., Kario, K., Park, CG., Huang, QF., Cheng, HM., Hoshide, S., Wang ,JG., Chen, CH.; Characteristics on the Management of hypertension in asia-morning hypertension discussion Group (COME Asia MHDG).: Target blood pressure in patients with diabetes: Asian perspective. *Yonsei. Med. J.* 57(6): 1307-1311, 2016.
- 121) Reck, M., Hagiwara, K., Han, B., Tjulandin, S., Grohé, C., Yokoi, T., Morabito, A., Novello, S., Arriola, E., Molinier, O., McCormack, R., Ratcliffe, M., Normanno, N.: ctDNA determination of EGFR mutation status in european and japanese patients with advanced NSCLC: The ASSESS Study. *J. Thorac. Oncol.* 11(10): 1682-1689, 2016.
- 122) Rugge, M., Genta, R. M., Graham, D. Y., Di, Mario. F., Vaz, Coelho. L. G., Kim, N., Malfertheiner, P., Sugano, K., Tsukanov, V., Correa, P.: Chronicles of a cancer foretold: 35 years of gastric cancer risk assessment. *Gut.* 65(5): 721-725, 2016.
- 123) Sagara, Y., Shinozaki, S., Yano, T., Sakamoto, H., Hayashi, Y., Lefor, A. K., Yamamoto, H.: Use of an over-the-scope clipping device for closure of a jejunoo-sigmoid fistula: a case report with long-term follow-up. *Clin. J. Gastroenterol.* 9(6): 369-374, 2016.
- 124) Saito, M., Hatakeyama, S.: Acute rheumatic fever with erythema marginatum. *N. Engl. J. Med.* 375(25): 2480, 2016.
- 125) Saito, I., Kario, K., Kushiro, T., Teramukai, S., Yaginuma, M., Mori, Y., Okuda, Y., Shimada, K.: Home blood pressure and cardiovascular risk in treated hypertensive patients: the prognostic value of the first and second measurements and the difference between them in the HONEST study. *Hypertens. Res.* 39(12): 857-862, 2016.
- 126) Saji, N., Kimura, K., Tateishi, Y., Fujimoto, S., Kaneko, N., Urabe, T., Tsujino, A., Iguchi, Y., da Vinchi Study Group.: Safety and efficacy of non-vitamin K oral anticoagulant treatment compared with warfarin in patients with non-valvular atrial fibrillation who develop acute ischemic stroke or transient ischemic attack: a multicenter prospective cohort study (da Vinchi Study). *J. Thromb. Thrombolysis.* 42(4): 453-462, 2016.
- 127) Sakamoto, K., Nakasone, H., Togashi, Y., Sakata, S., Tsuyama, N., Baba, S., Dobashi, A., Asaka, R., Tsai, C.C., Chuang, S.S., Izutsu, K., Kanda, Y., Takeuchi, K.: ALK-positive large B-cell lymphoma: identification of EML4-ALK and a review of the literature focusing on the ALK immunohistochemical staining pattern. *Int. J. Hematol.* 103(4): 399-408, 2016.
- 128) Salles, GF., Rebaldi, G., Fagard, RH., Cardoso, CR., Pierdomenico, SD., Verdecchia, P., Eguchi, K., Kario, K., Hoshide, S., Polonia, J., de la Sierra, A., Hermida, RC., Dolan, E., O'Brien

- E., Roush GC.; ABC-H Investigators.: Prognostic effect of the nocturnal blood pressure fall in hypertensive patients: the ambulatory blood pressure collaboration in patients with hypertension (ABC-H) meta-analysis. *Hypertension* 67(4): 693-700, 2016.
- 129) Sato, K., Feng, X., Chen, J., Li, J., Muranski, P., Desierto, M.J., Keyvanfar, K., Malide, D., Kajigaya, S., Young, N.S.: PPAR γ antagonist attenuates mouse immune-mediated bone marrow failure by inhibition of T cell function. *Haematologica*. 101(1): 57-67, 2016.
- 130) Sato, R., Akimoto, T., Imai, T., Nakagawa, S., Okada, M., Miki, A., Takeda, S., Yamamoto, H., Saito, O., Muto, S., Kusano, E., Nagata, D.: Minimal change nephrotic syndrome sequentially complicated by acute kidney injury and painful skin ulcers due to calciphylaxis. *Intern. Med.* 55(22): 3315-3320, 2016.
- 131) Satoh, K., Yoshino, J., Akamatsu, T., Itoh, T., Kato, M., Kamada, T., Takagi, A., Chiba, T., Nomura, S., Mizokami, Y., Murakami, K., Sakamoto, C., Hiraishi, H., Ichinose, M., Uemura, N., Goto, H., Joh, T., Miwa, H., Sugano, K., Shimosegawa, T.: Evidence-based clinical practice guidelines for peptic ulcer disease 2015. *J. Gastroenterol.* 51(3): 177-194, 2016.
- 132) Sawahata, M., Sugiyama, Y., Yamasawa, H., Miki, A., Yamamoto, H., Muto, S., Yamamoto, H., Bando, M.: Sarcoidosis during etanercept treatment for rheumatoid arthritis in women with a history of bilateral oophorectomy. *Sarcoidosis. Vasc. Diffuse. Lung. Dis.* 33(2): 178-181, 2016.
- 133) Sawahata, M., Sugiyama, Y., Yamasawa, H., Miki, A., Yamamoto, H., Muto, S., Yamamoto, H., Bando, M.: Sarcoidosis during etanercept treatment for rheumatoid arthritis in women with a history of bilateral oophorectomy. *Sarcoidosis. Vasc. Diffuse. Lung. Dis.* 33(2): 178-181, 2016.
- 134) Sawata, T., Bando, M., Kogawara, H., Nakayama, M., Mato, N., Yamasawa, H., Takemura, T., Sugiyama, Y.: Drug-induced hypersensitivity syndrome accompanied by pulmonary lesions exhibiting centrilobular nodular shadows. *Intern. Med.* 55(9): 1159-1163, 2016.
- 135) Sawata, T., Bando, M., Nakayama, M., Mato, N., Takemura, T., Sugiyama, Y.: Multicentric castleman's disease developing during follow-up of sarcoidosis. *Respirol. Case Rep.* 4(4): e00168, 2016.
- 136) Sawata, T., Bando, M., Nakayama, M., Mato, N., Yamasawa, H., Sugiyama, Y.: Influence of smoking in interstitial pneumonia presenting with a Non-specific interstitial pneumonia pattern. *Intern. Med.* 55(20): 2939-2944, 2016.
- 137) Shibasaki, S., Hoshide, S., Kario, K.: Within-home blood pressure variability on a single occasion has clinical significance. *Pulse (Basel)* 4(1): 38-42, 2016.
- 138) Shimada, K., Kario, K., Kushiro, T., Teramukai, S., Zenimura, N., Ishikawa, Y., Okuda, Y., Saito, I.: Prognostic significance of on-treatment home and clinic blood pressure for predicting cardiovascular events in hypertensive patients in the HONEST study. *J. Hypertens.* 34(8): 1520-

1527, 2016.

- 139) Shimatani, M., Hatanaka, H., Kogure, H., Tsutsumi, K., Kawashima, H., Hanada, K., Matsuda, T., Fujita, T., Takaoka, M., Yano, T., Yamada, A., Kato, H., Okazaki, K., Yamamoto, H., Ishikawa, H., Sugano, K.: Diagnostic and therapeutic endoscopic retrograde cholangiography using a short-type double-balloon endoscope in patients with altered gastrointestinal anatomy: A multicenter prospective study in japan. *Am. J. Gastroenterol.* 111(12): 1750-1758, 2016.
- 140) Shinozaki, S., Hayashi, Y., Lefor, A. K., Yamamoto, H.: What is the best therapeutic strategy for colonoscopy of colorectal neoplasia? Future perspectives from the East. *Dig. Endosc.* 28(3): 289-295, 2016.
- 141) Shinozaki, S., Miura, Y., Ino, Y., Shinozaki, K., Lefor, A. K., Yamamoto, H.: Erratum: an ultrathin endoscope with a 2.4-mm working channel shortens the esophagogastroduodenoscopy time by shortening the suction time. *Clin. Endosc.* 49(1): 100, 2016.
- 142) Shinozaki, S., Nomoto, H., Kondo, Y., Sakamoto, H., Hayashi, Y., Yamamoto, H., Lefor, A. K., Osawa, H.: Comparison of vonoprazan and proton pump inhibitors for eradication of helicobacter pylori. *Kaohsiung. J. Med. Sci.* 32(5): 255-260, 2016.
- 143) Shinozaki, S., Osawa, H., Sakamoto, H., Hayashi, Y., Kawarai Lefor, A., Yamamoto, H.: The effect of acetaminide on epigastric pain syndrome and postprandial distress syndrome in patients with functional dyspepsia. *J. Med. Invest.* 63(3-4): 230-235, 2016.
- 144) Shirasuna, K., Takano, T., Seno, K., Ohtsu, A., Karasawa, T., Takahashi, M., Ohkuchi, A., Suzuki, H., Matsubara, S., Iwata, H., Kuwayama, T.: Palmitic acid induces interleukin-1beta secretion via NLRP3 inflammasomes and inflammatory responses through ROS production in human placental cells. *J. Reprod. Immunol.* 116: 104-112, 2016.
- 145) Stergiou, GS., Parati, G., Vlachopoulos, C., Achimastos, A., Andreadis, E., Asmar, R., Avolio, A., Benetos, A., Bilo, G., Boubouchairiopoulos, N., Boutouyrie, P., Castiglioni, P., de la Sierra, A., Dolan, E., Head, G., Imai, Y., Kario, K., Kollias, A., Kotsis, V., Manios, E., McManus, R., Mengden, T., Mihailidou, A., Myers, M., Niiranen, T., Ochoa, JE., Ohkubo, T., Omboni, S., Padfield, P., Palatini, P., Papaioannou, TG., Protogerou, A., Redon, J., Verdecchia, P., Wang, J., Zanchetti, A., Mancia, G., O'Brien, E.: Methodology and technology for peripheral and central blood pressure and blood pressure variability measurement: current status and future directions – Position statement of the European Society of Hypertension Working Group on blood pressure monitoring and cardiovascular variability. *J. Hypertens.* 34(9): 1665-1677, 2016.
- 146) Solak, Y., Kario, K., Covic, A., Bertelsen, N., Afsar, B., Ozkok, A., Wiecek, A., Kanbay, M.: Clinical value of ambulatory blood pressure; Is it time to recommend for all patients with hypertension? *Clin. Exp. Nephrol.* 20(1): 14-22, 2016.
- 147) Sugano, K.: Strategies for prevention of gastric cancer: progress from mass eradication

- trials. *Dig. Dis.* 34(5): 500-504, 2016.
- 148) Sugase, T., Akimoto, T., Kubo, T., Imai, T., Otani-Takei, N., Miki, T., Takeda, S., Nukui, A., Muto, S., Morita, T., Nagata, D.: Acute kidney injury associated with renal cell carcinoma complicated by renal vein and inferior vena cava involvement. *Intern. Med.* 55(17): 2447-2452, 20160.
- 149) Sugimoto, M., Ito, S., Mashima, K., Umino, K., Minakata, D., Nakano, H., Yamasaki, R., Kawasaki, Y., Ashizawa, M., Yamamoto, C., Fujiwara, S., Okazuka, K., Hatano, K., Sato, K., Oh, I., Ohmine, K., Suzuki, T., Muroi, K., Kako, S., Kanda, Y.: Retrospective evaluation of the MEAM regimen as a conditioning regimen before autologous peripheral blood stem cell transplantation for lymphoma in two centers with different dosing schedules of melphalan. *Ann. Hematol.* 95(9): 1513-1519, 2016.
- 150) Sunada, K., Shinozaki, S., Nagayama, M., Yano, T., Takezawa, T., Ino, Y., Sakamoto, H., Miura, Y., Hayashi, Y., Sato, H., Lefor, A. K., Yamamoto, H.: Long-term outcomes in Patients with small intestinal strictures secondary to crohn's disease after double-balloon endoscopy-assisted balloon dilation. *Inflamm. Bowel. Dis.* 22(2): 380-386, 2016.
- 151) Suzuki, T., Kobayashi, H., Kawasaki, Y., Okazuka, K., Hatano, K., Fujiwara, S., Oh, I., Ohmine, K., Kanda, Y.: Efficacy of combination therapy with anti-thymocyte globulin and cyclosporine A as a first-line treatment in adult patients with aplastic anemia: a comparison of rabbit and horse formulations. *Int. J. Hematol.* 104(4): 446-453, 2016.
- 152) Takazawa, I., Kawahito, K., Sugaya, A., Yokota, A., Hoshide, S., Kario, K., Misawa, Y.: Catastrophic myocardial ischemia resulting from a left coronary artery anomaly with an origin in the right sinus of Valsalva. *Gen. Thorac. Cardiovasc. Surg.* 64(6): 340-343, 2016.
- 153) Tanaka, A., Murohara, T., Taguchi, I., Eguchi, K., Suzuki, M., Kitakaze, M., Sato, Y., Ishizu, T., Higashi, Y., Yamada, H., Nanasato, M., Shimabukuro, M., Teragawa, H., Ueda, S., Kodera, S., Matsuhisa, M., Kadokami, T., Kario, K., Nishio, Y., Inoue, T., Maemura, K., Oyama, J., Ohishi, M., Sata, M., Tomiyama, H., Node, K.: PROTECT study investigators. rationale and design of a multicenter randomized controlled study to evaluate the preventive effect of ipragliflozin on carotid atherosclerosis: the PROTECT study. *Cardiovasc. Diabetol.* 15(1):133, 2016.
- 154) Tanaka, S., Tanaka, S., Iimuro, S., Ishibashi, S., Yamashita, H., Moriya, T., Katayama, S., Akanuma, Y., Ohashi, Y., Yamada, N., Araki, A., Ito, H., Sone, H.; Japan diabetes complications study group.: Maximum BMI and microvascular complications in a cohort of japanese patients with type 2 diabetes: the japan diabetes complications study. *J. Diabetes. Complications.* 30(5): 790-797, 2016.
- 155) Tsukui, M., Morimoto, N., Kurata, H., Sunada, F.: Asymptomatic anisakiasis of the colon

- incidentally diagnosed and treated during colonoscopy by retroflexion in the ascending colon. *J. Rural Med.* 11(2): 73-75, 2016.
- 156) Turak, O., Afsar, B., Siriopol, D., Ozcan, F., Cagli, K., Yayla, C., Oksuz, F., Mendi, MA., Kario, K., Covic, A., Kanbay, M.: Morning blood pressure surge as a predictor of development of chronic kidney disease. *J. Clin. Hypertens. (Greenwich)* 18(5): 444-448, 2016.
- 157) Ueda, N., Ida, H., Washio, M., Miyahara, H., Tokunaga, S., Tanaka, F., Takahashi, H., Kusuhara, K., Ohmura, K., Nakayama, M., Ohara, O., Nishikomori, R., Minota, S., Takei, S., Fujii, T., Ishigatubo, Y., Tsukamoto, H., Tahira, T., Horiuchi, T.: Clinical and genetic features of patients with TNFRSF1A variants in japan: findings of a nationwide survey. *Arthritis. Rheumatol.* 68(11): 2760-2771, 2016.
- 158) Ueda, S., Miyamoto, S., Kaida, K., Chizuka, A., Kojima, R., Takano, J., Ogasawara, T., Miyamoto, K., Miyakoshi, S., Kanda, Y.: Safety and efficacy of treatment with liposomal amphotericin B in elderly patients at least 65 years old with hematological diseases. *J. Infect. Chemother.* 22(5): 287-291, 2016.
- 159) Usui, K., Sugawara, S., Nishitsuji, M., Fujita, Y., Inoue, A., Mouri, A., Watanabe, H., Sakai, H., Kinoshita, I., Ohhara, Y., Maemondo, M., Kagamu, H., Hagiwara, K., Kobayashi, K., North East Japan Study Group.: A phase II study of bevacizumab with carboplatin-pemetrexed in non-squamous non-small cell lung carcinoma patients with malignant pleural effusions: North East Japan Study Group Trial NEJ013A. *Lung Cancer* 99: 131-136, 2016.
- 160) Wakabayashi, Y., Okugawa, S., Tatsuno, K., Ikeda, M., Misawa, Y., Koyano, S., Tsuji, E., Yanagimoto, S., Hatakeyama, S., Moriya, K., Yotsuyanagi, H.: *Scedosporium prolificans* endocarditis: case report and literature review. *Intern. Med.* 55(1): 79-82, 2016.
- 161) Watanabe, S., Sasahara, T., Arai, N., Sasaki, K., Aiba, Y., Sato'o, Y., Cui, L.: Complete genome sequence of streptococcus pyogenes strain JMUB1235 isolated from an acute phlegmonous gastritis patient. *Genome. Announc.* 4(5), e01133-16, 2016.
- 162) Yamamoto, C., Ito, S., Mashima, K., Umino, K., Minakata, D., Yamasaki, R., Kawasaki, Y., Sugimoto, M., Nakano, H., Ashizawa, M., Okazuka, K., Hatano, K., Sato, K., Oh, I., Fujiwara S, Ohmine, K., Suzuki, T., Muroi, K., Kanda, Y.: Dose-reduced combination of mitoxantrone, etoposide, and cytarabine (miniMEC) for relapsed and refractory acute leukemia. *Leuk. Lymphoma.* 57(11): 2541-2547, 2016.
- 163) Yamauchi, H., Bando, M., Baba, T., Kataoka, K., Yamada, Y., Yamamoto, H., Miyamoto, A., Ikushima, S., Johkoh, T., Sakai, F., Terasaki, Y., Hebisawa, A., Kawabata, Y., Sugiyama, Y., Ogura, T.: Clinical course and changes in high-resolution computed tomography findings in patients with idiopathic pulmonary fibrosis without honeycombing. *PLoS One* 11(11): e0166168, 2016.

- 164) Yanada, M., Kanda, J., Ohtake, S., Fukuda, T., Sakamaki, H., Miyamura, K., Miyawaki, S., Uchida, N., Maeda, T., Nagamura-Inoue, T., Asou, N., Morishima, Y., Atsuta, Y., Miyazaki, Y., Kimura, F., Kobayashi, Y., Takami, A., Naoe, T., Kanda, Y.: Unrelated bone marrow transplantation or immediate umbilical cord blood transplantation for patients with acute myeloid leukemia in first complete remission. *Eur. J. Haematol.* 97(3): 278-287, 2016.
- 165) Yanada, M., Yano, S., Kanamori, H., Gotoh, M., Emi, N., Watakabe, K., Kurokawa, M., Nishikawa, A., Mori, T., Tomita, N., Murata, M., Hashimoto, H., Henzan, H., Kanda, Y., Sawa, M., Kohno, A., Atsuta, Y., Ichinohe, T., Takami, A.: Autologous hematopoietic cell transplantation for acute promyelocytic leukemia in second complete remission: outcomes before and after the introduction of arsenic trioxide. *Leuk. Lymphoma* 58(5): 1061-1067, 2016.
- 166) Yano, T., Nemoto, D., Ono, K., Miyata, Y., Numao, N., Iwashita, C., Nagayama, M., Takahashi, H., Lefor, A. K., Yamamoto, H.: Gel immersion endoscopy: a novel method to secure the visual field during endoscopy in bleeding patients (with videos). *Gastrointest. Endosc.* 83(4): 809-811, 2016.
- 167) Yokota, S., Itoh, Y., Morio, T., Origasa, H., Sumitomo, N., Tomobe, M., Tanaka, K., Minota, S.: Tocilizumab in systemic juvenile idiopathic arthritis in a real-world clinical setting: results from 1 year of postmarketing surveillance follow-up of 417 patients in Japan. *Ann. Rheum. Dis.* 75(9): 1654-1660, 2016.
- 168) Yokoyama, K., Hatanaka, H., Inoue, M., Yano, T., Numao, N., Ushio, J., Lefor, A. K., Tamada, K., Yamamoto, H.: Multiple orifices and cholangiography with a "fire-like" appearance after kasai hepatoportoenterostomy for biliary atresia. *J. Pediatr. Surg.* 51(9): 1574-1576, 2016.
- 169) Yokoyama, K., Yano, T., Kumagai, H., Mizuta, K., Ono, S., Imagawa, T., Yamamoto, H., Yamagata, T.: Double-balloon enteroscopy for pediatric patients: evaluation of safety and efficacy in 257 Cases. *J. Pediatr. Gastroenterol. Nutr.* 63(1): 34-40, 2016.
- 170) Yoshida, T., Kuwabara, M., Hoshide, S., Kario, K.: Recurrence of stroke caused by nocturnal hypoxia-induced blood pressure surge in a young adult male with severe obstructive sleep apnea syndrome. *J. Am. Soc. Hypertens.* 10(3): 201-204, 2016.
- 171) Yoshio, T., Okamoto, H., Kurasawa, K., Dei, Y., Hirohata, S., Minota, S.: IL-6, IL-8, IP-10, MCP-1 and G-CSF are significantly increased in cerebrospinal fluid but not in sera of patients with central neuropsychiatric lupus erythematosus. *Lupus* 25(9): 997-1003, 2016.
- 172) Zuiki, T., Hosoya, Y., Sakuma, Y., Hyodo, M., Lefor, A. T., Sata, N., Nagamine, N., Isoda, N., Sugano, K., Yasuda, Y.: Laparoscopic gastric devascularization without splenectomy is effective for the treatment of gastric varices. *Int. J. Surg. Case Rep.* 19: 119-123, 2016.