

## 2007 年 原著論文

1. Eguchi K, Yacoub M, Jhalani J, Gerin W, Schwartz JE, Pickering TG : Consistency of blood pressure differences between the left and right arms. *Arch Intern Med* 167 : 388-393 , 2007 .
2. Eguchi K, Tomizawa H, Ishikawa J, Hoshide S, Numao T, Fukuda T, Shimada K, Kario K : Comparison of the effects of pioglitazone and metformin on insulin resistance and hormonal markers in patients with impaired glucose tolerance and early diabetes. *Hypertens Res* 30 : 23-30 , 2007 .
3. Eguchi K, Schwartz JE, Roman MJ, Devereux RB, Gerin W, Pickering TG : Metabolic syndrome less strongly associated with target organ damage than syndrome components in a healthy, working population. *J Clin Hypertens (Greenwich)* 9 : 337-344 , 2007 .
4. Eguchi K, Pickering TG, Kario K : Why is blood pressure so hard to control in patients with type 2 diabetes? *JCMS* 2 : 114-118 , 2007 .
5. Eguchi K, Tomizawa H, Ishikawa J, Hoshide S, Fukuda T, Numao T, Shimada K, Kario K : Effects of new calcium channel blocker, azelnidipine, and amlodipine on baroreflex sensitivity and ambulatory blood pressure. *J Cardiovasc Pharmacol* 49 : 394-400 , 2007 .
6. Eguchi K, Ishikawa J, Hoshide S, Ishikawa S, Pickering TG, Schwartz JE, Homma S, Shimada K, Kario K : Differential impact of left ventricular mass and relative wall thickness on cardiovascular prognosis in diabetic and nondiabetic hypertensive subjects. *Am Heart J* 154 : 79.e9-15. , 2007 .
7. Eguchi K, Matsui Y, Shibasaki S, Ishikawa J, Hoshide S, Ishikawa S, Kabutoya T, Schwartz JE, Pickering TG, Shimada K, Kario K : Age-specific impact of self-monitored pulse pressure on hypertensive target organ damage in treated hypertensive patients. *J Clin Hypertens (Greenwich)* 9 : 522-529 , 2007 .
8. Eguchi K, Tomizawa H, Ishikawa J, Hoshide S, Pickering TG, Shimada K, Kario K : Factors associated with baroreflex sensitivity: association with morning blood pressure. *Hypertens Res* 30 : 723-728 , 2007 .
9. Eguchi K, Ishikawa J, Hoshide S, Pickering TG, Shimada K, Kario K : Masked hypertension in diabetes mellitus- a potential risk. *J Clin Hypertens (Greenwich)* 9 : 601-607 , 2007 .
10. Eguchi K, Boden-Albala B, Jin Z, Di Tullio MR, Rundek T, Rodriguez CJ, Homma S, Sacco RL : Usefulness of Fasting Blood Glucose to Predict Vascular Outcomes among Individuals without Diabetes Mellitus (From the Northern Manhattan Study). *Am J*

Cardiol 100 : 1404-1409 , 2007 .

11. Eguchi K, Kario K : (Editorial) The morning evening difference in self-measured blood pressure: A potential predictor of cardiovascular disease. Hypertens Res 30 : 877-878 , 2007 .
12. Eguchi K, Matsui Y, Shibasaki S, Ishikawa J, Hoshide S, Ishikawa S, Kabutoya T, Schwartz JE, Pickering TG, Shimada K, Kario K; Japanese Morning Surge Study Group : Changes in self-monitored pulse pressure correlate with improvements in B-type natriuretic Peptide and urinary albumin in treated hypertensive patients. Am J Hypertens 20 : 1268-1275 , 2007 .
13. Hoshide S, Ishikawa J, Eguchi K, Ojima T, Shimada K, Kario K : Masked nocturnal hypertension and target organ damage in hypertensives with well controlled self-measured home blood pressure. Hypertens Res 30 : 143-149 , 2007 .
14. Ishikawa J, Kario K: Assessment of nocturnal blood pressure by home blood pressure monitoring. Hypertens Res 30 : 661-662 , 2007 .
15. Ishikawa J, Kario K : Alcohol consumption reduces coronary heart disease even among men with hypertension. Expert Review of Cardiovascular Therapy 5 : 633-634 , 2007 .
16. Ishikawa J, Tamura Y, Hoshide S, Eguchi K, Ishikawa S, Shimada K, Kario K:Low-grade inflammation is a risk factor for clinical stroke events in addition to silent cerebral infarcts in Japanese older hypertensives. The Jichi Medical School ABPM Study, Wave 1. Stroke 38 : 911-917 , 2007 .
17. Ishikawa S, Shibano Y, Asai Y, Kario K, Kayaba K, Kajii E : Blood pressure categories and cardiovascular risk factors in Japan: the Jichi Medical School (JMS) Cohort Study. Hypertens Res 30 : 643-649 , 2007 .
18. Ishikawa S, Kayaba K, Gotoh T, Nakamura Y, Kario K, Ito Y, Kajii E; JMS Cohort : Comparison of C-reactive protein levels between serum and plasma samples on long-term frozen storage after a 13.8 year interval: the JMS Cohort Study. J Epidemiol 17 : 120-124 , 2007 .
19. Ishikawa S, Kario K, Kayaba K, Gotoh T, Nagao N, Nakamura Y, Tsutsumi A, Kajii E, JMS Cohort : Linear relationship between blood pressure and stroke: The Jichi Medical School Cohort Study. J Clin Hypertens 9 : 677-683 , 2007 .
20. Ito T, Ozawa K, Shimada K : Current drug targets and future therapy of pulmonary arterial hypertension . Curr Med Chem 14 : 719-733 , 2007 .
21. Ito T, Okada T, Mimuro J, Miyashita H, Uchibori R, Urabe M, Mizukami H, Kume A, Takahashi M, Ikeda U, Sakata Y, Shimada K, Ozawa K : Adenoassociated virus-mediated prostacyclin synthase expression prevents pulmonary arterial

hypertension in rats. *Hypertension* 50 : 531-536 , 2007 .

22. Ito T, Okada T, Miyashita H, Nomoto T, Nonaka-Sarukawa M, Uchibori R, Maeda Y, Urabe M, Mizukami H, Kume A, Takahashi M, Ikeda U, Shimada K, Ozawa K : Interleukin-10 expression mediated by an adeno-associated virus vector prevents monocrotaline-induced pulmonary arterial hypertension in rats. *Circ Res* 101 : 734-741 , 2007 .
23. Kario K : Vascular damage in exaggerated morning surge in blood pressure. *Hypertension* 49 : 771-772 , 2007 .
24. Kario K : Non-dipping in nocturnal blood pressure in Diabetes: An indicator of autonomic nervous dysfunction ? *Am J Hypertens.* 20 : 546-547 , 2007 .
25. Kario K : Preceding linkage between morning surge in blood pressure and small artery remodeling:An indicator of prehypertension? *J Hypertens* 2007; 25: 1573-1575. 2007 .
26. Matsui Y, Eguchi K, Ishikawa J, Hoshide S, Shimada K, Kario K : Subclinical arterial damage in untreated masked hypertensive subjects detected by home blood pressure measurement. *Am J Hypertens* 20 : 385-391 , 2007 .
27. Naritomi H,Fujita T,Ito S,Ogihara T,Shimada K,Shimamoto K,Tanaka H,Yohiike N : Design and Baseline Characteristics of an Observational Study in Japaneseee Patients with Hypertension:Japan Hypertension Evaluation with Angiotensin Antagonist Losartan Therapy(J-HEALTH). *Hypertens Res* 30 : 807-813 , 2007 .
28. Laflamme MA, Chen KY, Naumova AV, Muskheli V, Fugate JA, Dupras SK, Reinecke H, Xu C, Hassanipour M, Police S, O'sullivan C, Collins L, Chen Y, Minami E, Gill EA, Ueno S, Yuan C, Gold J, Murry CE : Cardiomyocytes derived from human embryonic stem cells in pro-survival factors enhance function of infarcted rat hearts. *Nat Biotechnol* 25 : 1015-1024 , 2007 .
29. Nonaka-Sarukawa M, Yamamoto K, Aoki H, Nishimura Y, Tomizawa H, Ichida M, Eizawa T, Muroi K, Ikeda U, Shimada K : Circulating endothelial progenitor cells in congestive heart failure. *Int J Cardiol* 119 : 344-348 , 2007 .
30. Pickering TG, Eguchi K, Kario K : Masked hypertension- A review. *Hypertens Res* 30 : 479-488 , 2007 .
31. Ohkuchi A, Hirashima C, Matsubara S, Suzuki H, Takahashi K, Arai F, Watanabe T, Kario K, Suzuki M : Alterations in placental growth factor levels before and after the onset of preeclampsia are more pronounced in women with early onset severe preeclampsia. *Hypertens Res* 30 : 151-159 , 2007 .
32. Sadakane A, Tsutsumi A, Gotoh T, Ishikawa S, Ojima T, Kario K, Nakamura Y, Kayaba K, for the Jichi Medical School Cohort Study group : Dietary Patterns and

Levels of Blood Pressure and Serum Lipids in a Japanese Population Journal of Epidemiology 2007, in press. 2007 .

33. Sakakura K, Ishikawa J, Okuno M, Shimada K, Kario K: Exaggerated ambulatory blood pressure variability is associated with cognitive dysfunction in the very elderly and quality of life in the younger elderly. *Am J Hypertens* 20 : 720-727 , 2007 .
34. Shimizu T, Murata M, Tomizawa H, Mitsuhashi T, Katsuki T, Shimada K: Systemic Lupus Erythematosus Initially Manifesting as Acute Pericarditis Complicating with Cardiac tamponade: A Case Report. *J Cardiol* 49 : 273-276 , 2007 .
35. Stevens KR, Rolle MW, Minami E, Ueno S, Nourse MB, Virag JI, Reinecke H, Murry CE : Chemical Dimerization of Fibroblast Growth Factor Receptor-1 Induces Myoblast Proliferation, Increases Intracardiac Graft Size, and Reduces Ventricular Dilation in Infarcted Hearts. *Hum Gene Ther* 18 : 401-12 , 2007 .
36. Tomizawa H, Yamamoto K, Iwata T, Nishimura Y, Nomura Y, Hoshide Y, Eguchi K, Kaminishi Y, Misawa Y, Hironaka M, Shimada K : Papillary fibroelastoma in the right ventricular outflow tract. *J Cardiol* 49 : 199-203 , 2007 .
37. Thompson AM, Eguchi K, Reznik ME, Shah SS, Pickering TG : Validation of an oscillometric home blood pressure monitor in an end-stage renal disease population and the effect of arterial stiffness on its accuracy. *Blood Press Monit* 12 : 227-232 , 2007 .
38. Ueno S, Weidinger G, Osugi T, Kohn AD, Golob JL, Pabon L, Reinecke H, Moon RT, Murry CE : Biphasic role for Wnt/beta-catenin signaling in cardiac specification in zebrafish and embryonic stem cells. *Proc Natl Acad Sci U S A* 104 : 9685-90 , 2007 .
39. Yamamoto K : Synchronicity and ventricular arrhythmias in hypertension. *Hypertens Res* 30 : 755-756 , 2007 .
40. Yamazaki T, Goto S, Shigematsu H, Shimada K, Uchiyama S, Nagai R , Yamada N, Matsumoto M, Origasa H, Deepak L. Bhatt, Gabriel Steg, Ikeda Y : Prevakence,Awareness and Treatment of Cardiovasucular Risk Factors in Patients at High Risk of Atherostherombosis in Japan -Results From Domestic Baseline Date of the REduction of Atherostherombosis for Continued Health(REACH) Registry-. *Circ J* 71 : 995-1003 , 2007 .
41. Yano Y, Hoshide S, Ishikawa J, Noguchi C, Tukui D, Hidaka T, Tada M, Kanemaru Y, Yano A, Ishikawa S, Shimada K, Kario K : The Differential Effects of Angiotensin II Type 1 Receptor Blockers on Microalbuminuria in Relation to Low-grade Inflammation in Metabolic Hypertensive Patients. *Am J Hypertens* 20 : 565-572 , 2007 .
42. Yano Y, Hoshide S, Ishikawa J, Hashimoto T, Eguchi K, Shimada K, Kario K :

Differential Impacts of Adiponectin on Low-Grade Albuminuria between Obese and Nonobese Persons without Diabetes. *J Clin Hypertens* 9 : 775-782 , 2007 .

43. Yokoyama M ,Origasa H ,Matsuzaki M ,Matsuzawa Y ,Saito Y ,Ishikawa Y ,Oikawa S ,Sasaki J ,Hishida H ,Itakura H ,Kita T ,Kitabatake A ,Nakaya N ,Sakata T ,Shimada K ,Shirato K : Effects of eicosapentaenoic acid on major coronary events in hypercholesterolaemic patients(JELIS) : a randomised open-label,blinded endpoint analysis . *The Lancet* 369 : 1090-1098 , 2007 .
44. 高橋 望 , 駒場 明 : 急性心筋梗塞と小脳出血を同時発症した1例. *救急医学* 31 : 487-490 , 2007 .
45. 増田貴博 , 村田光延 , 本間寿美子 , 岩津好隆 , 小倉学 , 大西央 , 斎藤聰 , 島田和幸 , 草野英二 , 浅野泰 : 糖尿病合併の維持透析患者は睡眠呼吸障害の重症度とCRP値が正相関する . *日本透析医学会雑誌* 40 : 434 , 2007 .
46. 村田光延、河又典史、村田桃代、島田和幸 : 心不全に合併したチェーン・ストーカス呼吸におけるHeart PAPタイトレーションの実際. *心臓* 39 : 1134-1141 , 2007 .