

1. Eguchi K, Boden-Albala B, Jin Z, Rundek T, Sacco RL, Homma S, Di Tullio MR: Association between diabetes mellitus and left ventricular hypertrophy in a multiethnic population. *Am J Cardiol* 2008;101:1787-1791.
2. Eguchi K, Hoshide S, Ishikawa J, Ishikawa S, Pickering TG, Gerin W, Ogedegbe G, Schwartz JE, Shimada K, Kario K: Cardiovascular prognosis of sustained and white-coat hypertension in patients with type 2 diabetes mellitus. *Blood Press Monit* 2008;13:15-20.
3. Eguchi K, Pickering TG, Hoshide S, Ishikawa J, Ishikawa S, Schwartz JE, Shimada K, Kario K: Ambulatory blood pressure is a better marker than clinic blood pressure in predicting cardiovascular events in patients with/without type 2 diabetes. *Am J Hypertens* 2008;21:443-450.
4. Eguchi K, Pickering TG, Schwartz JE, Hoshide S, Ishikawa J, Ishikawa S, Shimada K, Kario K: Short sleep duration as an independent predictor of cardiovascular events in Japanese patients with hypertension. *Arch Intern Med* 2008;168:2225-2231.
5. Hoshide S, Eguchi K, Ishikawa J, Murata M, Katsuki T, Mitsuhashi T, Shimada K, Kario K: Can ischemic stroke be caused by acute reduction of blood pressure in the acute phase of cardiovascular disease? *J Clin Hypertens (Greenwich)* 2008;10:195-200.
6. Hoshide S, Ishikawa J, Eguchi K, Oowada T, Shimada K, Kario K: Cognitive dysfunction and physical disability are associated with mortality in extremely elderly patients. *Hypertens Res* 2008;31:1331-1338.
7. Hoshide S, Kario K: Determinants of nondipping in nocturnal blood pressure and specific nonpharmacological treatments for nocturnal hypertension. *Am J Hypertens* 2008;21:968.
8. Hoshide S, Kario K, Shimada K: Ischemic nephropathy in an elderly patient. *Geriatr Gerontol Int* 2008;8:133-135.
9. Hoshide S, Matsui Y, Shibasaki S, Eguchi K, Ishikawa J, Ishikawa S, Kabutoya T, Schwartz JE, Pickering TG, Shimada K, Kario K: Orthostatic hypertension detected by self-measured home blood pressure monitoring: A new cardiovascular risk factor for elderly hypertensives. *Hypertens Res* 2008;31:1509-1516.
10. Ikeda U, Kasai H, Izawa A, Koyama J, Yazaki Y, Takahashi M, Higuchi M, Koh C, Yamamoto K: Immunoabsorption therapy for patients with dilated cardiomyopathy and heart failure. *Curr Cardiol Rev.* 2008;4:219-222.
11. Ishikawa J, Carroll DJ, Kuruvilla S, Schwartz JE, Pickering TG: Changes in home versus clinic blood pressure with antihypertensive treatments: A meta-analysis. *Hypertension* 2008;52:856-864.
12. Ishikawa J, Hoshide S, Eguchi K, Ishikawa S, Pickering TG, Shimada K, Kario K: Increased low-grade inflammation and plasminogen-activator inhibitor-1

- level in nondippers with sleep apnea syndrome. *J Hypertens* 2008;26:1181-1187.
13. Ishikawa J, Hoshide S, Eguchi K, Ishikawa S, Pickering TG, Shimada K, Kario K: Plasma tissue inhibitor of matrix metalloproteinase-1 level is increased in normotensive non-dippers in association with impaired glucose metabolism. *Hypertens Res* 2008;31:2045-2051.
 14. Ishikawa J, Hoshide S, Shibasaki S, Matsui Y, Kabutoya T, Eguchi K, Ishikawa S, Pickering TG, Shimada K, Kario K: Relationship between morning hypertension identified by home blood pressure monitoring and brain natriuretic peptide and estimated glomerular filtration rate: The Japan Morning Surge 1 (JMS-1) study. *J Clin Hypertens (Greenwich)* 2008;10:34-42.
 15. Ishikawa J, Shimizu M, Hoshide S, Eguchi K, Pickering TG, Shimada K, Kario K: Cardiovascular risks of dipping status and chronic kidney disease in elderly Japanese hypertensive patients. *J Clin Hypertens (Greenwich)* 2008;10:787-794.
 16. Ishikawa S, Kario K, Kayaba K, Gotoh T, Nago N, Nakamura Y, Tsutsumi A, Kajii E: Continued high risk of stroke in treated hypertensives in a general population: the Jichi Medical School Cohort study. *Hypertens Res* 2008;31:1125-1133.
 17. Ishikawa Y, Ishikawa J, Ishikawa S, Kayaba K, Nakamura Y, Shimada K, Kajii E, Pickering TG, Kario K: Prevalence and determinants of prehypertension in a Japanese general population: the Jichi Medical School Cohort study. *Hypertens Res* 2008;31:1323-1330.
 18. Kabutoya T, Ishikawa J, Hoshide S, Eguchi K, Shibasaki S, Matsui Y, Ishikawa S, Pickering TG, Shimada K, Kario K: Determinants of self-measured pulse rate profile in medicated hypertensives: the Jichi Morning Surge-1 (JMS-1) study. *Clin Exp Hypertens* 2008;30:255-265.
 19. Kario K, Matsui Y, Shibasaki S, Eguchi K, Ishikawa J, Hoshide S, Ishikawa S, Kabutoya T, Schwartz JE, Pickering TG, Shimada K: An alpha-adrenergic blocker titrated by self-measured blood pressure recordings lowered blood pressure and microalbuminuria in patients with morning hypertension: the Japan Morning Surge-1 study. *J Hypertens* 2008;26:1257-1265.
 20. Kario K, Uno H, Shimada K: Sleep-predominant lowering of ambulatory blood pressure by bedtime inhalation of a novel muscarinic M3 receptor antagonist: a new "Bronchoantihypertensive" strategy targeting the lung in hypertension with chronic obstructive pulmonary disease. *Hypertens Res* 2008;31:817-821.
 21. Kario K, White WB: Early morning hypertension what does it contribute to overall cardiovascular risk assessment? *J Am Soc Hypertens*. 2008;2:397-402.
 22. Komori T, Eguchi K, Tomizawa H, Ishikawa J, Hoshide S, Shimada K, Kario K: Factors associated with incident ischemic stroke in hospitalized heart failure patients: a pilot study. *Hypertens Res* 2008;31:289-294.
 23. Kuroki S, Kario K, Kajii E: A new portable, bedside apexcardiograph: Development of a prototype and initial clinical experience. *Jichi Medical*

University Journal 2008;31:41-53.

24. Masuda T, Murata M, Honma S, Iwazu Y, Ogura M, Onishi A, Shimada K, Kusano E, Asano Y: Pulse oximetry is useful for screening sleep-apnea syndrome in dialysis patients. *Nephrol Dial Transplant (Plus)* 2008;1: 378-379.
25. Masuda T, Murata M, Honma S, Iwazu Y, Ogura M, Shimada K, Kusano E, Asano Y: Nocturnal hypoxia is associated with elevated C-reactive protein in dialysis patients. *Nephrol Dial Transplant (Plus)* 2008;1:470-471.
26. Matsui Y, Eguchi K, Shibasaki S, Ishikawa J, Hoshida S, Pickering TG, Shimada K, Kario K: Effect of doxazosin on the left ventricular structure and function in morning hypertensive patients: the Japan Morning Surge 1 study. *J Hypertens* 2008;26:1463-1471.
27. Matsui Y, Eguchi K, Shibasaki S, Ishikawa J, Hoshida S, Pickering TG, Shimada K, Kario K: Monitoring of the central pulse pressure is useful for detecting cardiac overload during antiadrenergic treatment: the Japan Morning Surge 1 study. *J Hypertens* 2008;26:1928-1934.
28. Matsui Y, Ishikawa J, Eguchi K, Hoshida S, Miyashita H, Shimada K, Kario K: The influence of wave reflection on left ventricular hypertrophy in hypertensive patients is modified by age and gender. *Hypertens Res* 2008;31:649-656.
29. Nagai M, Hoshida S, Ishikawa J, Shimada K, Kario K: Ambulatory blood pressure as an independent determinant of brain atrophy and cognitive function in elderly hypertension. *J Hypertens* 2008;26:1636-1641..
30. Naritomi H, Fujita T, Ito S, Ogihara T, Shimada K, Shimamoto K, Tanaka H, Yoshiike N: Efficacy and safety of long-term losartan therapy demonstrated by a prospective observational study in Japanese patients with hypertension: the Japan Hypertension Evaluation with Angiotensin Antagonist Losartan Therapy (J-HEALTH) study. *Hypertens Res* 2008;31:295-304.
31. Nonaka-Sarukawa M, Okada T, Ito T, Yamamoto K, Yoshioka T, Nomoto T, Hojo Y, Shimpo M, Urabe M, Mizukami H, Kume A, Ikeda U, Shimada K, Ozawa K: Adeno-associated virus vector-mediated systemic interleukin-10 expression ameliorates hypertensive organ damage in Dahl salt-sensitive rats. *J Gene Med* 2008;10:368-374.
32. Ogedegbe G, Pickering TG, Clemow L, Chaplin W, Spruiell TM, Albanese GM, Eguchi K, Burg M, Gerin W: The misdiagnosis of hypertension: the role of patient anxiety. *Arch Intern Med.* 2008;168:2459-2465.
33. Palmas W, Pickering T, Teresi J, Schwartz JE, Eguchi K, Field L, Weinstock RS, Shea S: Nocturnal blood pressure elevation predicts progression of albuminuria in elderly people with type 2 diabetes. *J Clin Hypertens (Greenwich)* 2008;10:12-20.
34. Parati G, Stergiou GS, Asmar R, Bilò G, de Leeuw P, Imai Y, Kario K, Lurbe E, Manolis A, Mengden T, O'Brien E, Ohkubo T, Padfield P, Palatini P, Pickering T, Redon J, Revera M, Ruilope LM, Shennan A, Staessen JA, Tisler A, Waeber B,

- Zanchetti A, Mancia G: European society of hypertension guidelines for blood pressure monitoring at home: a summary report of the Second International Consensus Conference on Home Blood Pressure Monitoring. *J Hypertens* 2008;26:1505-1526.
- 35.Sadakane A, Tsutsumi A, Gotoh T, Ishikawa S, Ojima T, Kario K, Nakamura Y, Kayaba K: Dietary patterns and levels of blood pressure and serum lipids in a Japanese population. *J Epidemiol* 2008;18:58-67.
 - 36.Saga Y, Ohwada M, Suzuki M, Konno R, Kigawa J, **Ueno S**, Mano H: Glutathione peroxidase 3 is a candidate mechanism of anticancer drug resistance of ovarian clear cell adenocarcinoma. *Oncol Rep.* 20:1299-303, 2008.
 - 37.Sakakura K, Hoshide S, Ishikawa J, Momomura S, Kawakami M, Shimada K, Kario K: Association of body mass index with cognitive function in elderly hypertensive Japanese. *Am J Hypertens* 2008;21:627-632.
 - 38.Shimada K: Notice of duplicate publication. Effect of nasal continuous positive airway pressure treatment on plasma adrenomedullin levels in patients with obstructive sleep apnea syndrome: roles of nocturnal hypoxia and oxidant stress. *Hypertens Res* 2008;31:823.
 - 39.Shimada K, Fujita T, Ito S, Naritomi H, Ogihara T, Shimamoto K, Tanaka H, Yoshiike N: The importance of home blood pressure measurement for preventing stroke and cardiovascular disease in hypertensive patients: a sub-analysis of the Japan Hypertension Evaluation with Angiotensin Antagonist Losartan Therapy (J-HEALTH) study, a prospective nationwide observational study. *Hypertens Res* 2008;31:1903-1911.
 - 40.Shimamoto K, Fujita T, Ito S, Naritomi H, Ogihara T, Shimada K, Tanaka H, Yoshiike N: Impact of blood pressure control on cardiovascular events in 26,512 Japanese hypertensive patients: the Japan Hypertension Evaluation with Angiotensin Antagonist Losartan Therapy (J-HEALTH) study, a prospective nationwide observational study. *Hypertens Res* 2008;31:469-478..
 - 41.Shimizu M, Kario K: Role of the augmentation index in hypertension. *Ther Adv Cardiovasc Dis* 2008;2:25-35.
 - 42.Tsuru R, Kondo H, Hojo Y, Gama M, Mizuno O, Katsuki T, Shimada K, Kikuchi M, Yashiro T: Increased granzyme B production from peripheral blood mononuclear cells in patients with acute coronary syndrome. *Heart* 2008;94:305-310.
 - 43.Umegaki H, Haimoto H, Ishikawa J, Kario K: Visceral fat contribution of insulin resistance in elderly people. *J Am Geriatr Soc* 2008;56:1373-1375.
 - 44.Uno H, Ishikawa J, Hoshide S, Kabutoya T, Ishikawa S, Shimada K, Kario K: Effects of strict blood pressure control by a long-acting calcium channel blocker on brain natriuretic peptide and urinary albumin excretion rate in Japanese hypertensive patients. *Hypertens Res* 2008;31:887-896.
 - 45.Wizner B, Dechering DG, Thijs L, Atkins N, Fagard R, O'Brien E, de Leeuw PW, Parati G, Palatini P, Clement D, Grodzicki T, Kario K, Staessen JA: Short-term

- and long-term repeatability of the morning blood pressure in older patients with isolated systolic hypertension. *J Hypertens* 2008;26:1328-1335.
46. Yano Y, Hoshide S, Shimada K, Kario K: Blood pressure management in metabolic syndrome. *Current Hypertension Reviews*. 4:214-226, 2008.
47. Yano Y, Kario K: Unresolved issues of the morning blood pressure surge: the next stage of clinical applicability for the morning surge. *Hypertens Res* 2008;31:1491-1494.
48. Yano Y, Kario K: Possible difference in the sympathetic activation on extreme dippers with or without exaggerated morning surge. *Hypertension*. 53:e1, 2008.
49. Yano Y, Ohmori T, Hoshide S, Madoiwa S, Yamamoto K, Katsuki T, Mitsuhashi T, Mimuro J, Shimada K, Kario K, Sakata Y: Determinants of thrombin generation, fibrinolytic activity, and endothelial dysfunction in patients on dual antiplatelet therapy: involvement of factors other than platelet aggregability in virchow's triad. *Eur Heart J* 2008;29:1729-1738.
50. 池野文昭、苅尾七臣、島田和幸、Alan C. Yeung、David P. Lee: 急性心筋梗塞に使用される 2 種類の機械的血栓除去デバイスの比較検討-溶血、不整脈、血管障害に関して- 自治医科大学紀要 31:6, 2008.
51. 今井利美、西村芳興、村田光延、斉藤俊信、山本啓二、三橋武司、島田和幸: 左心不全を合併した Intravascular large B-cell lymphoma の 1 例. *日本内科学会雑誌* 97:154-156, 2008.
52. 上野修市: 平成 19 年度自治医科大学医学部 研究奨励金研究成果報告マウス胚性幹細胞における、Wnt 刺激による効率の良い心筋細胞への分化誘導法の開発自治医科大学紀要 31:108, 2008.
53. 江口和男、苅尾七臣: Disrupted diurnal BP variation and cardiovascular disease in diabetes: relation to autonomic nervous system. 糖尿病における血圧および心血管疾患の日内変動の消失: 自律神経障害との関連. *自律神経* 45:134-137, 2008.
54. 吉村裕子、外山卓二、安達仁、星崎洋、大島茂、谷口興一: 急性心筋梗塞患者のインターベンション時におけるニコランジル投与は慢性期左室 Remodeling を抑制するか? - 多変量解析からの検討 - *Therapeutic Research*. 29:338-340, 2008.