

循環器内科学英文原著論文業績(2009)

1) Abe H, **Takahashi M**, Yaegashi H, Eda S, Kitahara H, Tsunemoto H, Kamikozawa M, Koyama J, Yamazaki K, Ikeda U :Valve repair improves central sleep apnea in heart failure patients with valvular heart disease. Circ J 73:2148-2153,2009.

2) Arao Y, Hakamata Y, Igarashi Y, Sato Y, Kayama F, **Takahashi M**, Kobayashi E, Murakami T : Characterization of hepatic sexual dimorphism in Alb-DsRed2 transgenic rats. Biophys Res Commun 382:46-50, 2009.

3) Aso S, Yazaki Y, Kasai H, **Takahashi M**, Yoshio T, Yamamoto K, Ikeda U :Anti-beta1-adrenergic receptor antibodies and myocardial sympathetic nerve activity in chronic heart failure. Int J Cardiol131: 240-245, 2009.

4) Doi H, Iso T, Shiba Y, Sato H, Yamazaki M, Oyama Y, Akiyama H, Tanaka T, Tomita T, Arai M, **Takahashi M**, Ikeda U, Kurabayashi M :Notch signaling regulates the differentiation of bone marrow-derived cells into smooth muscle-like cells during arterial lesion formation. Biochem Biophys Res Commun 381:654-659, 2009.

5) Eguchi K, Ishikawa J, Hoshida S, Pickering TG, Schwartz JE, Shimada K, **Kario K**:Night time blood pressure variability is a strong predictor for cardiovascular events in patients with type 2 diabetes. Am J Hypertens 22: 46-51, 2009.

6) **Eguchi K, Kario K**: Impact of white-coat hypertension on microvascular complications in Type 2 diabetes: response to Kramer et al. Diabetes Care 32:e24,2009.

7) **Eguchi K**, Kuruvilla S, Ogedegbe G, Gerin W, Schwartz JE, **Pickering TG**: What is the optimal interval between successive home blood pressure readings using an automated oscillometric device? J Hypertens. 27: 1172-1177, 2009.

8) Hatano Y, Matsumoto M, **Ishikawa S, Kajii E** : Plasma adiponectin level and myocardial infarction: the JMS Cohort Study. J Epidemiol 19:49-55, 2009.

9) Hayasaka S, Shibata Y, **Ishikawa S**, Kayaba K, Gotoh T, Noda T, Murata C, Yamada T, Goto Y, Nakamura Y, Ojima T: Jichi Medical School Cohort Study Group.: Physical activity and all-cause mortality in Japan: the Jichi Medical School (JMS) Cohort Study. J Epidemiol. 19:24-27, 2009.

10) Hiraga T, Ninomiya T, Hosoya A, **Takahashi M**, Nakamura H : Formation of bone-like mineralized matrix by periodontal ligament cells in vivo: a morphological study in rats. J Bone Miner Metab 2: 149-157,2009.

11) **Ikemoto T, Hojo Y, Kondo H, Takahashi N, Hirose M, Nishimura Y, Katsuki T, Shimada K** :Plasma granzyme B as a predicting factor of coronary artery disease - Clinical significance in patients with chronic renal

failure. *J Cardiol.* 54:409-415,2009.

12) Ioka T, Tsuruoka S, Ito C, Iwaguro H, Asahara T, **Fujimura A, Kusano E.**:Hypertension induced by erythropoietin has a correlation with truncated erythropoietin receptor mRNA in endothelial progenitor cells of hemodialysis patients. *Clin Pharmacol Ther* 86:154-159,2009.

13) **Ishikawa J, Ishikawa S, Kabutoya K,** Gotoh T, Kayaba K, Schwartz JE, **Pickering TG, Shimada K, Kario K:**Jichi Medical School Cohort Study Investigators Group: Cornell product left ventricular hypertrophy in electrocardiogram and the risk of stroke in a general population. *Hypertension* 53: 28-34,2009.

14) **Ishikawa S, Kario K.**:Does eicosapentaenoic acid truly reduce atherosclerosis? *Hypens Res.* 32:934-935,2009.

15) **Ishikawa S,** Matsumoto M, Kayaba K, Gotoh T, Nago N, Tsutsumi A, Kajii E; Jichi Medical School (JMS) Cohort Study Group.:Risk charts illustrating the 10-year risk of stroke among residents of Japanese rural communities: the JMS Cohort Study. *J Epidemiol* 19:101-106,2009.

16) **Kabutoya T, Ishikawa J, Hoshide S, Eguchi K, Ishikawa S, Shimada K, Kario K:**Determinants of negative white-coat effect in treated hypertensive patients: the Jichi Morning Hypertension Research (J-MORE) study. *Am J Hypertens.* 22:35-40,2009.

- 17) **Kabutoya T, Ishikawa J, Hoshide S, Eguchi K, Shimada K, Kario K**: A home blood pressure monitor equipped with a graphic function facilitates faster blood pressure control than the conventional home blood pressure monitor. *J Clin Hypertens (Greenwich)* 11:422-425,2009,.
- 18) **Kabutoya T, Kario K**: Earthquake and blood pressure. *Hypertens Res.* 32:732-734,2009.
- 19) **Kaneda R, Takada S, Yamashita Y, Choi YL, Nonaka-Sarukawa M, Soda M, Misawa Y, Isomura T, Shimada K, Mano H.**: Genome-wide histone methylation profile for heart failure. *Genes Cells* 14:69-77,2009.
- 20) **Kaneko N, Matsuda R, Hata Y, Shimamoto K.**: Pharmacological characteristics and clinical applications of K201 *Current Clinical Pharmacology* 4:126-31,2009.
- 21) **Kario K**: Orthostatic hypertension: a measure of blood pressure variation for predicting cardiovascular risk. *Circulation J* 73:1002-1007,2009.
- 22) **Kario K**: Obstructive sleep apnea syndrome and hypertension: mechanism of the linkage and 24-h blood pressure control. *Hypertens Res.* 32:537-541,2009.
- 23) **Kario K**: Obstructive sleep apnea syndrome and hypertension: ambulatory blood pressure. *Hypertens Res.* 32:428-432,2009.
- 24) **Kario K.**: Treatment of early morning surges in blood pressure.

Clinical Challenges in Hypertension 27-38:2009.

25) **Kario K**, A. Lowy A, Munk VC, Annemans L.: 24-Hour blood pressure control-a predictor for clinical outcomes. Current Hypertension Reviews 5:102-122,2009.

26) Kobayashi S, Ise H, **Takahashi M**, Goto M, Akaike T, Ikeda U.: Surface coating of bone marrow cells with N-acetylglucosamine for bone marrow implantation therapy. Biomaterials 30:574-582, 2009.

27) Koga M, Toyoda K, Naganuma M, **Kario K**, Nakagawara J, Furui E, Shiokawa Y, Hasegawa Y, Okuda S, Yamagami H, Kimura K, Okada Y, Minematsu K: Stroke Acute Management with Urgent Risk-factor Assessment and Improvement (SAMURAI) Study Investigators.: Nationwide survey of antihypertensive treatment for acute intracerebral hemorrhage in Japan. Hypertens Res. 32:759-764,2009.

28) **Kondo H**, Hojo Y, Tsuru R, Nishimura Y, Shimizu H, Takahashi N, Hirose M, **Ikemoto T**, Ohya K, Katsuki T, Yashiro T, Shimada K : Elevation of plasma granzyme B levels after acute myocardial infarction -Correlation with left ventricular remodeling. Circ J 73:503-507,2009.

29) Koshikawa M, Aizawa K, Kasai H, Izawa A, Tomita T, Kumazaki S, Tsutsui H, Koyama J, Shimodaira S, **Takahashi M**, Ikeda U.: Elevated osteopontin levels in patients with peripheral arterial diseases. Angiology 60:42-45, 2009.

30) **Matsui Y, Eguchi K, O'Rourke MF, Ishikawa J, Miyashita H, Shimada K, Kario**

K :Differential effects between a calcium channel blocker and a diuretic when used in combination with angiotensin II receptor blocker on central aortic pressure in hypertensive patients. *Hypertension* 54:716-723,2009.

31) **Matsui Y, Eguchi K, Shibasaki S, Shimizu M, Ishikawa J, Shimada K, Kario**

K :Association between the morning-evening difference in home blood pressure and cardiac damage in untreated hypertensive patients. *J Hypertens.* 27:712-720,2009.

32) **Matsumoto M, Ishikawa S, Kayaba K, Gotoh T, Nago N, Tsutsumi A,**

Kajii E : Jichi Medical School (JMS) Cohort Study Group. :Risk charts illustrating the 10-year risk of myocardial infarction among residents of Japanese rural communities; the JMS Cohort Study. *J Epidemiol* 19:94-100,2009.

33) **Matsuzaki M, Yokoyama M, Saito Y, Origasa H, Ishikawa Y, Oikawa**

S, Sasaki J, Hishida H, Itakura H, Kita T, Kitabatake A, Nakaya N, Sakata T, Shimada K, Shirato K, Matsuzawa Y : JELIS Investigators. : Incremental effects of eicosapentaenoic acid on cardiovascular events in statin-treated patients with coronary artery disease. *Circ J* 73:1283-1290,2009.

34) **Misawa R, Soeda J, Ise H, Takahashi M, Kubota K, Mita A, Nakata**

T, Miyagawa S :Potential feasibility of early bone marrow cell

injection into the spleen for creating functional hepatocytes.

Transplantation 87:1145-1154, 2009.

35) Momiyama Y, Kawaguchi A, Kajiwara I, Ohmori R, Okada K, Saito I, Konishi M, Nakamura M, Sato S, Kokubo Y, Mannami T, Adachi H, **Kario K**, Iso H, Ohsuzu F, Tsushima M.: Prognostic value of plasma high-sensitivity C-reactive protein levels in Japanese patients with stable coronary artery disease: The Japan NCV-Collaborative Inflammation Cohort (JNIC) Study. Atherosclerosis, 207:272-276, 2009.

36) **Nagai M, Hoshida S, Ishikawa J, Shimada K, Kario K.**: Insular cortex atrophy as an independent determinant of disrupted diurnal rhythm of ambulatory blood pressure in elderly hypertension. Am J Hypertens 22:723-729, 2009.

37) **Nagai M, Kario K**: Blood pressure, aging, vascular disease, and their effects on brain volume. Am J Hypertens 22:1135, 2009.

38) Nomoto T, Okada T, Shimazaki K, Yoshioka T, **Nonaka-Sarukawa M**, Ito T, Takeuchi K, Katsura KI, Mizukami H, Kume A, Ookawara S, Ikeda U, Katayama Y, Ozawa K.: Systemic delivery of IL-10 by an AAV vector prevents vascular remodeling and end-organ damage in stroke-prone spontaneously hypertensive rat. Gene Ther 16:383-91, 2009.

39) Ogihara T, Kikuchi K, Matsuoka H, Fujita T, Higaki J, Horiuchi M, Imai Y, Imaizumi T, Ito S, Iwao H, **Kario K**, Kawano Y, Kim-Mitsuyama

Sm Kimura G, Matsubara H, Matuura H, Naruse M, Satito I, **Shimada K**, Shimamoto K, Suzuki H, Takishita S, Tanahashi N, Tsuchihashi T, Uchiyama M, Ueda S, Ueshima H, Umemura S, Ishimitsu T, Rakugi H; Japanese Society of Hypertension Committee. : The Japanese society of hypertension guidelines for the management of hypertension (JSH2009) Hypertens Res 32:3-107,2009

40) Ogiwara T, Saruta T, Rakugi H, Shimamoto K, Ito S, Matsuoka H, Horiuchi M, Imaizumi T, Takishita S, Higaki J, Katayama S, Saito I, **Shimada K**; COLM study investigators. : Rationale, study design and implementation of the COLM study; the combination of OLMesartan and calcium channel blocker or diuretic in high-risk elderly hypertensive patients. Hypertens Res 32:319,2009.

41) Oikawa S, Yokoyama M, Origasa H, Matsuzaki M, Matsuzawa Y, Saito Y, Ishikawa Y, Sasaki J, Hishida H, Itakura H, Kita T, Kitabatake A, Nakaya N, Sakata T, **Shimada K**, Shirato K; JELIS Investigators, Japan. : Suppressive effect of EPA on the incidence of coronary events in hypercholesterolemia with impaired glucose metabolism: Sub-analysis of the Japan EPA Lipid Intervention Study (JELIS) Atherosclerosis 206:535-539,2009.

42) Okada T, **Nonaka-Sarukawa M**, Uchibori R, Kinoshita K, Hayashita-Kinoh H, Nitahara-Kasahara Y, Takeda S, Ozawa K. : Scalable purification of adeno-associated virus serotype 1 (AAV1)

and AAV8 vectors, using dual ion-exchange adsorptive membranes.:

Hum Gene Ther20:1013-1021,2009.

43) Sadakane A, Gotoh T, **Ishikawa S**, Nakamura Y, Kayaba K; Jichi Medical School (JMS) Cohort Study Group.: Amount and frequency of alcohol consumption and all-cause mortality in a Japanese population: the JMS Cohort Study. J Epidemiol 19: 107-115,2009.

44) Shiba Y, **Takahashi M**, Hata T, Murayama H, Morimoto H, Ise H, Nagasawa T, Ikeda U.: Bone marrow CXCR4 induction by cultivation enhances therapeutic angiogenesis. Cardiovasc Res 81:169-177,2009.

45) **Shibasaki S, Eguchi K, Matsui Y, Ishikawa J, Hoshide S, Ishikawa S, Kabutoya T, Pickering TG, Shimada K, Kario K**: Japan Morning Surge-1 (JMS-1) Study Group.: Adrenergic blockade improved insulin resistance in patients with morning hypertension: the Japan Morning Surge-1 Study. J Hypertens.27:1252-1257, 2009.

46) **Shimizu M, Ishikawa J, Eguchi K, Hoshide S, Shimada K, Kario K.**: Association of an abnormal blood glucose level and morning blood pressure surge in elderly subjects with hypertension. Am J Hypertens. 22:611-616,2009.

47) Sugiyasu A, Oginosawa Y, Nogami A, **Hata Y.**: A case with catecholaminergic polymorphic ventricular tachycardia unmasked

after successful ablation of atrial tachycardias from pulmonary veins. *Pacing Clinical Electrophysiology* 32:e21-4,2009.

48) Suzuki J, Ueno M, Uno M, Hirose T, Zenimaru Y, Takahashi S, Osuga J, Ishibashi S, **Takahashi M**, Hirose M, Yamada M, Kraemer FB, Miyamori I.: Effects of hormone-sensitive lipase-disruption on cardiac energy metabolism in response to fasting and refeeding. *Am J Physiol Endocrinol Metab* 297:E1115-1124,2009.

49) **Takahashi M**.: Therapeutic angiogenesis and regeneration in cardiovascular diseases. *Curr Pharm Design*,15: 2759,2009.

50) **Takahashi M**.: Genetic susceptibility to restenosis: Role of bone marrow cells and inflammatory response. *Arterioscler Thromb Vasc Biol* 10:1407-1408,2009.

51) **Takahashi M**, Izawa A, Ishigatsubo Y, Fujimoto K, Miyamoto M, Horie T, Aizawa Y, Amano J, Minota S, Murohara T, Matsubara H, Ikeda U.: Therapeutic neovascularization by the implantation of autologous mononuclear cells in patients with connective tissue diseases. *Curr Pharm Design* 15:2778-2783,2009.

52) Takei Y, Di Tullio MR, Homma S, Boden-Albala B, Rundek T, Sacco RL, Berry G, Liu R, Jin Z, **Eguchi K**, Elkind MS. : Soluble tumor necrosis factor receptor 1 level is associated with left ventricular hypertrophy: the northern Manhattan study. *Am J Hypertens* 22:763-769,2009.

53) Toyoda K, Koga M, Naganuma M, Shiokawa Y, Nakagawara J, Furui E, Kimura K, Yamagami H, Okada Y, Hasegawa Y, **Kario K**, Okuda S, Nishiyama K, Minematsu K; Stroke Acute Management with Urgent Risk-factor Assessment and Improvement Study Investigators.: Routine use of intravenous low-dose recombinant tissue plasminogen activator in Japanese patients: general outcomes and prognostic factors from the SAMURAI register. *Stroke* 40:3591-3595,2009.

54) Tsutsumi A, Kayaba K, **Kario K**, **Ishikawa S**.: Prospective study on occupational stress and risk of stroke. *Arch Intern Med* 169:56-61,2009.

55) **Yano Y**, **Hoshide S**, Inokuchi T, Kanemaru Y, **Shimada K**, **Kario K**.: Association between morning blood pressure surge and cardiovascular remodeling in treated elderly hypertensive subjects. *Am J Hypertens* 22:1177-1182,2009.

56) **Yano Y**, **Kario K**: Possible difference in the sympathetic activation on extreme dippers with or without exaggerated morning surge. *Hypertension* 53:e1,2009.

57) **Yano Y**, Toshinai K, Inokuchi T, Kangawa K, **Shimada K**, **Kario K**, Nakazato M.: Plasma des-acyl ghrelin, but not plasma HMW adiponectin, is a useful cardiometabolic marker for predicting atherosclerosis in elderly hypertensive patients. *Atherosclerosis* 204:590-594, 2009.

58) **西村芳興、新保昌久、村田光延、山本啓二、苅尾七臣、三橋武司、島田和幸**: 原発性抗リン脂質抗体症候群を基礎疾患とした急性肺血栓塞栓症に、ヘパリン起因性血小板減少症が合致した一例。心臓、41 No.10:1131-1135, 2009