

循環器内科学英文原著論文実績（2012）

- 1) Akita S., Kubota K., Kobayashi A., Misawa R., Shimizu A., Nakata T., Yokoyama T., Takahashi M., Miyagawa S.: Role of bone marrow cells in the development of pancreatic fibrosis in a rat model of pancreatitis induced by a choline-deficient/ethionone-supplemented diet. *Biochem Biophys Res Commun.* 420:743-749, 2012.
- 2) Eguchi K., Hoshide S., Ishikawa S., Shimada K., Kario K.: Aggressive blood pressure-lowering therapy guided by home blood pressure monitoring improves target organ damage in hypertensive patients with type 2 diabetes/prediabetes. *J Clin Hypertens(Greenwich)*. 14: 422-428,2012.
- 3) Eguchi K., Hoshide S., Ishikawa S., Shimada K., Kario K.: Short sleep duration and type 2 diabetes enhance the risk of cardiovascular events in hypertensive patients. *Diabetes Res Clin Pract.* 98: 518-523,2012.
- 4) Eguchi K., Hoshide S., Schwartz JE., Shimada K., Kario K.: Visit-to-Visit and Ambulatory Blood Pressure Variability as Predictors of Incident Cardiovascular Events in Patients With Hypertension. *Am J Hypertens.* 25:962-968, 2012.
- 5) Eguchi K., Kario K.: Ambulatory versus home versus clinic blood pressure. *Hypertension.* 59: e25, 2012.
- 6) Eguchi K., Kuruvilla S., Ishikawa J., Schwartz JE., Pickering TG.: A novel and simple protocol for the validation of home blood pressure monitors in clinical practice. *Blood Press Monit.* 17: 210-213, 2012.
- 7) Eguchi K., Shimizu M., Hoshide S., Shimada K., Kario K.: A bedtime dose of ARB was better than a morning dose in improving baroreflex sensitivity and urinary albumin excretion—the J-TOP study. *Clin Exp Hypertens.* 34:488-492,2012.
- 8) Fukutomi M., Hoshide S., Eguchi K., Watanabe T., Shimada K., Kario K.: Differential effects of strict blood pressure lowering by 1 sartan/hydrochlorothiazide combination therapy and high-dose amlodipine monotherapy on microalbuminuria: the ALPHABET study. *J Am Soc Hypertens.*

6:73-82,2012.

- 9) Hayakawa M., Yano Y., Kuroki K., Inoue R., Nakanishi C., Sagara S., Koga M., Kubo H., Imakiire S., Aoyagi Z., Kitani M., Kanemaru K., Hidehito S., Shimada K., Kario K.: Independent Association of Cognitive Dysfunction With Cardiac Hypertrophy Irrespective of 24-h or Sleep Blood Pressure in Older Hypertensives. *Am J Hypertens.* 25: 657-663, 2012.
- 10) Hoshide S., Parati G., Matsui Y., Shibasaki S., Eguchi K., Kario K.: Orthostatic hypertension ; Home blood pressure monitoring for detection and assessment of treatment with doxazosin. *Hypertens Res.* 35: 100-106, 2012.
- 11) Hoshide .S, Yano Y., Shimizu M., Eguchi K., Ishikawa J., Kario K.: Is home blood pressure variability itself an interventional target beyond lowering mean home blood pressure during anti-hypertensive treatment? *Hypertens Res.* 35: 862-866, 2012.
- 12) Hosoya A., Hiraga T., Ninomiya T., Yukita A., Yoshioka K., Yoshioka N., Takahashi M., Ito S., Nakamura H.: Thy-1 positive cells in the subodontoblastic layer possess high potential to differentiate into hard tissue-forming cells. *Histochem Cell Biol.* 137: 733-742, 2012.
- 13) Hosoya A., Yukita A., Yoshioka K., Yoshioka N., Takahashi M., Nakamura H. : Two distinct processes of bone-like tissue formation by dental pulp cells after tooth transplantation. *J Histochem Cytochem.* 60: 861-873, 2012
- 14) Ikemoto T., Hojo Y., Kondo H., Takahashi N., Hirose M., Nishimura Y., Katsuki T., Shimada K., Kario K.: Plasma endoglin as a marker to predict cardiovascular events in patients with chronic coronary artery diseases. *Heart Vessels.* 27: 344-351, 2012.
- 15) Imai Y., Kario K., Shimada K., Kawano Y., Hasebe N., Matsuura H., Tsuchihashi T., Ohkubo T., Kuwajima I., Miyakawa M.: Japanese Society of Hypertension Committee for Guidelines for Self-monitoring of Blood Pressure at Home. The Japanese Society of Hypertension Guidelines for Self-monitoring of Blood Pressure at Home (Second Edition). *Hypertens Res.* 35: 777-795, 2012.

- 16) Ishikawa J., Hoshide S., Eguchi K., Ishikawa S., Shimada K., Kario K.; for the Japan Morning Surge-Home Blood Pressure Study Investigators Group. : Nighttime Home Blood Pressure and the Risk of Hypertensive Target Organ Damage. *Hypertension*. 60:921-928, 2012.
- 17) Ishikawa J., Nasothimiou EG., Karpettas N., McDoniel S., Feltheimer SD., Stergiou GS., Pickering TG., Schwartz JE.: Automatic Office Blood Pressure Measured without Doctors or Nurses Present. *Blood Press Monit*. 17 :96-102, 2012.
- 18) Iwakiri T., Yano Y., Sato Y., Hatakeyama K., Marutsuka K., Fujimoto S., Kitamura K., Kario K., Asada Y.: Usefulness of carotid intima-media thickness measurement as an indicator of generalized atherosclerosis: Findings from autopsy analysis. *Atherosclerosis*. 225: 359-362, 2012.
- 19) Kabutoya T., Hoshide S., Ogata Y., Iwata T., Eguchi K., Kario K. :The time course of flow-mediated vasodilation and endothelial dysfunction in patients with a cardiovascular risk factor. *J Am Soc Hypertens*. 6:109-116, 2012.
- 20) Kabutoya T., Ishikawa S., Ishikawa J., Hoshide S., Kario K. : JMS Cohort Study Investigators Group. P-wave morphologic characteristics predict cardiovascular events in a community-dwelling population. *Ann Noninvasive Electrocardiol*. 17: 252-259,2012.
- 21) Kario K.: Disaster hypertension - its characteristics, mechanism, and management-. *Circ J*. 76: 553-562,2012.
- 22) Kario K.: Is Vascular Morning Blood Pressure Surge in the Elderly Resistant to Antihypertensives and More Risky? *Hypertension*. 60: e16, 2012.
- 23) Kario K.: Is the atherosclerotic risk of extreme dipping in youth partly explained by exaggerated morning surge? *Hypertension*. 60: e19, 2012.
- 24) Kario K.: Morning Surge in blood pressure in hypertension, clinical relevance, prognostic significance and therapeutic approach. In: Berbari AE, Mancia G(eds). Springer Inc., 71-89, 2012
- 25) Kobayashi M., Morita T., Chun NA., Matsui A., Takahashi M., Murakami T.:

Effect of host immunity on metastatic potential in renal cell carcinoma: the assessment of optimal in vivo models to study metastatic behabior of renal cancer cells. *Tumour Biol.* 33: 551-559, 2012 .

- 26) Koga M., Shiokawa Y., Nakagawara J., Furui E., Kimura K., Yamagami H., Okada Y., Hasegawa Y., Kario K., Okuda S., Endo K., Miyagi T., Osaki M., Minematsu K., Toyoda K.: Low-dose intravenous recombinant tissue-type plasminogen activator therapy for patients with stroke outside European indications: Stroke Acute Management with Urgent Risk-factor Assessment and Improvement (SAMURAI) rtPA Registry. *Stroke.* 43: 253-255 2012.
- 27) Koga M., Toyoda K., Yamagami H., Okuda S., Okada Y., Kimura K., Shiokawa Y., Nakagawara J., Furui E., Hasegawa Y., Kario K., Osaki M., Miyagi T., Endo K., Nagatsuka K., Minematsu K., Stroke Acute Management with Urgent Risk-factor Assessment and Improvement Study Investigators. : Systolic blood pressure lowering to 160mmHg or less using nicardipine in acute intracerebral hemorrhage ; a prospective, multicenter, observational study (the Stroke Acute Management with Urgent Risk-factor Assessment and Improvement-Intracerebral Hemorrhage study). *J Hypertens.* 30:2357-2364,2012.
- 28) Kotani K., Yamada T., Miyamoto M., Kario K., Ishibashi S., Taniguchi N.: The correlation between the cardio-ankle vascular index (CAVI) and serum amyloid A in asymptomatic Japanese subjects. *Heart Vessels.* 27: 499-504, 2012.
- 29) Maeda K., Koga M., Okada Y., Kimura K., Yamagami H., Okuda S., Hasegawa Y., Shiokawa Y., Furui E., Nakagawara J., Kario K., Nezu T., Minematsu K., Toyoda K.: Stroke Acute Management with Urgent Risk-factor Assessment and Improvement (SAMURAI) Study Investigators. Nationwide survey of neuro-specialists' opinions on anticoagulant therapy after intracerebral hemorrhage in patients with atrial fibrillation. *J Neurol Sci.* 312:82-85, 2012.
- 30) Makihara N., Okada Y., Koga M., Shiokawa Y., Nakagawara J., Furui E., Kimura K., Yamagami H., Hasegawa Y., Kario K., Okuda S., Naganuma M., Toyoda K: Effect of Serum Lipid Levels on Stroke Outcome after rt-PA Therapy: SAMURAI rt-PA Registry. *Cerebrovasc Dis.* 33: 240-247,2012.

- 31) Masuda T., Muto S., Fujisawa G., Iwazu Y., Kimura M., Kobayashi T., Nonaka-Sarukawa M., Sasaki N., Watanabe Y., Shinohara M., Murakami T., Shimada K., Kobayashi E., Kusano E.: Heart angiotensin II-induced cardiomyocyte hypertrophy suppresses coronary angiogenesis and progresses diabetic cardiomyopathy. *Am J Physiol Heart Circ Physiol.* 302: H1871-1883, 2012.
- 32) Matsui A., Yokoo H., Negishi Y., Endo-Takahashi Y., Chun NA., Kadouchi I., Suzuki R., Maruyama K., Aramaki Y., Semba K., Kobayashi E., Takahashi M., Murakami T.: CXCL17 expression by tumor cells recruits CD11b+Gr1 high F4/80+ cells and promotes tumor progression. *PLoS One.* 7: 44080, 2012.
- 33) Matsui Y., Kario K.: Prognostic value of the home blood pressure variability; which is best? *Hypertension.* 59:e33, 2012.
- 34) Matsui Y., O'Rourke MF., Hoshide S., Ishikawa J., Shimada K., Kario K.: Combined Effect of Angiotensin II Receptor Blocker and Either a Calcium Channel Blocker or Diuretic on Day-by-Day Variability of Home Blood Pressure: The Japan Combined Treatment With Olmesartan and a Calcium-Channel Blocker Versus Olmesartan and Diuretics Randomized Efficacy Study. *Hypertension.* 59:1132-1138, 2012.
- 35) Matsui Y., O'Rourke MF., Ishikawa J., Shimada K., Kario K.: Association of Changes in Ambulatory Arterial Stiffness Index and Pulse Wave Velocity During Antihypertensive Treatment; The J-CORE Study. *Am J Hypertens.* 25:862-868, 2012.
- 36) Miyagi T., Koga M., Shiokawa Y., Nakagawara J., Hasegawa Y., Furui E., Kimura K., Kario K., Okuda S., Yamagami H., Okada Y., Nezu T., Maeda K., Endo K., Minematsu K., Toyoda K.: Intravenous Alteplase at 0.6 mg/kg for Acute Stroke Patients with Basilar Artery Occlusion: The Stroke Acute Management with Urgent Risk Factor Assessment and Improvement (SAMURAI) Recombinant Tissue Plasminogen Activator Registry. *J Stroke Cerebrovasc Dis.* Oct 9. Epub ahead of print. 2012.
- 37) Miyashita H.: Clinical assessment of central blood pressure. *Curr Hypertens Rev.* 8:80-90, 2012.

- 38) Mori M., Naganuma M., Okada Y., Hasegawa Y., Shiokawa Y., Nakagawara J., Furui E., Kimura K., Yamagami H., Kario K., Okuda S., Koga M., Minematsu K., Toyoda K.: Early Neurological Deterioration within 24 Hours after Intravenous rt-PA Therapy for Stroke Patients: The Stroke Acute Management with Urgent Risk Factor Assessment and Improvement rt-PA Registry. *Cerebrovasc Dis.* 34: 140-146, 2012.
- 39) Motoki H., Koyama J., Nakazawa H., Aizawa K., Kasai H., Izawa A., Tomita T., Miyashita Y., Kumazaki S., Takahashi M., Ikeda U. : Torsion analysis in the early detection of anthracycline-mediated cardiomyopathy. *Eur Heart J Cardiovasc Imaging* 13:95-103, 2012.
- 40) Nagai M., Hoshide S., Ishikawa J., Shimada K., Kario K.: Visit-to-visit blood pressure variations: new independent determinants for cognitive function in the elderly at high risk of cardiovascular disease. *J Hypertens.* 30:1556-1563, 2012.
- 41) Nagai M., Hoshide S., Kario K.: Association of Prothrombotic Status With Markers of Cerebral Small Vessel Disease in Elderly Hypertensive Patients. *Am J Hypertens.* 25:1088-1094,2012.
- 42) Nishizawa M., Hoshide S., Shimpo M., Kario K.: Disaster hypertension: experience from the great East Japan earthquake of 2011. *Curr Hypertens Rep.*:375-381,2012.
- 43) Ohmori T., Yano Y., Sakata A., Ikemoto T., Shimpo M., Madoiwa S., Katsuki T., Mimuro J., Shimada K., Kario K., Sakata Y.: Lack of association between serum paraoxonase-1 activity and residual platelet aggregation during dual anti-platelet therapy. *Thromb Res.* 129: e36-40, 2012.
- 44) Saito T., Hojo Y., Ogoyama Y, Hirose M., Ikemoto T., Katsuki T., Shimada K., Kario K.: S100A12 as a Marker to Predict Cardiovascular Events in Patients With Chronic Coronary Artery Disease. *Circ J.* 76: 2647-2652, 2012.
- 45) Sato S., Koga M., Yamagami H., Okuda S., Okada Y., Kimura K., Shiokawa Y., Nakagawara J., Furui E., Hasegawa Y., Kario K., Arihiro S., Nagatsuka K., Minematsu K., Toyoda K.: Conjugate Eye Deviation in Acute Intracerebral Hemorrhage: Stroke Acute Management With Urgent Risk-Factor Assessment and

Improvement-ICH(SAMURAI-ICH) Study. Stroke. 43:2898-2903,2012.

- 46) Sato Y., Yano Y., Fujimoto S., Konta T., Iseki K., Moriyama T., Yamagata K., Tsuruya K., Yoshida H., Asahi K., Kurahashi I., Ohashi Y., Watanabe T.: Glycohemoglobin not as predictive as fasting glucose as a measure of prediabetes in predicting proteinuria. Nephrol Dial Transplant. 27:3862-3868,2012.
- 47) Shimizu M., Ishikawa J., Yano Y., Hoshide S., Eguchi K., Ishikawa S., Shimada K., Kario K.:Association between asleep blood pressure and brain natriuretic peptide during antihypertensive treatment: the Japan Morning Surge-Target Organ Protection (J-TOP) study. J Hypertens. 30:1015-1021,2012.
- 48) Takahashi M.:Adipose tissue : an alternative source for therapeutic angiogenesis. Circ J. 76:1597-1598,2012.
- 49) Takeda S., Chinda J., Murakami T., Numata A., Iwazu Y., Akimoto T., Hamano Y., Muto S., Takahashi M., Kusano E.: Development of features of glomerulopathy in tumor-bearing rats: a potential model for paraneoplastic glomerulopathy. Nephrol Dial Transplant. 27: 1786-1792: 2012.
- 50) Tezuka Y., Endo S., Matsui A., Sato A., Sito K., Semba K., Takahashi M., Murakami T.:Potential anti-tumor effect of IFN-ramda2 (IL-28A) against human lung cancer cells.Lung Cancer. 78:185-192,2012.
- 51) Tomiyama H., Kohro T., Higashi Y., Takase B., Suzuki T., Ishizu T., Ueda S., Yamazaki T., Furumoto T., Kario K., Inoue T., Koba S., Watanabe K., Takemoto Y., Hano T., Sata M., Ishibashi Y., Node K., Maemura K., Ohya Y., Furukawa T., Ito H., Yamashina A.:A multicenter study design to assess the clinical usefulness of semi-automatic measurement of flow-mediated vasodilatation of the brachial artery. Int Heart J. 53: 170-175,2012.
- 52) Usui F., Kimura H., Ohshiro T., Tatsumi K., Kawashima A., Nishiyama A., Iwakura Y., Ishibashi S., Takahashi M.:Interleukin-17 deficiency reduced vascular inflammation and development of atherosclerosis in western diet-induced ApoE-deficient mice. Biochem Biophys Res Commun. 420: 72-77,2012.

- 53) Usui F., Shirasuna K., Kimura H., Tatsumi K., Kawashima A., Karasawa T., Hida S., Sagara J., Taniguchi S., Takahashi M.: Critical role of caspase-1 in vascular inflammation and development of atherosclerosis in western diet-fed apolipoprotein E-deficient Mice. *Biochem Biophys Res Commun.* 425:162-168,2012.
- 54) Yano Y.: Long-chain n-3 polyunsaturated fatty acids and blood pressure. *Hypertens Res.* 35:967-968,2012.
- 55) Yano Y., Fujimoto S., Asahi K., Watanabe T.: Prevalence of chronic kidney disease in China. *Lancet.* 380:213-214,2012.
- 56) Yano Y., Fujimoto S., Sato Y., Konta T., Iseki K., Moriyama T., Yamagata K., Tsuruya K., Yoshida H, Asahi K, Kurahashi I, Ohashi Y, Watanabe T.: Association between prehypertension and chronic kidney disease in the Japanese general population. *Kidney Int.* 81:293-299,2012.
- 57) Yano Y., Hatakeyama K.: Inflammation and hypertension: new clinical information on pentraxin-3. *Anadolu Kardiyol Derg.* 12:305-306,2012.
- 58) Yano Y., Hoshide S., Shimizu M., Eguchi K., Ishikawa J., Ishikawa S., Shimada K., Kario K.: Association of home and ambulatory blood pressure changes with changes in cardiovascular biomarkers during antihypertensive treatment. *Am J Hypertens.* 25: 306-312, 2012.
- 59) Yano Y., Ishikawa S., Kario K.: Weight and mortality in adults with diabetes. *JAMA*,308:2079-2080,2012.
- 60) Yano Y., Kario K., Ishikawa S., Ojima T., Gotoh T., Kayaba K., Tsutsumi A., Shimada K., Nakamura Y., Kajii E.; the JMS Cohort Study Group. Associations Between Diabetes, Leanness, and the Risk of Deaths in the Japanese General Population: The Jichi Medical School Cohort Study. *Diabetes Care.* Dec 20. Epub ahead of print. 2012.
- 61) Yano Y., Kario K.: Nocturnal blood pressure and cardiovascular disease: a review of recent advances. *Hypertens Res.* 35: 695-701, 2012.

- 62) Yano Y., Kario K.:Nocturnal Blood Pressure, Morning Blood Pressure Surge, and Cerebrovascular Events. *Curr Hypertens Rep.* 14: 219-227, 2012.
- 63) Yano Y., Ohmori T., Shimada K., Sakata Y., Kario K.:Association of sleep onset of acute coronary syndrome with sleep apnea syndrome and abnormal diurnal variation of hemostasis and adipokine levels. *Blood Coagul Fibrinolysis.* 23:590-596,2012.
- 64) Yano Y., Sato Y., Fujimoto S., Konta T., Iseki K., Moriyama T., Yamagata K., Tsuruya K., Yoshida H., Asahi K., Kurahashi I., Ohashi Y., Watanabe T.: Association of high pulse pressure with proteinuria in subjects with diabetes, prediabetes, or normal glucose tolerance in a large Japanese general population sample. *Diabetes Care.* 35:1310-1315,2012.
- 65) Yokota K., Fukuda M., Matsui Y., Hoshide S., Shimada K., Kario K.: Impact of Visit-to-Visit Variability of Blood Pressure on Deterioration of Renal Function in Patients with Non-diabetic Chronic Kidney Disease Hypertension Research, Epub ahead of print,2012.
- 66) Yokota K., Shimpo M., Iwata T., Hirose M., Ikemoto T., Ohya K., Katsuki T., Shimada K., Kario K.: A case of Takayasu arteritis with repeated coronary artery restenosis after drug-eluting stent implantation successfully treated with a combination of steroids. *Intern Med.* 51: 739-743,2012.
- 67) 桂田健一、長田淳、市田勝、尾本和、穂積康夫、苅尾七臣、島田和幸:乳癌治療薬トラスツズマブ使用中に急性心不全をきたした1例。 心臓 44 : 691-697、2012。
- 68) 矢野裕一朗、早川学、黒木和男、苅尾七臣：ラメルテオン投与による早朝血圧およびストレスホルモン抑制の可能性について。 *Progress in medicine* ,2012。