

(A) 原著論文 (2014)

1. ABC-H Investigators, Roush GC, Fagard RH, Salles GF, Pierdomenico SD, Reboldi G, Verdecchia P., **Eguchi K.**, **Kario K.**, **Hoshide S.**, Polonia J., de la Sierra A., Hermida RC, Dolan E, Zamalloa H. : Prognostic impact from clinic, daytime, and night-time systolic blood pressure in nine cohorts of 13,844 patients with hypertension. *J Hypertens.* 32 : 2332–2340, 2014.
2. Aoyama N., Imai H., Kurosawa T., Fukuda N., Moriguchi M., Nishinari M., Nishii M., **Kono K.**, Soma K., Izumi T. : Therapeutic strategy using extracorporeal life support, including appropriate indication, management, limitation and timing of switch to ventricular assist device in patients with acute myocardial infarction. *J Artif Organs.* 17:33–41, 2014.
3. Atkinson G., Batterham AM, **Kario K.**, Taylor CE, Jones H. : Blood pressure regulation VII. The “morning surge” in blood pressure: measurement issues and clinical significance. *Eur J Appl Physiol.* 114 : 521–529, 2014.
4. Bilo G., Koch W., **Hoshide S.**, Parati G. : Efficacy of olmesartan/amlodipine combination therapy in reducing ambulatory blood pressure in moderate-to-severe hypertensive patients not controlled by amlodipine alone. *Hypertens Res.* 37: 836–44, 2014.
5. Briasoulis A., Silver A., **Yano Y.**, Bakris GL. : Orthostatic Hypotension Associated With Baroreceptor Dysfunction: Treatment Approaches. *J Clin Hypertens (Greenwich).* 2014;16:141–148.
6. **Eguchi K.**, Hiroe M., **Kario K.** : Cardiac positron emission tomography as a prognostic indicator of cardiac sarcoidosis. *J Am Coll Cardiol.* 63: 2589–2590, 2014.
7. **Eguchi K.**, **Hoshide S.**, Nagashima S., Maekawa T., Sasano H., **Kario K.** : An adverse pregnancy-associated outcome due to overlooked primary aldosteronism. *Intern Med.* 53:2499–2504, 2014.
8. **Eguchi K.**, **Hoshide S.**, Shimada K., **Kario K.** : How many clinic BP readings are needed to predict cardiovascular events as accurately as ambulatory BP monitoring? *J Hum Hypertens.* 28:731–735, 2014.
9. **Eguchi K.**, Murakami A., Horaguchi T., Kato M., Miyashita H., **Kario K.** : Percutaneous transluminal angioplasty for peripheral artery disease confers cardiorenal protection. *J Hum Hypertens.* 28:51–55, 2014.
10. **Fukutomi M.**, **Hoshide S.**, **Mizuno H.**, **Kario K.** : Differential effects of aliskiren/amlodipine combination and high-dose amlodipine monotherapy on endothelial function in elderly hypertensive patients. *Am J Hypertens.* 27:14–20, 2014.
11. Hara K., Shirasuna K., Usui F., Karasawa T., Kimura H., Kawashima A., Ohkuchi

- A., Matsuyama S., Kimura K., **Takahashi M.** : IFNT attenuates uptake of nanoparticle and secretion of interleukin-1 β in macrophages. *PLoS One*. 9:e113974, 2014.
12. **Hoshide S.** : Role of telomere length in interindividual variation in cardiovascular protection in hypertensive patients. *Circ J* 78: 1828–9, 2014.
 13. **Hoshide S., Kario K., Yano Y.,** Haimoto H., Yamagiwa K., Uchiba K., Nagasaka S., Matsui Y., Nakamura A., **Fukutomi M., Eguchi K., Ishikawa J.** ; J-HOP Study Group. Association of morning and evening blood pressure at home with asymptomatic organ damage in the J-HOP Study. *Am J Hypertens*. 27:939–947, 2014.
 14. **Hoshide S., Nagai M., Yano Y., Ishikawa J., Eguchi K., Kario K.** ; Japan Morning Surge–Home Blood Pressure Study Investigators Group. Association of high-sensitivity cardiac troponin T and N-terminal pro-brain-type natriuretic peptide with left ventricular structure: J-HOP study. *J Clin Hypertens (Greenwich)*. 16:354–361, 2014.
 15. **Ichida M., Nishimura Y., Kario K.** : Clinical significance of left ventricular apical aneurysms in hypertrophic cardiomyopathy patients: the role of diagnostic electrocardiography. *J Cardiol*. 64: 265–272, 2014.
 16. **Imaizumi Y., Eguchi K., Taketomi A., Tsuchihashi T., Kario K.** : Exaggerated blood pressure variability in patients with pneumoconiosis: a pilot study. *Am J Hypertens*. 27: 1456–1463, 2014.
 17. Inoue Y., Shirasuna K., Kimura H., Usui F., Kawashima A., Karasawa T., Tago K., Dezaki K., Nishimura S., Sagara J., Noda T., Iwakura Y., Tsutsui H., Taniguchi S., Yanagisawa K., Yada T., Yasuda Y., **Takahashi M.** : NLRP3 regulates neutrophil function and contributes to hepatic ischemia-reperfusion injury independently of inflammasomes. *J Immunol*. 192: 4342–4351, 2014.
 18. **Ishikawa J., Ishikawa S., Kario K.** ; Jichi Medical School (JMS) Cohort Study Investigators Group. Levels of cornell voltage and cornell product for predicting cardiovascular and stroke mortality and morbidity in the general Japanese population. *Circ J*. 78: 465–75, 2014.
 19. **Ishikawa J., Shimizu M., Sugiyama Edison E., Yano Y., Hoshide S., Eguchi K., Kario K.** ; J-TOP (Japan Morning Surge–Target Organ Protection) Study Investigators Group. Assessment of the reductions in night-time blood pressure and dipping induced by antihypertensive medication using a home blood pressure monitor. *J Hypertens*. 32:82–89, 2014.
 20. Ishizuka Y., Nakayama K., Ogawa A., Makishima S., Boonvisut S., Hirao A., Iwasaki Y., Yada T., Yanagisawa Y., **Miyashita H., Takahashi M., Iwamoto S.** : TRIB1 downregulates hepatic lipogenesis and glycogenesis via multiple molecular interactions. *J Mol Endocrinol* 52:145–158, 2014.

21. **Kabutoya T., Hoshide S., Ogata Y., Eguchi K., Kario K.** : Relationship between endothelial dysfunction and kidney disease. *J Clin Hypertens (Greenwich)*. 16: 156, 2014.
22. **Kagitani H., Asou Y., Ishihara N., Hoshide S., Kario K.** : Hot flashes and blood pressure in middle-aged Japanese women. *Am J Hypertens*. 27: 503–507, 2014.
23. **Kaihara T., Eguchi K., Kario K.** : Home BP monitoring using a telemonitoring system is effective for controlling BP in a remote island in Japan. *J Clin Hypertens (Greenwich)*. 16:814–819, 2014.
24. **Kakehi E., Kotani K., Ishikawa S., Gotoh T., Kayaba K., Nakamura Y., Kajii E.** : Relationship between screening plasma glucose concentrations and cancer- and all-cause mortality: the Jichi Medical School (JMS) cohort study. *Journal of Public Health* 22 : 505–11, 2014.
25. **Kario K., Hoshide S.** : Rationale, study design, and implementation of the ACS1 study: effect of azilsartan on circadian and sleep blood pressure as compared with amlodipine. *Blood Press Monit.* 19 : 123–128, 2014.
26. **Kario K., Kuwabara M., Hoshide S., Nagai M., Shimpo M.** : Effects of nighttime single-dose administration of vasodilating vs sympatholytic antihypertensive agents on sleep blood pressure in hypertensive patients with sleep apnea syndrome. *J Clin Hypertens (Greenwich)*. 16: 459–466, 2014.
27. **Kario K., Saito I., Kushiro T., Teramukai S., Ishikawa Y., Kobayashi F., Shimada K.** : Effects of olmesartan-based treatment on masked, white-coat, poorly controlled, and well-controlled hypertension: HONEST study. *J Clin Hypertens (Greenwich)*. 16: 442–450, 2014.
28. **Kario K., Saito I., Kushiro T., Teramukai S., Ishikawa Y., Mori Y., Kobayashi F., Shimada K.** : Home blood pressure and cardiovascular outcomes in patients during antihypertensive therapy: primary results of HONEST, a large-scale prospective, real-world observational study. *Hypertension*. 64 : 989–996, 2014.
29. **Kario K., Sun N., Chiang FT, Supasundh O., Baek SH, Inubushi-Molessa A., Zhang Y., Gotou H., Lefkowitz M., Zhang J.** : Efficacy and safety of LCZ696, a first-in-class angiotensin receptor neprilysin inhibitor, in Asian patients with hypertension: a randomized, double-blind, placebo-controlled study. *Hypertension*. 63:698–705, 2014.
30. **Kario K.** : Diagnosis of true uncontrolled hypertension using both home and ambulatory blood pressure monitoring. *J Hum Hypertens*. 28: 176–179, 2014.
31. **Katsuda S., Miyashita H., Shimada K., Miyawaki Y., Kojima I., Shiogai Y., Hazama A.** : Subservient relationship of the peripheral second systolic pressure peak to the central hemodynamic parameters is preserved, irrespective of atherosclerosis

progression in hypercholesterolemic rabbits. *Hypertens Res.* 37: 19–25, 2014.

32. **Katsurada K., Ichida M., Sakuragi M., Takehara M., Hozumi Y., Kario K. :** High-sensitivity troponin T as a marker to predict cardiotoxicity in breast cancer patients with adjuvant trastuzumab therapy. *Springerplus.* 3:620, 2014.

33. **Katsurada K., Maejima Y., Nakata M., Kodaira M., Suyama S., Iwasaki Y., Kario K., Yada T. :** Endogenous GLP-1 acts on paraventricular nucleus to suppress feeding: projection from nucleus tractus solitarius and activation of corticotropin-releasing hormone, nesfatin-1 and oxytocin neurons. *Biochem Biophys Res Commun.* 451: 276–281, 2014.

34. **Kinugawa K., Nagai R., Inoue H., Atarashi H., Seino Y., Yamashita T., Shimizu W., Aiba T., Kitakaze M., Sakamoto A., Ikeda T., Imai Y., Daimon T., Fujino K., Nagano T., Okamura T., Hori M. :** J-Land Investigators Impacts of characteristics on the effectiveness of landiolol in AF/AFL patients complicated with LV dysfunction :Subgroup analysis of the J-Land study. *Adv Ther.* 31 (4) 426–439 (5) 577–578, 2014.

35. **Kobayashi J., Koga M., Tanaka E., Okada Y., Kimura K., Yamagami H., Okuda S., Hasegawa Y., Shiokawa Y., Furui E., Nakagawara J., Kario K., Okata T., Arihiro S., Sato S., Nagatsuka K., Minematsu K., Toyoda K; SAMURAI Study Investigators. :** Continuous antihypertensive therapy throughout the initial 24 hours of intracerebral hemorrhage: the stroke acute management with urgent risk-factor assessment and improvement–intracerebral hemorrhage study. *Stroke.* 45: 868–870, 2014.

36. **Koga M., Arihiro S., Hasegawa Y., Shiokawa Y., Okada Y., Kimura K., Furui E., Nakagawara J., Yamagami H., Kario K., Okuda S., Tokunaga K., Takizawa H., Takasugi J., Sato S., Nagatsuka K., Minematsu K., Toyoda K. ; Stroke Acute Management with Urgent Risk-factor Assessment and Improvement Study Investigators.** Intravenous nicardipine dosing for blood pressure lowering in acute intracerebral hemorrhage: the Stroke Acute Management with Urgent Risk-factor Assessment and Improvement–Intracerebral Hemorrhage study. *J Stroke Cerebrovasc Dis.* 23: 2780–2787, 2014.

37. **Kojima T., Imai Y., Tsushima K., Uno K., Fujiu K., Iiri T., Nishimatsu H., Suzuki T., Sugiyama H., Asada K., Nakao T., Yamashita H., Hirata Y., Nagai R. :** Temporary dual-chamber pacing can stabilize hemodynamics during noncardiac surgery in a patient with left ventricular hypertrophy and outflow obstruction. *J Cardiothorac Vasc Anesth.* 28 (1) :124–127, 2014.

38. **Komada T., Usui F., Shirasuna K., Kawashima A., Kimura H., Karasawa T., Nishimura S., Sagara J., Noda T., Taniguchi S., Muto S., Nagata D., Kusano E., Takahashi M. :** ASC in renal collecting duct epithelial cells contributes to inflammation and injury

after unilateral ureteral obstruction. *Am J Pathol.* 184:1287–1298, 2014.

39. **Komori T., Eguchi K., Kabutoya T., Ishikawa J., Hoshide S., Kario, K.** : Left ventricular diastolic function evaluated by the E/e' ratio is impaired in patients with masked uncontrolled hypertension. *Clin Exp Hypertens.* 36: 538–544, 2014.

40. Matsubara S., Ohkuchi A., Kamesaki T., **Ishikawa S.**, Nakamura Y., Matsumoto M. Supporting rural remote physicians to conduct a study and write a paper: experience of Clinical Research Support Team (CRST)–Jichi Rural Remote Health. 14: 883.2014.

41. Motoki H., Koyama J., Aizawa K., Koshikawa M., Kasai H., Izawa A., Tomita T., Kumazaki S., **Takahashi M.**, Ikeda U. : Impact of azelnidipine and amlodipine on left ventricular mass and longitudinal function in hypertensive patients with left ventricular hypertrophy. *Echocardiography*, 3 : 1230–1238, 2014.

42. **Nagai M., Hoshide S., Kario K.** : BP variability and cognitive impairment: vascular risk factors for Alzheimer disease? *Alzheimer Dis Assoc Disord.* 28 : 368, 2014.

43. **Nagai M., Hoshide S., Nishikawa M., Shimpo M., Kario K.** : Visit-to-visit blood pressure variability in the elderly: associations with cognitive impairment and carotid artery remodeling. *Atherosclerosis.* 233:19–26, 2014.

44. Nakayama K., Watanabe K., Boonvisut S., Makishima S., **Miyashita H.**, Iwamoto S. : Common variants of GIP are associated with visceral fat accumulation in Japanese adults. *Am J Physiol Gastrointest Liver Physiol.* 307: G1108–G1114 ,2014.

45. Ninomiya T., Hiraga T., Hosoya A., Ohnuma K., Ito Y., **Takahashi M.**, Ito S., Asashima M., Nakamura H. : Enhanced bone-forming activity of side population cells in the periodontal ligament. *Cell Transplant.* 23: 691–701, 2014.

46. **Nishikawa-Takahashi M., Ueno S., Kario K.** : Long-term advanced therapy with bosentan improves symptoms and prevents deterioration of inoperable chronic thromboembolic pulmonary hypertension. *Life Sci.* 118: 410–413, 2014.

47. Okano T., Wakitani S., Okabe T., **Takahashi M.**, Koike T., Nakamura H. : Nucleated cells circulating in the peripheral blood contribute to the repair of osteochondral defects in the early phase of healing. *J Tissue Eng Regen Med.* 8 : 414–420, 2014.

48. Otake Y., **Shimpo M., Katsuski T., Kario K.**, Sugimoto H. : Assessment of Regional Left Ventricular Wall Motion Abnormalities and Global Left Ventricular Function Obtained by Dual Source Computed Tomography in Patients with Coronary Artery Disease *Jichi Medical University Journal.* 37: 1–9, 2014.

49. Palatini P., Reboldi G., Beilin LJ., Casiglia E., **Eguchi K.**, Imai Y., **Kario K.**, Ohkubo T., Pierdomenico SD, Schwartz JE, Wing L, Verdecchia P. : Added predictive value of night-time blood pressure variability for cardiovascular events and

mortality: the Ambulatory Blood Pressure-International Study. Hypertension. 64 : 487-493, 2014.

50. Palatini P., Reboldi G., Beilin LJ, **Eguchi K.**, Imai Y., **Kario K.**, Ohkubo T., Pierdomenico SD, Schwartz JE, Wing L, Verdecchia P.: Contribution of the ABP-International study to the definition of night-time tachycardia. J Hypertens. 32 : 2099-2100, 2014.

51. Parati G, Ochoa JE, Bilo G, Mattaliano P, Salvi P, **Kario K.**, Lombardi C.: Obstructive sleep apnea syndrome as a cause of resistant hypertension. Hypertens Res. 37: 601-613, 2014.

52. Parati G, Stergiou G, O'Brien E, Asmar R, Beilin L, Bilo G, Clement D, de la Sierra A, de Leeuw P, Dolan E, Fagard R, Graves J, Head GA, Imai Y., **Kario K.**, Lurbe E, Mallion JM, Mancia G, Mengden T, Myers M, Ogedegbe G, Ohkubo T., Omboni S., Palatini P, Redon J, Ruilope LM, Shennan A, Staessen JA, vanMontfrans G, Verdecchia P, Waeber B, Wang J, Zanchetti A, Zhang Y; European Society of Hypertension Working Group on Blood Pressure Monitoring and Cardiovascular Variability. European Society of Hypertension practice guidelines for ambulatory blood pressure monitoring. J Hypertens. 32 : 1359-1366, 2014.

53. Rakugi H., **Kario K.**, Enya K., Sugiura K., Ikeda Y. : Effect of azilsartan versus candesartan on morning blood pressure surges in Japanese patients with essential hypertension. Blood Press Monit. 19: 164-169, 2014.

54. Sakamoto A., Ishizaka N., **Imai Y.**, Ando J., Nagai R., Komuro I.: Association of serum IgG4 and soluble interleukin-2 receptor levels with epicardial adipose tissue and coronary artery calcification. Clin Chim Acta. 428: 63-69, 2014.

55. Sakamoto Y., Koga M., Kimura K., Nagatsuka K., Okuda S., **Kario K.**, Hasegawa Y., Okada Y., Yamagami H., Furui E., Nakagawara J., Shiokawa Y., Okata T., Kobayashi J., Tanaka E., Minematsu K., Toyoda K. : Intravenous thrombolysis for patients with reverse magnetic resonance angiography and diffusion-weighted imaging mismatch: SAMURAI and NCVC rt-PA Registries. Eur J Neurol. 21: 419-426, 2014.

56. Sakata A., Ohmori T., Nishimura S., Suzuki H., Madoiwa S., Mimuro J., **Kario K.**, Sakata Y. : Paxillin is an intrinsic negative regulator of platelet activation in mice. Thromb J. 12(1):1, 2014.

57. Sano F., Ohira T., Kitamura A., Imano H., Cui R., Kiyama M., Okada T., Yamagishi K., Sankai T., Tanigawa T., **Kario K.**, Iso H. : Heavy alcohol consumption and risk of atrial fibrillation. The Circulatory Risk in Communities Study (CIRCS). Circ J. 78: 955-961, 2014.

58. Shimamoto K., Ando K., Fujita T., Hasebe N., Higaki J., Horiuchi M., Imai Y.,

Imaizumi T., Ishimitsu T., Ito M., Ito S., Itoh H., Iwao H., Kai H., **Kario K.**, Kashiwara N., Kawano Y., Kim-Mitsuyama S., Kimura G., Kohara K., Komuro I., Kumagai H., Matsuura H., Miura K., Morishita R., Naruse M., Node K., Ohya Y., Rakugi H., Saito I., Saitoh S., Shimada K., Shimosawa T., Suzuki H., Tamura K., Tanahashi N., Tsuchihashi T., Uchiyama M., Ueda S., Umemura S.; Japanese Society of Hypertension Committee for Guidelines for the Management of Hypertension. The Japanese Society of Hypertension Guidelines for the Management of Hypertension (JSH 2014). *Hypertens Res.* 37: 253–390, 2014.

59. Shimamoto K., Hasebe N., Ito S., **Kario K.**, Kimura K., Dohi Y., Kawano Y., Rakugi H., Horiuchi M., Imaizumi T., Ohya Y.: Nifedipine controlled-release 40mg b.i.d. in Japanese patients with essential hypertension who responded insufficiently to nifedipine controlled-release 40mg q.d.: a phase III, randomized, double-blind and parallel-group study. *Hypertens Res.* 37 : 69–75, 2014.

60. **Takahashi M.**: Reply to letter regarding article “NLRP3 inflammasome as a therapeutic target in myocardial infarction”. *Int Heart J.* 55: 380, 2014.

61. **Takahashi M.**: NLRP3 inflammasome as a novel player in myocardial infarction. *Int Heart J.* 55: 101–105, 2014.

62. Takata M., Amiya E., Watanabe M., Omori K., **Imai Y.**, Fujita D., Nishimura H., Kato M., Morota T., Nawata K., Ozeki A., Watanabe A., Kawarasaki S., Hosoya Y., Nakao T., Maemura K., Nagai R., Hirata Y., Komuro I.: Impairment of flow-mediated dilation correlates with aortic dilation in patients with Marfan syndrome. *Heart Vessels.* 29(4): 478–485, 2014.

63. Tanaka E., Koga M., Kobayashi J., **Kario K.**, Kamiyama K., Furui E., Shiokawa Y., Hasegawa Y., Okuda S., Todo K., Kimura K., Okada Y., Okata T., Arihiro S., Sato S., Yamagami H., Nagatsuka K., Minematsu K., Toyoda K.: Blood pressure variability on antihypertensive therapy in acute intracerebral hemorrhage: the Stroke Acute Management with Urgent Risk-factor Assessment and Improvement-intracerebral hemorrhage study. *Stroke.* 45: 2275–2279, 2014.

64. Tomiyama H., Odaira M., Kimura K., Matsumoto G., Shiina K., **Eguchi K.**, **Miyashita H.**, Shimada K., Yamashina A.: Differences in effects of age and blood pressure on augmentation index. *Am J Hypertens.* 27:1479–1485, 2014.

65. Tomiyama H., Yoshida M., Higashi Y., Takase B., Furumoto T., **Kario K.**, Ohya Y., Yamashina A.; sub-group study of FMD-J. Autonomic nervous activation triggered during induction of reactive hyperemia exerts a greater influence on the measured reactive hyperemia index by peripheral arterial tonometry than on flow-mediated vasodilatation of the brachial artery in patients with hypertension. *Hypertens Res.*

37: 914-918, 2014.

66. **Toriumi S., Hoshide S., Nagai M., Kario K.** : Day-to-day blood pressure variability as a phenotype in a high-risk patient. *Geriatr Gerontol Int.* 14: 1005-1006, 2014.

67. **Yano Y.** : Ambulatory Blood Pressure in Chronic Kidney Disease: Do Ethnic Disparities Exist? *Hypertens Res.* 2014 Feb;37(2):95-7.

68. **Yano Y., Bakris GL, Inokuchi T., Ohba Y., Tamaki N., Nagata M., Kuwabara M., Yokota N., Eto T., Kuroki M., Shimada K., Kario K.** : Association of cognitive dysfunction with cardiovascular disease events in elderly hypertensive patients. *J Hypertens.* 32: 423-431, 2014.

69 **Yano Y., Briasoulis A., Bakris GL, Hoshide S., Wang JG, Shimada K., Kario K.** : Effects of antihypertensive treatment in Asian populations: a meta-analysis of prospective randomized controlled studies (CARDiovascular protectionN group in Asia: CARNA). *J Am Soc Hypertens.* 8:103-116, 2014.

70. **Yano Y., Fujimoto S., Sato Y., Konta T., Iseki K., Iseki C., Moriyama T., Yamagata K., Tsuruya K., Narita I., Kondo M., Kimura K., Asahi K., Kurahashi I., Ohashi Y., Watanabe T.** : New-onset Hypertension and Risk for Chronic Kidney Disease in the Japanese General Population. *J Hypertens.* 2014;32(12):2371-2377.

71. **Yano Y., Kario K.** : Nocturnal heart rate and inflammation. *J Clin Hypertens (Greenwich).* 16: 862-863, 2014.

72. **Yano Y., Nakazato M., Toshinai K., Inokuchi T., Matsuda S., Hidaka T., Hayakawa M., Kangawa K., Shimada K., Kario K.** : Circulating des-acyl ghrelin improves cardiovascular risk prediction in older hypertensive patients. *Am J Hypertens.* 27: 727-733, 2014.

73. **Yano Y., Ning H., Allen N., Reis JP., Launer LJ., Liu K., Yaffe K., Greenland P., Lloyd-Jones DM.** : Long-term Blood Pressure Variability throughout Young Adulthood and Cognitive Function in Midlife: The Coronary Artery Risk Development in Young Adults (CARDIA) study. *Hypertension.* 2014;64(5):983-988.

74. **Yokota K., Fukuda M., Matsui Y., Kario K., Kimura K.** : Visit-to-visit variability of blood pressure and renal function decline in patients with diabetic chronic kidney disease. *J Clin Hypertens (Greenwich).* 16:362-366, 2014.

75. 高澤 一平、川人 宏次、**横田 彩子**、**西村 芳興**、**市田 勝**、**新保 昌久**、野口 康子、清水 堅吾、茂呂 悦子、落合 久美子、中山 鈴子、関野 啓太、繁在家 亮、鳥越 祐子、上木原 友佳、進藤 靖夫、**荻尾 七臣**、三澤 吉雄：循環虚脱に対し、PCPSによる蘇生後、補助人工心臓による長期循環補助を経て移植登録に至った劇症型心筋炎の1例。当院における初めての人工心臓導入例の報告。自治医科大学紀要 2014, 37 : 29-34.

76. 森 義弘、小林 史明、**荻尾 七臣**、齋藤 郁夫、久代 登志男、手良向 聡、島田 和幸：オルメサルタン基礎治療下の追跡期間中の診察室血圧、家庭血圧に基づいて分類した4区分（コントロール良好、白衣高血圧、仮面高血圧、コントロール不良）と心血管系イベント発症の関係。臨床医薬、第30巻、10号（平成26年10月発行）。