

2007 年

[39] Tsutsumi A, Kayaba K, Ojima T, Ishikawa S, Kawakami N. Low control at work and the risk of suicide in Japanese men: a prospective cohort study. *Psychother Psychosom.* 2007;76(3):177-85.

[38] Niwa Y, Ishikawa S, Gotoh T, Kayaba K, Nakamura Y, Kajii E. Metabolic syndrome mortality in a population-based cohort study: Jichi Medical School (JMS) Cohort Study. *J Epidemiol.* 2007 Nov;17(6):203-9.

[37] Matsumoto M, Ishikawa S, Nakamura Y, Kayaba K, Kajii E. Consumption of dairy products and cancer risks. *J Epidemiol.* 2007 Mar;17(2):38-44.

[36] Ishikawa S, Shibano Y, Asai Y, Kario K, Kayaba K, Kajii E. Blood pressure categories and cardiovascular risk factors in Japan: the Jichi Medical School (JMS) Cohort Study. *Hypertens Res.* 2007 Jul;30(7):643-9.

[35] Ishikawa S, Kazuomi K, Kayaba K, Gotoh T, Nago N, Nakamura Y, et al. Linear relationship between blood pressure and stroke: the Jichi Medical School Cohort Study. *J Clin Hypertens (Greenwich).* 2007 Sep;9(9):677-83.

[34] Ishikawa S, Kayaba K, Gotoh T, Nakamura Y, Kario K, Ito Y, et al. Comparison of C-reactive protein levels between serum and plasma samples on long-term frozen storage after a 13.8 year interval: the JMS Cohort Study. *J Epidemiol.* 2007 Jul;17(4):120-4.

[33] Ishikawa S, Kayaba K, Gotoh T, Nakamura Y, Kajii E. Metabolic syndrome and C-reactive protein in the general population: JMS Cohort Study. *Circ J.* 2007 Jan;71(1):26-31.