

2012 年

[74] Yano Y, Hoshide S, Shimizu M, Eguchi K, Ishikawa J, Ishikawa S, et al. Association of home and ambulatory blood pressure changes with changes in cardiovascular biomarkers during antihypertensive treatment. *Am J Hypertens*. 2012 Mar;25(3):306-12.

[73] Yamamoto R, Ishikawa S, Mizooka M, Kajii E. Helicobacter pylori Infection and High-density Lipoprotein Cholesterol in Japanese Women: the JMS Cohort Study. *General Medicine*. 2012;13(2):93-102.

[72] Yamamoto R, Ishikawa S, Mizooka M, Kajii E. Chlamydia pneumoniae but not Helicobacter pylori infection, is associated with cerebral infarction in Japanese community-dwelling populations: The Jichi Medical School Cohort Study. *Neurology Asia*. 2012;17(3):183-92.

[71] Yamamoto R, Ishikawa S, Mizooka M, Kajii E. The prevalence of Helicobacter pylori with hypertension: The Jichi Medical School Cohort Study. *Jichi Medical University Journal*. 2012;35:1-10.

[70] Sawabe M, Tanaka N, Mieno MN, Ishikawa S, Kayaba K, Nakahara K, et al. Low lipoprotein(a) concentration is associated with cancer and all-cause deaths: a population-based cohort study (the JMS cohort study). *PLoS One*. 2012;7(4):e31954.

[69] Kabutoya T, Ishikawa S, Ishikawa J, Hoshide S, Kario K. P-wave morphologic characteristics predict cardiovascular events in a community-dwelling population. *Ann Noninvasive Electrocardiol*. 2012 Jul;17(3):252-9.

[68] Ishikawa J, Hoshide S, Eguchi K, Ishikawa S, Shimada K, Kario K. Nighttime home blood pressure and the risk of hypertensive target organ damage. *Hypertension*. 2012 Oct;60(4):921-8.