

内科学英文原著論文業績(2008)

- 1 Ajibe H, Osawa H, Yoshizawa M, Yamamoto H, Satoh K, Koinuma K, Morishima K, Hosoya Y, Yasuda Y, Sugano K: Phlegmonous gastritis after endoscopic submucosal dissection for early gastric cancer. *Therapeutic Adv Gastroenterol* 2008;1: 91-95.
- 2 Akimoto T, Ito C, Saito O, Takahashi H, Takeda S, Ando Y, Muto S, Kusano E: Microscopic hematuria and diabetic glomerulosclerosis--clinicopathological analysis of type 2 diabetic patients associated with overt proteinuria. *Nephron Clin Pract* 2008;109:c119-126.
- 3 Akutsu M, Tsunoda S, Izumi T, Tanaka M, Katano S, Inoue K, Igarashi S, Hirabayashi K, Furukawa Y, Ohmine K, Sato K, Kobayashi H, Ozawa K, Kirito K, Nagashima T, Teramukai S, Fukushima M, Kano Y: Long-term results of dose-intensive chemotherapy with g-csf support (tcc-nhl-91) for advanced intermediate-grade non-hodgkin's lymphoma: A review of 59 consecutive cases treated at a single institute. *Oncol Res* 2008;17:137-149.
- 4 Bando M, Takahashi M, Ohno S, Hosono T, Hironaka M, Okamoto H, Sugiyama Y: Torque teno virus DNA titre elevated in idiopathic pulmonary fibrosis with primary lung cancer. *Respirology* 2008;13:263-269.
- 5 Choi YL, Takeuchi K, Soda M, Inamura K, Togashi Y, Hatano S, Enomoto M, Hamada T, Haruta H, Watanabe H, Kurashina K, Hatanaka H, Ueno T, Takada S, Yamashita Y, Sugiyama Y, Ishikawa Y, Mano H: Identification of novel isoforms of the eml4-alk transforming gene in non-small cell lung cancer. *Cancer Res* 2008;68:4971-4976.
- 6 Daimon T, Johkoh T, Sumikawa H, Honda O, Fujimoto K, Koga T, Arakawa H, Yanagawa M, Inoue A, Mihara N, Tomiyama N, Nakamura H, Sugiyama Y: Acute eosinophilic pneumonia: Thin-section ct findings in 29 patients. *Eur J Radiol* 2008;65:462-467.
- 7 Eguchi K, Boden-Albala B, Jin Z, Rundek T, Sacco RL, Homma S, Di Tullio MR: Association between diabetes mellitus and left ventricular hypertrophy in a multiethnic population. *Am J Cardiol* 2008;101:1787-1791.
- 8 Eguchi K, Hoshide S, Ishikawa J, Ishikawa S, Pickering TG, Gerin W, Ogedegbe G, Schwartz JE, Shimada K, Kario K: Cardiovascular prognosis of sustained and white-coat hypertension in patients with type 2 diabetes mellitus. *Blood Press Monit* 2008;13:15-20.
- 9 Eguchi K, Pickering TG, Hoshide S, Ishikawa J, Ishikawa S, Schwartz JE, Shimada K, Kario K: Ambulatory blood pressure is a better marker than clinic blood pressure in predicting cardiovascular events in patients with/without type 2 diabetes. *Am J Hypertens* 2008;21:443-450.
- 10 Eguchi K, Pickering TG, Schwartz JE, Hoshide S, Ishikawa J, Ishikawa S, Shimada K, Kario K: Short sleep duration as an independent predictor of cardiovascular events in Japanese patients with hypertension. *Arch Intern Med* 2008;168:2225-2231.
- 11 Fock KM, Talley N, Moayyedi P, Hunt R, Azuma T, Sugano K, Xiao SD, Lam SK, Goh KL, Chiba T, Uemura N, Kim JG, Kim N, Ang TL, Mahachai V, Mitchell H, Rani AA, Liou JM, Vilaichone RK, Sollano J: Asia-pacific consensus guidelines on gastric cancer prevention. *J Gastroenterol Hepatol* 2008;23:351-365.
- 12 Fujishima N, Sawada K, Hirokawa M, Oshimi K, Sugimoto K, Matsuda A, Teramura

M, Karasawa M, Arai A, Yonemura Y, Nakao S, Urabe A, Omine M, Ozawa K: Long-term responses and outcomes following immunosuppressive therapy in large granular lymphocyte leukemia-associated pure red cell aplasia: A nationwide cohort study in Japan for the preca collaborative study group. *Haematologica* 2008;93:1555-1559.

13 Fujiwara SI, Yamashita Y, Nakamura N, Choi YL, Ueno T, Watanabe H, Kurashina K, Soda M, Enomoto M, Hatanaka H, Takada S, Abe M, Ozawa K, Mano H: High-resolution analysis of chromosome copy number alterations in angioimmunoblastic t-cell lymphoma and peripheral t-cell lymphoma, unspecified, with single nucleotide polymorphism-typing microarrays. *Leukemia* 2008;22:1891-1898.

14 Fukase K, Kato M, Kikuchi S, Inoue K, Uemura N, Okamoto S, Terao S, Amagai K, Hayashi S, Asaka M: Effect of eradication of helicobacter pylori on incidence of metachronous gastric carcinoma after endoscopic resection of early gastric cancer: An open-label, randomised controlled trial. *Lancet* 2008;372:392-397.

15 Haruta H, Hosoya Y, Sakuma K, Shibusawa H, Satoh K, Yamamoto H, Tanaka A, Niki T, Sugano K, Yasuda Y: Clinicopathological study of lymph-node metastasis in 1,389 patients with early gastric cancer: Assessment of indications for endoscopic resection. *J Dig Dis* 2008;9:213-218.

16 Hasebe N, Moroi M, Nishimura M, Hara K, Hase H, Hashimoto A, Kumita S, Haze K, Momose M, Nagai Y, Sugimoto T, Kusano E, Akiba T, Nakata T, Nishimura T, Tamaki N, Kikuchi K: Prognostic study of cardiac events in Japanese high risk hemodialysis patients using i-bmipp-spect: B-safe study design. *Ther Apher Dial* 2008;12:526-530.

17 Hasegawa M, Arai T, Nonaka T, Kametani F, Yoshida M, Hashizume Y, Beach TG, Buratti E, Baralle F, Morita M, Nakano I, Oda T, Tsuchiya K, Akiyama H: Phosphorylated tdp-43 in frontotemporal lobar degeneration and amyotrophic lateral sclerosis. *Ann Neurol* 2008;64:60-70.

18 Hirokawa M, Sawada K, Fujishima N, Nakao S, Urabe A, Dan K, Fujisawa S, Yonemura Y, Kawano F, Omine M, Ozawa K: Long-term response and outcome following immunosuppressive therapy in thymoma-associated pure red cell aplasia: A nationwide cohort study in Japan by the preca collaborative study group. *Haematologica* 2008;93:27-33.

19 Hoshide S, Eguchi K, Ishikawa J, Murata M, Katsuki T, Mitsuhashi T, Shimada K, Kario K: Can ischemic stroke be caused by acute reduction of blood pressure in the acute phase of cardiovascular disease? *J Clin Hypertens (Greenwich)* 2008;10:195-200.

20 Hoshide S, Ishikawa J, Eguchi K, Oowada T, Shimada K, Kario K: Cognitive dysfunction and physical disability are associated with mortality in extremely elderly patients. *Hypertens Res* 2008;31:1331-1338.

21 Hoshide S, Kario K: Determinants of nondipping in nocturnal blood pressure and specific nonpharmacological treatments for nocturnal hypertension. *Am J Hypertens* 2008;21:968.

22 Hoshide S, Kario K, Shimada K: Ischemic nephropathy in an elderly patient. *Geriatr Gerontol Int* 2008;8:133-135.

23 Hoshide S, Matsui Y, Shibasaki S, Eguchi K, Ishikawa J, Ishikawa S, Kabutoya T,

Schwartz JE, Pickering TG, Shimada K, Kario K: Orthostatic hypertension detected by self-measured home blood pressure monitoring: A new cardiovascular risk factor for elderly hypertensives. *Hypertens Res* 2008;31:1509-1516.

24 Hosoya Y, Satoh K, Hironaka M, Nokubi M, Kurashina K, Shibayama C, Sugimoto H, Sugano K, Nagai H, Yasuda Y: Multiple gastric carcinoids associated with parietal cell hyperplasia: Intraoperative detection with a radiolabeled somatostatin analog. *Gastric Cancer* 2008;11:123-126.

25 Ikeda U, Kasai H, Izawa A, Koyama J, Yazaki Y, Takahashi M, Higuchi M, Koh C, Yamamoto K: Immunoabsorption therapy for patients with dilated cardiomyopathy and heart failure. *Curr Cardiol Rev.* 2008;4:219-222.

26 Inaba T, Yagyu H, Itabashi N, Tazoe F, Fujita N, Nagashima S, Okada K, Okazaki M, Furukawa Y, Ishibashi S: Cholesterol reduction and atherosclerosis inhibition by bezafibrate in low-density lipoprotein receptor knockout mice. *Hypertens Res* 2008;31:999-1005.

27 Inoue M, Akimoto T, Saito O, Ando Y, Muto S, Kusano E: Successful relatively low-dose corticosteroid therapy for diclofenac-induced acute interstitial nephritis with severe renal failure. *Clin Exp Nephrol* 2008;12:296-299.

28 Ishikawa J, Carroll DJ, Kuruvilla S, Schwartz JE, Pickering TG: Changes in home versus clinic blood pressure with antihypertensive treatments: A meta-analysis. *Hypertension* 2008;52:856-864.

29 Ishikawa J, Hoshide S, Eguchi K, Ishikawa S, Pickering TG, Shimada K, Kario K: Increased low-grade inflammation and plasminogen-activator inhibitor-1 level in nondippers with sleep apnea syndrome. *J Hypertens* 2008;26:1181-1187.

30 Ishikawa J, Hoshide S, Eguchi K, Ishikawa S, Pickering TG, Shimada K, Kario K: Plasma tissue inhibitor of matrix metalloproteinase-1 level is increased in normotensive non-dippers in association with impaired glucose metabolism. *Hypertens Res* 2008;31:2045-2051.

31 Ishikawa J, Hoshide S, Shibasaki S, Matsui Y, Kabutoya T, Eguchi K, Ishikawa S, Pickering TG, Shimada K, Kario K: Relationship between morning hypertension identified by home blood pressure monitoring and brain natriuretic peptide and estimated glomerular filtration rate: The Japan Morning Surge 1 (JMS-1) study. *J Clin Hypertens (Greenwich)* 2008;10:34-42.

32 Ishikawa J, Shimizu M, Hoshide S, Eguchi K, Pickering TG, Shimada K, Kario K: Cardiovascular risks of dipping status and chronic kidney disease in elderly Japanese hypertensive patients. *J Clin Hypertens (Greenwich)* 2008;10:787-794.

33 Ishikawa S, Kario K, Kayaba K, Gotoh T, Nago N, Nakamura Y, Tsutsumi A, Kajii E: Continued high risk of stroke in treated hypertensives in a general population: the Jichi Medical School Cohort study. *Hypertens Res* 2008;31:1125-1133.

34 Ishikawa Y, Ishikawa J, Ishikawa S, Kayaba K, Nakamura Y, Shimada K, Kajii E, Pickering TG, Kario K: Prevalence and determinants of prehypertension in a Japanese general population: the Jichi Medical School Cohort study. *Hypertens Res* 2008;31:1323-1330.

35 Iwamoto M, Yamamoto H, Miyata T, Sunada K, Sugano K, Ozawa K: Leukemic cell

infiltration into the large intestine in a patient with acute myelogenous leukemia. *Gastrointest Endosc* 2008;67:353-354.

36 Iwazu Y, Muto S, Fujisawa G, Nakazawa E, Okada K, Ishibashi S, Kusano E: Spironolactone suppresses peritubular capillary loss and prevents deoxycorticosterone acetate/salt-induced tubulointerstitial fibrosis. *Hypertension* 2008;51:749-754.

37 Iwazu Y, Nemoto J, Okuda K, Nakazawa E, Hashimoto A, Fujio Y, Sakamoto M, Ando Y, Muto S, Kusano E: A case of minimal change nephrotic syndrome with acute renal failure complicating hashimotoas disease. *Clin Nephrol* 2008;69:47-52.

38 Kabutoya T, Ishikawa J, Hoshide S, Eguchi K, Shibasaki S, Matsui Y, Ishikawa S, Pickering TG, Shimada K, Kario K: Determinants of self-measured pulse rate profile in medicated hypertensives: the Jichi Morning Surge-1 (JMS-1) study. *Clin Exp Hypertens* 2008;30:255-265.

39 Kamata Y, Iwamoto M, Aoki Y, Kishaba Y, Nagashima T, Nara H, Kamimura T, Tanaka A, Yoshio T, Okazaki H, Minota S: Massive intractable pericardial effusion in a patient with systemic lupus erythematosus treated successfully with pericardial fenestration alone. *Lupus* 2008;17:1033-1035.

40 Kanashiki E, Nakazawa E, Akimoto T, Kato M, Saito O, Ando Y, Muto S, Kusano E: [case of henoch-schonlein purpura nephritis complicated with essential mixed cryoglobulinemia]. *Nippon Jinzo Gakkai Shi* 2008;50:1024-1029.

41 Kario K, Matsui Y, Shibasaki S, Eguchi K, Ishikawa J, Hoshide S, Ishikawa S, Kabutoya T, Schwartz JE, Pickering TG, Shimada K: An alpha-adrenergic blocker titrated by self-measured blood pressure recordings lowered blood pressure and microalbuminuria in patients with morning hypertension: the Japan Morning Surge-1 study. *J Hypertens* 2008;26:1257-1265.

42 Kario K, Uno H, Shimada K: Sleep-predominant lowering of ambulatory blood pressure by bedtime inhalation of a novel muscarinic M3 receptor antagonist: a new "Bronchoantihypertensive" strategy targeting the lung in hypertension with chronic obstructive pulmonary disease. *Hypertens Res* 2008;31:817-821.

43 Kario K, White WB: Early morning hypertension—what does it contribute to overall cardiovascular risk assessment? *J Am Soc Hypertens*. 2008;2:397-402.

44 Kawakami A, Okada N, Rokkaku K, Honda K, Ishibashi S, Onaka T: Leptin inhibits and ghrelin augments hypothalamic noradrenaline release after stress. *Stress* 2008;11:363-369.

45 Kawano M, Nagasaka S, Yagyū H, Ishibashi S: Pitavastatin decreases plasma prebeta1-hdl concentration and might promote its disappearance rate in hypercholesterolemic patients. *J Atheroscler Thromb* 2008;15:41-46.

46 Kawano Y, Mizuta K, Hishikawa S, Egami S, Fujiwara T, Hyodo M, Yasuda Y, Yano T, Nakazawa K, Yamamoto H, Kawarasaki H: Rendezvous penetration method using double-balloon endoscopy for complete anastomosis obstruction of hepaticojejunostomy after pediatric living donor liver transplantation. *Liver Transpl* 2008;14:385-387.

47 Komori T, Eguchi K, Tomizawa H, Ishikawa J, Hoshide S, Shimada K, Kario K:

Factors associated with incident ischemic stroke in hospitalized heart failure patients: a pilot study. *Hypertens Res* 2008;31:289-294.

48 Kurashina K, Yamashita Y, Ueno T, Koinuma K, Ohashi J, Horie H, Miyakura Y, Hamada T, Haruta H, Hatanaka H, Soda M, Choi YL, Takada S, Yasuda Y, Nagai H, Mano H: Chromosome copy number analysis in screening for prognosis-related genomic regions in colorectal carcinoma. *Cancer Sci* 2008;99:1835-1840.

49 Kuroki S, Kario K, Kajii E: A new portable, bedside apexcardiograph: Development of a prototype and initial clinical experience. *Jichi Medical University Journal* 2008;31:41-53.

50 Kusaka I, Nagasaka S, Horie H, Ishibashi S: Metformin, but not pioglitazone, decreases postchallenge plasma ghrelin levels in type 2 diabetic patients: A possible role in weight stability? *Diabetes Obes Metab* 2008;10:1039-1046.

51 Liu Y, Okada T, Shimazaki K, Sheykholsami K, Nomoto T, Muramatsu S, Mizukami H, Kume A, Xiao S, Ichimura K, Ozawa K: Protection against aminoglycoside-induced ototoxicity by regulated aav vector-mediated gdnf gene transfer into the cochlea. *Mol Ther* 2008;16:474-480.

52 Masuda T, Akimoto T, Ando Y, Kobayashi T, Meguro D, Muto S, Ueda Y, Yumura W, Kusano E: Changes in the urinary excretion of beta2-microglobulin (beta 2mg) and n-acetyl-beta-d-glucosaminidase (nag) during treatment for lupus nephritis. *Intern Med* 2008;47:287-290.

53 Masuda T, Murata M, Honma S, Iwazu Y, Ogura M, Onishi A, Shimada K, Kusano E, Asano Y: Pulse oximetry is useful for screening sleep-apnea syndrome in dialysis patients. *Nephrol Dial Transplant (Plus)* 2008;1: 378-379.

54 Masuda T, Murata M, Honma S, Iwazu Y, Ogura M, Shimada K, Kusano E, Asano Y: Nocturnal hypoxia is associated with elevated C-reactive protein in dialysis patients. *Nephrol Dial Transplant (Plus)* 2008;1:470-471.

55 Matsuda D, Namatame I, Ohshiro T, Ishibashi S, Omura S, Tomoda H: Anti-atherosclerotic activity of triacsin c, an acyl-coa synthetase inhibitor. *J Antibiot (Tokyo)* 2008;61:318-321.

56 Matsui Y, Eguchi K, Shibasaki S, Ishikawa J, Hoshide S, Pickering TG, Shimada K, Kario K: Effect of doxazosin on the left ventricular structure and function in morning hypertensive patients: the Japan Morning Surge 1 study. *J Hypertens* 2008;26:1463-1471.

57 Matsui Y, Eguchi K, Shibasaki S, Ishikawa J, Hoshide S, Pickering TG, Shimada K, Kario K: Monitoring of the central pulse pressure is useful for detecting cardiac overload during antiadrenergic treatment: the Japan Morning Surge 1 study. *J Hypertens* 2008;26:1928-1934.

58 Matsui Y, Ishikawa J, Eguchi K, Hoshide S, Miyashita H, Shimada K, Kario K: The influence of wave reflection on left ventricular hypertrophy in hypertensive patients is modified by age and gender. *Hypertens Res* 2008;31:649-656.

59 Matsumoto T, Kudo T, Esaki M, Yano T, Yamamoto H, Sakamoto C, Goto H, Nakase H, Tanaka S, Matsui T, Sugano K, Iida M: Prevalence of non-steroidal anti-inflammatory drug-induced enteropathy determined by double-balloon endoscopy: A Japanese multicenter

- study. *Scand J Gastroenterol* 2008;43:490-496.
- 60 Masuda T, Murata M, Honma S, Iwazu Y, Ogura M, Shimada K, Kusano E, Asano Y: Pulse oximetry is useful for screening sleep-apnea syndrome in dialysis patients. *Nephrol Dial Transplant (Plus)* 2008; 1:378-379.
- 61 Meguro A, Muroi K, Miyoshi T, Matsuyama T, Mori M, Nagai T, Ozawa K: Sperm cryopreservation in patients with hematologic malignancies. *Int J Hematol* 2008;88:351-354.
- 62 Mishima Y, Terui Y, Taniyama A, Kuniyoshi R, Takizawa T, Kimura S, Ozawa K, Hatake K: Autophagy and autophagic cell death are next targets for elimination of the resistance to tyrosine kinase inhibitors. *Cancer Sci* 2008;99:2200-2208.
- 63 Mita A, Hashikura Y, Masuda Y, Ohno Y, Urata K, Nakazawa Y, Ikegami T, Terada M, Yamamoto H, Miyagawa S: Nonsurgical policy for treatment of bilioenteric anastomotic stricture after living donor liver transplantation. *Transpl Int* 2008;21:320-327.
- 64 Miyazawa K, Ohyashiki K, Urabe A, Hata T, Nakao S, Ozawa K, Ishikawa T, Kato J, Tatsumi Y, Mori H, Kondo M, Taniguchi J, Tanii H, Rojksjaer L, Omine M: A safety, pharmacokinetic and pharmacodynamic investigation of deferasirox (exjade, icl670) in patients with transfusion-dependent anemias and iron-overload: A phase i study in japan. *Int J Hematol* 2008;88:73-81.
- 65 Morimatsu Y, Matsubara S, Hirose N, Ohkuchi A, Izumi A, Ozaki K, Ozawa K, Suzuki M: Acute promyelocytic leukemia: An unusual cause showing prolonged disseminated intravascular coagulation after placental abruption. *Arch Gynecol Obstet* 2008;277:267-270.
- 66 Nagai M, Hoshide S, Ishikawa J, Shimada K, Kario K: Ambulatory blood pressure as an independent determinant of brain atrophy and cognitive function in elderly hypertension. *J Hypertens* 2008;26:1636-1641.
- 67 Nagai T, Kikuchi S, Ohmine K, Miyoshi T, Nakamura M, Kondo T, Furuyama K, Komatsu N, Ozawa K: Hemin reduces cellular sensitivity to imatinib and anthracyclins via nrf2. *J Cell Biochem* 2008;104:680-691.
- 68 Nagai Y, Itabashi M, Mizutani M, Ogawa T, Yumura W, Tsuchiya K, Nitta K: A case report of uncompensated alkalosis induced by daily plasmapheresis in a patient with thrombotic thrombocytopenic purpura. *Ther Apher Dial* 2008;12:86-90.
- 69 Nagashima T, Aoki Y, Onishi S, Iwamoto M, Okazaki H, Minota S: Steroid-refractory severe hepatic failure in adult onset still's disease responding to cyclosporine. *Clin Rheumatol* 2008;27:1451-1453.
- 70 Nagashima T, Hoshino M, Shimoji S, Morino N, Kamimura T, Okazaki H, Minota S: Protein-losing gastroenteropathy associated with primary sjogren's syndrome: A characteristic oriental variant. *Rheumatol Int* 2008
- 71 Nagashima T, Matsumoto K, Yamamoto R, Iwamoto M, Minota S: Polyarthritits induced by nonepisodic angioedema associated with eosinophilia. *Rheumatol Int* 2008;28:1065-1066.
- 72 Nagashima T, Minota S: Long-term tocilizumab therapy in a patient with rheumatoid arthritis and chronic hepatitis b. *Rheumatology (Oxford)* 2008;47:1838-1840.
- 73 Nagashima T, Okubo-Fornbacher H, Aoki Y, Kamata Y, Kimura H, Kamimura T,

Nara H, Iwamoto M, Yoshio T, Okazaki H, Minota S: Increase in plasma levels of adiponectin after administration of anti-tumor necrosis factor agents in patients with rheumatoid arthritis. *J Rheumatol* 2008;35:936-938.

74 Naritomi H, Fujita T, Ito S, Ogihara T, Shimada K, Shimamoto K, Tanaka H, Yoshiike N: Efficacy and safety of long-term losartan therapy demonstrated by a prospective observational study in Japanese patients with hypertension: the Japan Hypertension Evaluation with Angiotensin II Antagonist Losartan Therapy (J-HEALTH) study. *Hypertens Res* 2008;31:295-304.

75 Nonaka-Sarukawa M, Okada T, Ito T, Yamamoto K, Yoshioka T, Nomoto T, Hojo Y, Shimpo M, Urabe M, Mizukami H, Kume A, Ikeda U, Shimada K, Ozawa K: Adeno-associated virus vector-mediated systemic interleukin-10 expression ameliorates hypertensive organ damage in Dahl salt-sensitive rats. *J Gene Med* 2008;10:368-374.

76 Ohno S, Nakaya T, Bando M, Sugiyama Y: Idiopathic pulmonary fibrosis--results from a Japanese nationwide epidemiological survey using individual clinical records. *Respirology* 2008;13:926-928.

77 Ogedegbe G, Pickering TG, Clemow L, Chaplin W, Spruill TM, Albanese GM, Eguchi K, Burg M, Gerin W: The misdiagnosis of hypertension: the role of patient anxiety. *Arch Intern Med.* 2008;168:2459-2465.

78 Oishi T, Iida A, Otsubo S, Kamatani Y, Usami M, Takei T, Uchida K, Tsuchiya K, Saito S, Ohnishi Y, Tokunaga K, Nitta K, Kawaguchi Y, Kamatani N, Kochi Y, Shimane K, Yamamoto K, Nakamura Y, Yumura W, Matsuda K: A functional snp in the nkx2.5-binding site of itpr3 promoter is associated with susceptibility to systemic lupus erythematosus in Japanese population. *J Hum Genet* 2008;53:151-162.

79 Oka S, Muroi K, Toshima M, Nagai T, Kanai N, Morita T, Ozawa K: Amyloidosis and myelodysplastic syndrome. *Intern Med* 2008;47:123-124.

80 Okamoto M, Ohara-Imaizumi M, Kubota N, Hashimoto S, Eto K, Kanno T, Kubota T, Wakui M, Nagai R, Noda M, Nagamatsu S, Kadowaki T: Adiponectin induces insulin secretion in vitro and in vivo at a low glucose concentration. *Diabetologia* 2008;51:827-835.

81 Okamoto H, Yoshio T, Kamatani N: Lack of association between anti-ribosomal-P antibody and chemokines in neuropsychiatric syndromes of systemic lupus erythematosus. *The Open General and Internal Medicine Journal* 2008;2:1-2.

82 Okazaki H, Igarashi M, Nishi M, Sekiya M, Tajima M, Takase S, Takanashi M, Ohta K, Tamura Y, Okazaki S, Yahagi N, Ohashi K, Amemiya-Kudo M, Nakagawa Y, Nagai R, Kadowaki T, Osuga J, Ishibashi S: Identification of neutral cholesterol ester hydrolase, a key enzyme removing cholesterol from macrophages. *J Biol Chem* 2008;283:33357-33364.

83 Osawa H: Ghrelin and Helicobacter pylori infection. *World J Gastroenterol* 2008;14:6327-6333.

84 Osawa H, Ohnishi H, Kita H, Igari T, Hayashi Y, Iwamori M, Kawakami M, Sugano K: Reduced expression of sulfatides and galactosylceramide 3'-sulfotransferase in the gastric mucosa of chronic gastritis. *J Clin Gastroenterol* 2008;42:23-28.

85 Osawa H, Yoshizawa M, Yamamoto H, Kita H, Satoh K, Ohnishi H, Nakano H, Wada

M, Arashiro M, Tsukui M, Ido K, Sugano K: Optimal band imaging system can facilitate detection of changes in depressed-type early gastric cancer. *Gastrointest Endosc* 2008;67:226-234.

86 Ouyang Y, Segers K, Bouquiaux O, Wang FC, Janin N, Andris C, Shimazaki H, Sakoe K, Nakano I, Takiyama Y: Novel SACS mutation in a belgian family with sascin-related ataxia. *J Neurol Sci* 2008;264:73-76.

87 Palmas W, Pickering T, Teresi J, Schwartz JE, Eguchi K, Field L, Weinstock RS, Shea S: Nocturnal blood pressure elevation predicts progression of albuminuria in elderly people with type 2 diabetes. *J Clin Hypertens (Greenwich)* 2008;10:12-20.

88 Parati G, Stergiou GS, Asmar R, Bilò G, de Leeuw P, Imai Y, Kario K, Lurbe E, Manolis A, Mengden T, O'Brien E, Ohkubo T, Padfield P, Palatini P, Pickering T, Redon J, Revera M, Ruilope LM, Shennan A, Staessen JA, Tisler A, Waeber B, Zanchetti A, Mancia G: European society of hypertension guidelines for blood pressure monitoring at home: a summary report of the Second International Consensus Conference on Home Blood Pressure Monitoring. *J Hypertens* 2008;26:1505-1526.

89 Pohl J, Blancas JM, Cave D, Choi KY, Delvaux M, Ell C, Gay G, Jacobs MA, Marcon N, Matsui T, May A, Mulder CJ, Pennazio M, Perez-Cuadrado E, Sugano K, Vilmann P, Yamamoto H, Yano T, Zhong JJ: Consensus report of the 2nd international conference on double balloon endoscopy. *Endoscopy* 2008;40:156-160.

90 Sadakane A, Tsutsumi A, Gotoh T, Ishikawa S, Ojima T, Kario K, Nakamura Y, Kayaba K: Dietary patterns and levels of blood pressure and serum lipids in a Japanese population. *J Epidemiol* 2008;18:58-67.

91 Saito O, Saito T, Okuda K, Kotoda A, Akimoto T, Ando Y, Muto S, Ishikawa SE, Kusano E: Serum adiponectin and markers of endothelial injury in hemodialysis patients with arteriosclerosis obliterans. *Clin Exp Nephrol* 2008;12:58-64.

92 Saito T, Kasono K, Tamemoto H, Kawakami M, Sasaki S, Ishikawa SE: Hypotonicity reduces the activity of murine aquaporin-2 promoter induced by dibutyryl camp. *Exp Physiol* 2008;93:1147-1156.

93 Sakakura K, Hoshide S, Ishikawa J, Momomura S, Kawakami M, Shimada K, Kario K: Association of body mass index with cognitive function in elderly hypertensive Japanese. *Am J Hypertens* 2008;21:627-632.

94 Satoh K, Osawa H, Yoshizawa M, Nakano H, Hirasawa T, Kihira K, Sugano K: Assessment of atrophic gastritis using the olga system. *Helicobacter* 2008;13:225-229.

95 Sekiya M, Osuga J, Yahagi N, Okazaki H, Tamura Y, Igarashi M, Takase S, Harada K, Okazaki S, Iizuka Y, Ohashi K, Yagyū H, Okazaki M, Gotoda T, Nagai R, Kadowaki T, Shimano H, Yamada N, Ishibashi S: Hormone-sensitive lipase is involved in hepatic cholesteryl ester hydrolysis. *J Lipid Res* 2008;49:1829-1838.

96 Shiizaki K, Fukagawa M, Yuan Q, Hatamura I, Nii-Kono T, Saji F, Shigematsu T, Akizawa T: Direct injection of calcitriol or its analog improves abnormal gene expression in the hyperplastic parathyroid gland in uremia. *Am J Nephrol* 2008;28:59-66.

97 Shiizaki K, Hatamura I, Nakazawa E, Ogura M, Masuda T, Akizawa T, Kusano E:

Molecular and morphological approach of uremia-induced hyperplastic parathyroid gland following direct maxacalcitol injection. *Med Mol Morphol* 2008;41:76-82.

98 Shiizaki K, Hatamura I, Nakazawa E, Fukagawa M, Akizawa T, Kusano E: Successful in duction of target genes in parathyroid cell by direct in jection technique.

Nephrology Dialysis Transplantation 2008;1(suppl2):ii211-ii211.

99 Shiizaki K, Hatamura I, Negi S, Sakaguchi T, Saji F, Imazeki I, Kusano E, Shigematsu T, Akizawa T: Highly concentrated calcitriol and its analogues induce apoptosis of parathyroid cells and regression of the hyperplastic gland--study in rats. *Nephrol Dial Transplant* 2008;23:1529-1536.

100 Shimada K: Notice of duplicate publication. Effect of nasal continuous positive airway pressure treatment on plasma adrenomedullin levels in patients with obstructive sleep apnea syndrome: roles of nocturnal hypoxia and oxidant stress. *Hypertens Res* 2008;31:823.

101 Shimada K, Fujita T, Ito S, Naritomi H, Ogihara T, Shimamoto K, Tanaka H, Yoshiike N: The importance of home blood pressure measurement for preventing stroke and cardiovascular disease in hypertensive patients: a sub-analysis of the Japan Hypertension Evaluation with Angiotensin II Antagonist Losartan Therapy (J-HEALTH) study, a prospective nationwide observational study. *Hypertens Res* 2008;31:1903-1911.

102 Shimamoto K, Fujita T, Ito S, Naritomi H, Ogihara T, Shimada K, Tanaka H, Yoshiike N: Impact of blood pressure control on cardiovascular events in 26,512 Japanese hypertensive patients: the Japan Hypertension Evaluation with Angiotensin II Antagonist Losartan Therapy (J-HEALTH) study, a prospective nationwide observational study. *Hypertens Res* 2008;31:469-478.

103 Shimano H, Arai H, Harada-Shiba M, Ueshima H, Ohta T, Yamashita S, Gotoda T, Kiyohara Y, Hayashi T, Kobayashi J, Shimamoto K, Bujo H, Ishibashi S, Shirai K, Oikawa S, Saito Y, Yamada N: Proposed guidelines for hypertriglyceridemia in japan with non-hdl cholesterol as the second target. *J Atheroscler Thromb* 2008;15:116-121.

104 Shimazaki H, Morita M, Nakano I, Dalmau J: Inverse ocular bobbing in a patient with encephalitis associated with antibodies to the n-methyl-d-aspartate receptor. *Arch Neurol* 2008;65:1251.

105 Shimizu M, Kario K: Role of the augmentation index in hypertension. *Ther Adv Cardiovasc Dis* 2008;2:25-35.

106 Shinozaki S, Ohnishi H, Hama K, Kita H, Yamamoto H, Osawa H, Sato K, Tamada K, Mashima H, Sugano K: Indian hedgehog promotes the migration of rat activated pancreatic stellate cells by increasing membrane type-1 matrix metalloproteinase on the plasma membrane. *J Cell Physiol* 2008;216:38-46.

107 Shinozaki S, Yamamoto H, Ohnishi H, Kita H, Yano T, Iwamoto M, Miyata T, Hayashi Y, Sunada K, Ido K, Takayashiki N, Sugano K: Endoscopic observation of meckel's diverticulum by double balloon endoscopy: Report of five cases. *J Gastroenterol Hepatol* 2008;23:e308-311.

108 Sunada F, Hanatsuka K, Yoshida T, Osawa H, Kita H, Sugano K: Endoscopic

- manipulation of gastric prolapse in morgagni hernia. *Digestive Endoscopy* 2008;20: 90-91.
- 109 Sunada K, Yamamoto H: Double balloon enteroscopy: techniques. *Techniques in Gastrointestinal Endoscopy* 2008;10: 46-53.
- 110 Soda M, Takada S, Takeuchi K, Choi YL, Enomoto M, Ueno T, Haruta H, Hamada T, Yamashita Y, Ishikawa Y, Sugiyama Y, Mano H: A mouse model for eml4-alk-positive lung cancer. *Proc Natl Acad Sci U S A* 2008;105:19893-19897.
- 111 Sugano K: Gastric cancer: Pathogenesis, screening, and treatment. *Gastrointest Endosc Clin N Am* 2008;18:513-522, ix.
- 112 Suzuki T, Tomonaga M, Miyazaki Y, Nakao S, Ohyashiki K, Matsumura I, Kohgo Y, Niitsu Y, Kojima S, Ozawa K: Japanese epidemiological survey with consensus statement on Japanese guidelines for treatment of iron overload in bone marrow failure syndromes. *Int J Hematol* 2008;88:30-35.
- 113 Taguchi H, Yamamoto H, Miyata T, Hayashi Y, Sunada K, Sugano K: In vivo diagnosis of whipworm (*trichuris trichiura*) with high-definition magnifying colonoscope (with video). *Gastrointest Endosc* 2008;68:376-377; discussion 377.
- 114 Tajima S, Bando M, Ishii Y, Hosono T, Yamasawa H, Ohno S, Takada T, Suzuki E, Gejyo F, Sugiyama Y: Effects of edaravone, a free-radical scavenger, on bleomycin-induced lung injury in mice. *Eur Respir J* 2008;32:1337-1343.
- 115 Tajima S, Soda M, Bando M, Enomoto M, Yamasawa H, Ohno S, Takada T, Suzuki E, Gejyo F, Sugiyama Y: Preventive effects of edaravone, a free radical scavenger, on lipopolysaccharide-induced lung injury in mice. *Respirology* 2008;13:646-653.
- 116 Takada S, Yamashita Y, Berezikov E, Hatanaka H, Fujiwara SI, Kurashina K, Watanabe H, Enomoto M, Soda M, Choi YL, Mano H: MicroRNA expression profiles of human leukemias. *Leukemia* 2008;22:1274-1278.
- 117 Tamai H, Yamaguchi H, Hamaguchi H, Yagasaki F, Bessho M, Kobayashi T, Akiyama H, Sakamaki H, Takahashi S, Tojo A, Ohmine K, Ozawa K, Okumura H, Nakao S, Arai A, Miura O, Toyota S, Gomi S, Murai Y, Usui N, Miyazawa K, Ohyashiki K, Takahashi N, Sawada K, Kato A, Oshimi K, Inokuchi K, Dan K: Clinical features of adult acute leukemia with 11q23 abnormalities in Japan: A co-operative multicenter study. *Int J Hematol* 2008;87:195-202.
- 118 Tasaka T, Tohyama K, Kishimoto M, Ohyashiki K, Mitani K, Hotta T, Kanamaru A, Okamoto S, Karasawa M, Kimura A, Tomonaga M, Uchiyama T, Ozawa K: Myelodysplastic syndrome with chromosome 5 abnormalities: A nationwide survey in Japan. *Leukemia* 2008;22:1874-1881.
- 119 Tazoe F, Yagyu H, Okazaki H, Igarashi M, Eto K, Nagashima S, Inaba T, Shimano H, Osuga J, Ishibashi S: Induction of ABCA1 by overexpression of hormone-sensitive lipase in macrophages. *Biochem Biophys Res Commun* 2008;376:111-115.
- 120 Tsukui D, Yano T, Nakazawa K, Osawa H, Kawano Y, Mizuta K, Kawarasaki H, Yamamoto H: Rendezvous technique combining double-balloon endoscopy with percutaneous cholangioscopy is useful for the treatment of biliary anastomotic obstruction after liver transplantation (with video). *Gastrointest Endosc* 2008;68:1013-1015.

- 121 Tsuru R, Kondo H, Hojo Y, Gama M, Mizuno O, Katsuki T, Shimada K, Kikuchi M, Yashiro T: Increased granzyme B production from peripheral blood mononuclear cells in patients with acute coronary syndrome. *Heart* 2008;94:305-310.
- 122 Umegaki H, Haimoto H, Ishikawa J, Kario K: Visceral fat contribution of insulin resistance in elderly people. *J Am Geriatr Soc* 2008;56:1373-1375.
- 123 Uno H, Ishikawa J, Hoshide S, Kabutoya T, Ishikawa S, Shimada K, Kario K: Effects of strict blood pressure control by a long-acting calcium channel blocker on brain natriuretic peptide and urinary albumin excretion rate in Japanese hypertensive patients. *Hypertens Res* 2008;31:887-896.
- 124 Wizner B, Dechering DG, Thijs L, Atkins N, Fagard R, O'Brien E, de Leeuw PW, Parati G, Palatini P, Clement D, Grodzicki T, Kario K, Staessen JA: Short-term and long-term repeatability of the morning blood pressure in older patients with isolated systolic hypertension. *J Hypertens* 2008;26:1328-1335.
- 125 Yamamoto H, Ell C, Binmoeller KF: Double-balloon endoscopy. *Endoscopy* 2008;40:779-783.
- 126 Yamamoto H, Yahagi N, Oyama T, Gotoda T, Doi T, Hirasaki S, Shimoda T, Sugano K, Tajiri H, Takekoshi T, Saito D: Usefulness and safety of 0.4% sodium hyaluronate solution as a submucosal fluid "Cushion" In endoscopic resection for gastric neoplasms: A prospective multicenter trial. *Gastrointest Endosc* 2008;67:830-839.
- 127 Yamasawa H, Sugiyama Y, Bando M, Ohno S: Drug-induced pneumonitis associated with imatinib mesylate in a patient with idiopathic pulmonary fibrosis. *Respiration* 2008;75:350-354.
- 128 Yano T, Yamamoto H, Sunada K, Miyata T, Iwamoto M, Hayashi Y, Arashiro M, Sugano K: Endoscopic classification of vascular lesions of the small intestine (with videos). *Gastrointest Endosc* 2008;67:169-172.
- 129 Yano Y, Kario K: Unresolved issues of the morning blood pressure surge: the next stage of clinical applicability for the morning surge. *Hypertens Res* 2008;31:1491-1494.
- 130 Yano Y, Ohmori T, Hoshide S, Madoiwa S, Yamamoto K, Katsuki T, Mitsuhashi T, Mimuro J, Shimada K, Kario K, Sakata Y: Determinants of thrombin generation, fibrinolytic activity, and endothelial dysfunction in patients on dual antiplatelet therapy: involvement of factors other than platelet aggregability in virchow's triad. *Eur Heart J* 2008;29:1729-1738.
- 131 Yano Y, Hoshide S, Shimada K, Kario K: Blood pressure management in metabolic syndrome. *Current Hypertension Reviews* 2008;4:214-226.
- 132 Yokota O, Tsuchiya K, Terada S, Ishizu H, Uchikado H, Ikeda M, Oyanagi K, Nakano I, Murayama S, Kuroda S, Akiyama H: Basophilic inclusion body disease and neuronal intermediate filament inclusion disease: A comparative clinicopathological study. *Acta Neuropathol* 2008;115:561-575.
- 133 Yoshida K, Kirito K, Yongzhen H, Ozawa K, Kaushansky K, Komatsu N: Thrombopoietin (tpo) regulates hif-1alpha levels through generation of mitochondrial reactive oxygen species. *Int J Hematol* 2008;88:43-51.
- 134 Yoshizawa M, Osawa H, Yamamoto H, Satoh K, Nakano H, Tsukui M, Sugano K:

Newly developed optimal band imaging system for the diagnosis of early gastric cancer.
Digestive Endoscopy 2008;20: 194-197.