

内科学英文原著論文業績(2009)

- 1 Abe H, Takahashi M, Yaegashi H, Eda S, Kitahara H, Tsunemoto H, Kamikozawa M, Koyama J, Yamazaki K, Ikeda U: Valve repair improves central sleep apnea in heart failure patients with valvular heart diseases. *Circ J* 2009;73:2148-2153.
- 2 Akizawa T, Asano Y, Morita S, Wakita T, Onishi Y, Fukuhara S, Gejyo F, Matsuo S, Yorioka N, Kurokawa K: Effect of a carbonaceous oral adsorbent on the progression of CKD: A multicenter, randomized, controlled trial. *Am J Kidney Dis* 2009;54:459-467.
- 3 Aoki Y, Iwamoto M, Kamata Y, Nagashima T, Yoshio T, Okazaki H, Minota S: Prognostic indicators related to death in patients with pneumocystis pneumonia associated with collagen vascular diseases. *Rheumatol Int* 2009;29:1327-1330.
- 4 Arao Y, Hakamata Y, Igarashi Y, Sato Y, Kayama F, Takahashi M, Kobayashi E, Murakami T: Characterization of hepatic sexual dimorphism in Alb-DsRed2 transgenic rats. *Biochem Biophys Res Commun* 2009;382:46-50.
- 5 Aso S, Yazaki Y, Kasai H, Takahashi M, Yoshio T, Yamamoto K, Ikeda U: Anti-beta 1-adrenoreceptor autoantibodies and myocardial sympathetic nerve activity in chronic heart failure. *Int J Cardiol* 2009;131:240-245.
- 6 Atsuta N, Watanabe H, Ito M, Tanaka F, Tamakoshi A, Nakano I, Aoki M, Tsuji S, Yuasa T, Takano H, Hayashi H, Kuzuhara S, Sobue G: Age at onset influences on wide-ranged clinical features of sporadic amyotrophic lateral sclerosis. *J Neurol Sci* 2009;276:163-169.
- 7 Bourreille A, Ignjatovic A, Aabakken L, Loftus EV Jr, Eliakim R, Pennazio M, Bouhnik Y, Seidman E, Keuchel M, Albert JG, Ardizzone S, Bar-Meir S, Bisschops R, Despott EJ, Fortun PF, Heuschkel R, Kammermeier J, Leighton JA, Mantzaris GJ, Moussata D, Lo S, Paulsen V, Panés J, Radford-Smith G, Reinisch W, Rondonotti E, Sanders DS, Swoger JM, Yamamoto H, Travis S, Colombel JF, Van Goossum A: World Organisation of Digestive Endoscopy (OMED) and the European Crohn's and Colitis Organisation (ECCO). Role of small-bowel endoscopy in the management of patients with inflammatory bowel disease: an international OMED-ECCO consensus. *Endoscopy* 2009;41:618-637.
- 8 Breusegem SY, Takahashi H, Giral-Arnal H, Wang X, Jiang T, Verlander JW, Wilson P, Miyazaki-Anzai S, Sutherland E, Caldas Y, Blaine JT, Segawa H, Miyamoto K, Barry NP, Levi M: Differential regulation of the renal sodium-phosphate cotransporters NaPi-IIa, NaPi-IIc, and Pit-2 in dietary potassium deficiency. *Am J Physiol Renal Physiol* 2009;297:F350-361.
- 9 Daimon T, Fujimoto K, Tanaka K, Yamamoto J, Nishimura K, Tanaka Y, Yanagawa M, Sumikawa H, Inoue A, Honda O, Tomiyama N, Nakamura H, Sugiyama Y, Johkoh T: Volume of pulmonary lobes and segments in chronic obstructive pulmonary diseases calculated using newly

developed three-dimensional software. Jpn J Radiol 2009;27:115-122.

- 10 Daimon T, Johkoh T, Honda O, Sumikawa H, Ichikado K, Kondoh Y, Taniguchi H, Fujimoto K, Yanagawa M, Inoue A, Tomiyama N, Nakamura H, Sugiyama Y: Nonspecific interstitial pneumonia associated with collagen vascular disease: Analysis of CT features to distinguish the various types. Intern Med 2009;48:753-761.
- 11 Doi H, Iso T, Shiba Y, Sato H, Yamazaki M, Oyama Y, Akiyama H, Tanaka T, Tomita T, Arai M, Takahashi M, Ikeda U, Kurabayashi M: Notch signaling regulates the differentiation of bone marrow-derived cells into smooth muscle-like cells during arterial lesion formation. Biochem Biophys Res Commun 2009;381:654-659.
- 12 Eguchi K, Ishikawa J, Hoshide S, Pickering TG, Schwartz JE, Shimada K, Kario K: Night time blood pressure variability is a strong predictor for cardiovascular events in patients with type 2 diabetes. Am J Hypertens 2009;22:46-51.
- 13 Eguchi K, Kario K: Impact of white-coat hypertension on microvascular complications in type 2 diabetes: response to Kramer et al. Diabetes Care 2009;32:e24; author reply e25.
- 14 Eguchi K, Kuruvilla S, Ogedegbe G, Gerin W, Schwartz JE, Pickering TG: What is the optimal interval between successive home blood pressure readings using an automated oscillometric device? J Hypertens 2009;27:1172-1177.
- 15 Fock KM, Katelaris P, Sugano K, Ang TL, Hunt R, Talley NJ, Lam SK, Xiao SD, Tan HJ, Wu CY, Jung HC, Hoang BH, Kachintorn U, Goh KL, Chiba T, Rani AA: Second Asia-Pacific Consensus Guidelines for *Helicobacter pylori* infection. J Gastroenterol Hepatol 2009;24:1587-1600.
- 16 Fukushima F, Nakao K, Shinoe T, Fukaya M, Muramatsu S, Sakimura K, Kataoka H, Mori H, Watanabe M, Manabe T, Mishina M: Ablation of NMDA receptors enhances the excitability of hippocampal CA3 neurons. PLoS One 2009;4:e3993.
- 17 Fukushima H, Yamamoto H, Nakano H, Nakazawa K, Sunada K, Wada S, Tamada K, Sugano K: Complete en bloc resection of a large ampullary adenoma with a focal adenocarcinoma by using endoscopic submucosal dissection (with video). Gastrointest Endosc 2009;70:592-595.
- 18 Hara K, Shiga A, Fukutake T, Nozaki H, Miyashita A, Yokoseki A, Kawata H, Koyama A, Arima K, Takahashi T, Ikeda M, Shiota H, Tamura M, Shimoe Y, Hirayama M, Arisato T, Yanagawa S, Tanaka A, Nakano I, Ikeda S, Yoshida Y, Yamamoto T, Ikeuchi T, Kuwano R, Nishizawa M, Tsuji S, Onodera O: Association of HTTR1 mutations and familial ischemic cerebral small-vessel disease. N Engl J Med 2009;360:1729-1739.
- 19 Hara M, Izumida Y, Sato N, Ohashi K, Osuga J, Tobe K, Tsukamoto K, Kadokami T: Successful desensitization by glargine administration in a patient with insulin allergy: A case

report. *Diabetes Res Clin Pract* 2009;84:e48-49.

- 20 Harada H, Watanabe M, Suzuki K, Yanagita S, Suzuki T, Yoshida Y, Kimura A, Tsudo M, Matsuda A, Tohyama K, Taniwaki M, Takeshita K, Takatoku M, Ozawa K: Lenalidomide is active in Japanese patients with symptomatic anemia in low- or intermediate-1 risk myelodysplastic syndromes with a deletion 5q abnormality. *Int J Hematol* 2009;90:353-360.
- 21 Hasebe N, Moroi M, Nishimura M, Hara K, Hase H, Hashimoto A, Kumita S, Haze K, Momose M, Nagai Y, Sugimoto T, Kusano E, Akiba T, Nakata T, Nishimura T, Tamaki N, Kikuchi K: Prognostic study of cardiac events in Japanese high risk hemodialysis patients using I-BMIPP-SPECT: B-safe study design. *Ther Apher Dial* 2008;12:526-530.
- 22 Hatano Y, Matsumoto M, Ishikawa S, Kajii E: Plasma adiponectin level and myocardial infarction: the JMS Cohort Study. *J Epidemiol* 2009;19:49-55.
- 23 Hayasaka S, Shibata Y, Ishikawa S, Kayaba K, Gotoh T, Noda T, Murata C, Yamada T, Goto Y, Nakamura Y, Ojima T: Physical activity and all-cause mortality in Japan: the Jichi Medical School (JMS) Cohort Study. *J Epidemiol* 2009;19:24-27.
- 24 Hayashi Y, Yamamoto H, Taguchi H, Sunada K, Miyata T, Yano T, Arashiro M, Sugano K: Nonsteroidal anti-inflammatory drug-induced small-bowel lesions identified by double-balloon endoscopy: endoscopic features of the lesions and endoscopic treatments for diaphragm disease. *J Gastroenterol* 2009;44 Suppl 19:57-63.
- 25 Hayashi Y, Yamamoto H, Yano T, Sugano K: Diagnosis and management of mid-gastrointestinal bleeding by double-balloon endoscopy. *Ther Adv Gastroenterol* 2009;2:109-117.
- 26 Hidaka T, Shide K, Shimoda H, Kameda T, Toyama K, Katayose K, Kubuki Y, Nagata K, Takenaka K, Akashi K, Okamura T, Niho Y, Mizoguchi H, Omine M, Ozawa K, Harada M, Shimoda K: The impact of cytogenetic abnormalities on the prognosis of primary myelofibrosis: a prospective survey of 202 cases in Japan. *Eur J Haematol* 2009;83:328-333.
- 27 Hiraga T, Ninomiya T, Hosoya A, Takahashi M, Nakamura H: Formation of bone-like mineralized matrix by periodontal ligament cells in vivo: a morphological study in rats. *J Bone Miner Metab* 2009;27:149-157.
- 28 Hirahara I, Ishibashi Y, Kaname S, Kusano E, Fujita T: Methylglyoxal induces peritoneal thickening by mesenchymal-like mesothelial cells in rats. *Nephrol Dial Transplant* 2009;24:437-447.
- 29 Hirasaki S, Kozu T, Yamamoto H, Sano Y, Yahagi N, Oyama T, Shimoda T, Sugano K, Tajiri H, Takekoshi T, Saito D: Usefulness and safety of 0.4% sodium hyaluronate solution as a submucosal fluid "Cushion" for endoscopic resection of colorectal mucosal neoplasms: A

prospective multi-center open-label trial. BMC Gastroenterol 2009;9:1-9.

30 Hirokawa M, Sawada K, Fujishima N, Kawano F, Kimura A, Watanabe T, Arai A, Matsui T, Nakao S, Urabe A, Omine M, Ozawa K: Acquired pure red cell aplasia associated with malignant lymphomas: a nationwide cohort study in Japan for the PRCA Collaborative Study Group. Am J Hematol 2009;84:144-148.

31 Honda T, Yamamoto H, Osawa H, Yoshizawa M, Nakano H, Sunada K, Hanatsuka K, Sugano K: Endoscopic submucosal dissection for superficial duodenal neoplasms. Dig Endosc 2009;21:270-274.

32 Ikemoto T, Hojo Y, Kondo H, Takahashi N, Hirose M, Nishimura Y, Katsuki T, Shimada K: Plasma granzyme B as a predicting factor of coronary artery disease-Clinical significance in patients with chronic renal failure. J Cardiol 2009;54:409-415.

33 Ioka T, Tsuruoka S, Ito C, Iwaguro H, Asahara T, Fujimura A, Kusano E: Hypertension induced by erythropoietin has a correlation with truncated erythropoietin receptor mRNA in endothelial progenitor cells of hemodialysis patients. Clin Pharmacol Ther 2009;86:154-159.

34 Ishikawa J, Ishikawa S, Kabutoya T, Gotoh T, Kayaba K, Schwartz JE, Pickering TG, Shimada K, Kario K: Cornell product left ventricular hypertrophy in electrocardiogram and the risk of stroke in a general population. Hypertension 2009;53:28-34.

35 Ishikawa S, Kario K: Does eicosapentaenoic acid truly reduce atherosclerosis? Hypertens Res 2009;32:934-935.

36 Ishikawa S, Matsumoto M, Kayaba K, Gotoh T, Nago N, Tsutsumi A, Kajii E: Risk charts illustrating the 10-year risk of stroke among residents of Japanese rural communities: the JMS Cohort Study. J Epidemiol 2009;19:101-106.

37 Ishiwata A, Mimuro J, Mizukami H, Kashiwakura Y, Takano K, Ohmori T, Madoiwa S, Ozawa K, Sakata Y: Liver-restricted expression of the canine factor VIII gene facilitates prevention of inhibitor formation in factor VIII-deficient mice. J Gene Med 2009;11:1020-1029.

38 Isoda N, Eguchi Y, Nukaya H, Hosho K, Suga Y, Suga T, Nakazawa S, Sugano K: Clinical efficacy of superfine dispersed lentinan (β -1,3-glucan) in patients with hepatocellular carcinoma. Hepatogastroenterology 2009;56:437-441.

39 Ito C, Akimoto T, Ioka T, Kobayashi T, Kusano E: TGF-beta inhibits vascular sprouting through TGF-beta type I receptor in the mouse embryonic aorta. Tohoku J Exp Med 2009;218:63-71.

40 Ito T, Yamamoto S, Hayashi T, Kodera M, Mizukami H, Ozawa K, Muramatsu S: A convenient enzyme-linked immunosorbent assay for rapid screening of anti-adeno-associated

- virus neutralizing antibodies. Ann Clin Biochem 2009;46:508-510.
- 41 Iwamoto M, Onishi S, Minota S: Strong correlation in the serum levels of IgM rheumatoid factor and IGM anti-Chlamydia pneumoniae antibody. Lupus 2009;18:1124.
- 42 Kabutoya T, Ishikawa J, Hoshide S, Eguchi K, Ishikawa S, Shimada K, Kario K: Determinants of negative white-coat effect in treated hypertensive patients: the Jichi Morning Hypertension Research (J-MORE) study. Am J Hypertens 2009;22:35-40.
- 43 Kabutoya T, Ishikawa J, Hoshide S, Eguchi K, Shimada K, Kario K: A home blood pressure monitor equipped with a graphic function facilitates faster blood pressure control than the conventional home blood pressure monitor. J Clin Hypertens (Greenwich) 2009;11:422-425.
- 44 Kabutoya T, Kario K: Earthquake and blood pressure. Hypertens Res 2009;32:732-734.
- 45 Kadkhodaei B, Ito T, Joodmardi E, Mattsson B, Rouillard C, Carta M, Muramatsu S, Sumi-Ichinose C, Nomura T, Metzger D, Chambon P, Lindqvist E, Larsson NG, Olson L, Bjorklund A, Ichinose H, Perlmann T: Nurr1 is required for maintenance of maturing and adult midbrain dopamine neurons. J Neurosci 2009;29:15923-15932.
- 46 Kamata Y, Iwamoto M, Minota S: Treatment of rheumatoid arthritis with tacrolimus: Tacrolimus-induced urticaria. J Clin Rheumatol 2009;15:213.
- 47 Kamesaki T, Oyamada T, Omine M, Ozawa K, Kajii E: Cut-off value of red-blood-cell-bound IGG for the diagnosis of Coombs-negative autoimmune hemolytic anemia. Am J Hematol 2009;84:98-101.
- 48 Kaneda R, Takada S, Yamashita Y, Choi YL, Nonaka-Sarukawa M, Soda M, Misawa Y, Isomura T, Shimada K, Mano H: Genome-wide histone methylation profile for heart failure. Genes Cells 2009;14:69-77.
- 49 Kaneko N, Matsuda R, Hata Y, Shimamoto K: Pharmacological characteristics and clinical applications of K201. Curr Clin Pharmacol 2009;4:126-131.
- 50 Kario K: Treatment of early morning surges in blood pressure. Clinical Challenges in Hypertension 2009;17:38.
- 51 Kario K: Orthostatic hypertension: a measure of blood pressure variation for predicting cardiovascular risk. Circ J 2009;73:1002-1007.
- 52 Kario K: Obstructive sleep apnea syndrome and hypertension: mechanism of the linkage and 24-h blood pressure control. Hypertens Res 2009;32:537-541.
- 53 Kario K: Obstructive sleep apnea syndrome and hypertension: ambulatory blood pressure. Hypertens Res 2009;32:428-432.

- 54 Kario K, A. Lowy A, Munk VC, Annemans L: 24-Hour blood pressure control-a predictor for clinical outcomes. *Current Hypertens Rev* 2009;5:102-122.
- 55 Kobayashi H, Matsuyama T, Ueda M, Suzuki T, Ozaki K, Mori M, Nagai T, Muroi K, Ozawa K: Predictive factors of response and survival following chemotherapy treatment in acute myeloid leukemia progression from myelodysplastic syndrome. *Intern Med* 2009;48:1629-1633.
- 56 Kobayashi S, Ise H, Takahashi M, Goto M, Akaike T, Ikeda U: Surface coating of bone marrow cells with N-acetylglucosamine for bone marrow implantation therapy. *Biomaterials* 2009;30:574-582.
- 57 Kobayashi T, Furukawa Y, Kikuchi J, Ito C, Miyata Y, Muto S, Tanaka A, Kusano E: Transactivation of RON receptor tyrosine kinase by interaction with PDGF receptor beta during steady-state growth of human mesangial cells. *Kidney Int* 2009;75:1173-1183.
- 58 Koga M, Toyoda K, Naganuma M, Kario K, Nakagawara J, Furui E, Shiokawa Y, Hasegawa Y, Okuda S, Yamagami H, Kimura K, Okada Y, Minematsu K: Nationwide survey of antihypertensive treatment for acute intracerebral hemorrhage in Japan. *Hypertens Res* 2009;32:759-764.
- 59 Komano Y, Harigai M, Koike R, Sugiyama H, Ogawa J, Saito K, Sekiguchi N, Inoo M, Onishi I, Ohashi H, Amamoto F, Miyata M, Ohtsubo H, Hiramatsu K, Iwamoto M, Minota S, Matsuoka N, Kageyama G, Imaizumi K, Tokuda H, Okochi Y, Kudo K, Tanaka Y, Takeuchi T, Miyasaka N: Pneumocystis jiroveci pneumonia in patients with rheumatoid arthritis treated with infliximab: a retrospective review and case-control study of 21 patients. *Arthritis Rheum* 2009;61:305-312.
- 60 Kondo H, Hojo Y, Tsuru R, Nishimura Y, Shimizu H, Takahashi N, Hirose M, Ikemoto T, Ohya K, Katsuki T, Yashiro T, Shimada K: Elevation of plasma granzyme B levels after acute myocardial infarction. *Circ J* 2009;73:503-507.
- 61 Koshikawa M, Aizawa K, Kasai H, Izawa A, Tomita T, Kumazaki S, Tsutsui H, Koyama J, Shimodaira S, Takahashi M, Ikeda U: Elevated osteopontin levels in patients with peripheral arterial disease. *Angiology* 2009;60:42-45.
- 62 Kuratomi S, Ohmori Y, Ito M, Shimazaki K, Muramatsu S, Mizukami H, Uosaki H, Yamashita JK, Arai Y, Kuwahara K, Takano M: The cardiac pacemaker-specific channel Hcn4 is a direct transcriptional target of MEF2. *Cardiovasc Res* 2009;83:682-687.
- 63 Kusakabe A, Tanaka Y, Mochida S, Nakayama N, Inoue K, Sata M, Isoda N, Kang JH, Sumino Y, Yatsuhashi H, Takikawa Y, Kaneko S, Yamada G, Karino Y, Tanaka E, Kato J, Sakaida I, Izumi N, Sugauchi F, Nojiri S, Joh T, Miyakawa Y, Mizokami M: Case-control study for the identification of virological factors associated with fulminant hepatitis B. *Hepatol Res*

2009;39:648-656.

- 64 Masuda S, Ageyama N, Shibata H, Obara Y, Ikeda T, Takeuchi K, Ueda Y, Ozawa K, Hanazono Y: Cotransplantation with MSCs improves engraftment of HSCs after autologous intra-bone marrow transplantation in nonhuman primates. *Exp Hematol* 2009;37:1250-1257 e1251.
- 65 Mato N, Fujii M, Hakamata Y, Kobayashi E, Sato A, Hayakawa M, Ohto-Ozaki H, Bando M, Ohno S, Tominaga S, Sugiyama Y: Interleukin-1 receptor-related protein ST2 suppresses the initial stage of bleomycin-induced lung injury. *Eur Respir J* 2009;33:1415-1428.
- 66 Matsubara S, Ueda Y, Takahashi H, Nagai T, Kuwata T, Muto S, Yamaguchi T, Suzuki M: Pregnancy complicated with Alport syndrome: A good obstetric outcome and failure to diagnose an infant born to a mother with Alport syndrome by umbilical cord immunofluorescence staining. *J Obstet Gynaecol Res* 2009;35:1109-1114.
- 67 Matsui Y, Eguchi K, O'Rourke MF, Ishikawa J, Miyashita H, Shimada K, Kario K: Differential effects between a calcium channel blocker and a diuretic when used in combination with angiotensin II receptor blocker on central aortic pressure in hypertensive patients. *Hypertension* 2009;54:716-723.
- 68 Matsui Y, Eguchi K, Shibusaki S, Shimizu M, Ishikawa J, Shimada K, Kario K: Association between the morning-evening difference in home blood pressure and cardiac damage in untreated hypertensive patients. *J Hypertens* 2009;27:712-720.
- 69 Matsumoto K, Nagashima T, Takatori S, Kawahara Y, Yagi M, Iwamoto M, Okazaki H, Minota S: Glucocorticoid and cyclosporine refractory adult onset still's disease successfully treated with tocilizumab. *Clin Rheumatol* 2009;28:485-487.
- 70 Matsumoto M, Ishikawa S, Kayaba K, Gotoh T, Nago N, Tsutsumi A, Kajii E: Risk charts illustrating the 10-year risk of myocardial infarction among residents of Japanese rural communities: the JMS Cohort Study. *J Epidemiol* 2009;19:94-100.
- 71 Matsuzaki M, Yokoyama M, Saito Y, Origasa H, Ishikawa Y, Oikawa S, Sasaki J, Hishida H, Itakura H, Kita T, Kitabatake A, Nakaya N, Sakata T, Shimada K, Shirato K, Matsuzawa Y: Incremental effects of eicosapentaenoic acid on cardiovascular events in statin-treated patients with coronary artery disease. *Circ J* 2009;73:1283-1290.
- 72 Misawa R, Soeda J, Ise H, Takahashi M, Kubota K, Mita A, Nakata T, Miyagawa S: Potential feasibility of early bone marrow cell injection into the spleen for creating functional hepatocytes. *Transplantation* 2009;87:1147-1154.
- 72 Mitsui K, Tanaka Shu, Yamamoto H, Kobayashi T, Ehara A, Yano T, Goto H, Nakase H, Tanaka Shi, Matsui T, Iida M, Sugano K, Sakamoto C: Role of double-balloon endoscopy in the

diagnosis of small-bowel tumors: the first Japanese multicenter study. *Gastrointest Endosc* 2009;70:498-504.

74 Miura N, Imai H, Kikuchi S, Hayashi S, Endoh M, Kawamura T, Tomino Y, Moriwaki K, Kiyomoto H, Kohagura K, Nakazawa E, Kusano E, Mochizuki T, Nomura S, Sasaki T, Kashihara N, Soma J, Tomo T, Nakabayashi I, Yoshida M, Watanabe T: Tonsillectomy and steroid pulse (TSP) therapy for patients with IgA nephropathy: a nationwide survey of TSP therapy in Japan and an analysis of the predictive factors for resistance to TSP therapy. *Clin Exp Nephrol* 2009;13:460-466.

75 Momiyama Y, Kawaguchi A, Kajiwara I, Ohmori R, Okada K, Saito I, Konishi M, Nakamura M, Sato S, Kokubo Y, Manami T, Adachi H, Kario K, Iso H, Ohsuzu F, Tsushima M: Prognostic value of plasma high-sensitivity C-reactive protein levels in Japanese patients with stable coronary artery disease: the Japan NCVC-Collaborative Inflammation Cohort (JNIC) Study. *Atherosclerosis* 2009;207:272-276.

76 Mori M, Nakamoto S, Akifuji Y, Tanaka T, Komatsu N, Hatake K, Ozawa K: Familial sideroblastic anemia associated with cardiac atrial septal defect. *Am J Hematol* 2009;84:451-452.

77 Muramatsu S, Okuno T, Suzuki Y, Nakayama T, Kakiuchi T, Takino N, Iida A, Ono F, Terao K, Inoue N, Nakano I, Kondo Y, Tsukada H: Multitracer assessment of dopamine function after transplantation of embryonic stem cell-derived neural stem cells in a primate model of parkinson's disease. *Synapse* 2009;63:541-548.

78 Muriel MP, Dauphin A, Namekawa M, Gervais A, Brice A, Ruberg M: Atlastin-1, the dynamin-like GTPase responsible for spastic paraplegia SPG3A, remodels lipid membranes and may form tubules and vesicles in the endoplasmic reticulum. *J Neurochem* 2009;110:1607-1616.

79 Muto S, Tsuruoka S, Miyata Y, Fujimura A, Kusano E, Wang W, Seldin D, Giebisch G: Basolateral Na⁺/H⁺ exchange maintains potassium secretion during diminished sodium transport in the rabbit cortical collecting duct. *Kidney Int* 2009;75:25-30.

80 Mutoh H, Hayakawa H, Sakamoto H, Sashikawa M, Sugano K: Transgenic Cdx2 induces endogenous Cdx1 in intestinal metaplasia of Cdx2-transgenic mouse stomach. *FEBS J* 2009;276:5821-5831.

81 Nagai M, Hoshide S, Ishikawa J, Shimada K, Kario K: Insular cortex atrophy as an independent determinant of disrupted diurnal rhythm of ambulatory blood pressure in elderly hypertension. *Am J Hypertens* 2009;22:723-729.

82 Nagai M, Kario K: Blood pressure, aging, vascular disease, and their effects on brain volume. *Am J Hypertens* 2009;22:1135.

83 Nagai S, Toshima M, Sato K, Mori M, Nagai T, Muroi K, Ozawa K: Maintenance and

preemptive therapy with ganciclovir for cytomegalovirus colitis with extremely high antigenemia in adult T-cell leukemia. *Int J Hematol* 2009;89:249-250.

84 Nagashima T, Hoshino M, Shimoji S, Morino N, Kamimura T, Okazaki H, Minota S: Protein-losing gastroenteropathy associated with primary Sjögren's syndrome: a characteristic oriental variant. *Rheumatol Int* 2009;29:817-820.

85 Nagashima T, Onishi S, Kamata Y, Minota S: Dermatomyositis associated with thyroid cancer: a paraneoplastic syndrome? *Rheumatol Int* 2009;29:1261-1262.

86 Nagashima T, Sato H, Minota S: Destructive arthropathy associated with dermatomyositis sine myositis positive for anti-Jo-1 and anti-cyclic citrullinated peptide antibodies. *J Rheumatol* 2009;36:2133-2134.

87 Nagashima T, Minota S: Increased adiponectin levels in women with rheumatoid arthritis after etanercept treatment. Authors' reply. *J Rheumatol* 2009;36:1347.

88 Nakao K, Makino H, Morita S, Takahashi Y, Akizawa T, Saito A, Asano Y, Kurokawa K, Fukuhara S, Akiba T: Beta-blocker prescription and outcomes in hemodialysis patients from the Japan dialysis outcomes and practice patterns study. *Nephron Clin Pract* 2009;113:c132-139.

89 Nakayama K, Bayasgalan T, Yamanaka K, Kumada M, Gotoh T, Utsumi N, Yanagisawa Y, Okayama M, Kajii E, Ishibashi S, Iwamoto S: Large scale replication analysis of loci associated with lipid concentrations in a Japanese population. *J Med Genet* 2009;46:370-374.

90 Nishimura N, Tamada K, Wada S, Ohashi A, Hatanaka H, Nakazawa K, Numao N, Kitamura A, Satoh K, Yamamoto H, Sugano K: Autoimmune pancreatitis associated with a large pancreatic pseudocyst that disappeared after corticosteroid therapy: a case report and literature review. *Clin J Gastroenterol* 2009;2: 199-203.

91 Noborio-Hatano K, Kikuchi J, Takatoku M, Shimizu R, Wada T, Ueda M, Nobuyoshi M, Oh I, Sato K, Suzuki T, Ozaki K, Mori M, Nagai T, Muroi K, Kano Y, Furukawa Y, Ozawa K: Bortezomib overcomes cell-adhesion-mediated drug resistance through downregulation of VLA-4 expression in multiple myeloma. *Oncogene* 2009;28:231-242.

92 Noguchi A, Matsumura S, Dezawa M, Tada M, Yanazawa M, Ito A, Akioka M, Kikuchi S, Sato M, Ideno S, Noda M, Fukunari A, Muramatsu S, Itokazu Y, Sato K, Takahashi H, Teplow DB, Nabeshima Y, Kakita A, Imahori K, Hoshi M: Isolation and characterization of patient-derived, toxic, high mass amyloid beta-protein (abeta) assembly from alzheimer disease brains. *J Biol Chem* 2009;284:32895-32905.

93 Nomoto T, Okada T, Shimazaki K, Yoshioka T, Nonaka-Sarukawa M, Ito T, Takeuchi K, Katsura KI, Mizukami H, Kume A, Ookawara S, Ikeda U, Katayama Y, Ozawa K: Systemic

delivery of IL-10 by an AAV vector prevents vascular remodeling and end-organ damage in stroke-prone spontaneously hypertensive rat. Gene Ther 2009;16:383-391.

94 Ogihara T, Kikuchi K, Matsuoka H, Fujita T, Higaki J, Horiuchi M, Imai Y, Imaizumi T, Ito S, Iwao H, Kario K, Kawano Y, Kim-Mitsuyama S, Kimura G, Matsubara H, Matsuura H, Naruse M, Saito I, Shimada K, Shimamoto K, Suzuki H, Takishita S, Tanahashi N, Tsuhashi T, Uchiyama M, Ueda S, Ueshima H, Umemura S, Ishimitsu T, Rakugi H: The Japanese Society of Hypertension Guidelines for the Management of Hypertension (JSH 2009). Hypertens Res 2009;32:3-107.

95 Ogihara T, Saruta T, Rakugi H, Shimamoto K, Ito S, Matsuoka H, Horiuchi M, Imaizumi T, Takishita S, Higaki J, Katayama S, Saito I, Shimada K: Rationale, study design and implementation of the COLM study: the combination of OLmesartan and calcium channel blocker or diuretic in high-risk elderly hypertensive patients. Hypertens Res 2009;32:163-167.

96 Ohashi A, Tamada K, Wada S, Hatanaka H, Tomiyama T, Tano S, Nakazawa K, Sugano K: Risk factors for recurrent bile duct stones after endoscopic papillary balloon dilation: long-term follow-up study. Dig Endosc 2009;21:73-77.

97 Oikawa S, Yokoyama M, Origasa H, Matsuzaki M, Matsuzawa Y, Saito Y, Ishikawa Y, Sasaki J, Hishida H, Itakura H, Kita T, Kitabatake A, Nakaya N, Sakata T, Shimada K, Shirato K: Suppressive effect of EPA on the incidence of coronary events in hypercholesterolemia with impaired glucose metabolism: Sub-analysis of the Japan EPA Lipid Intervention Study (JELIS). Atherosclerosis 2009;206:535-539.

98 Oka S, Muroi K, Matsuyama T, Sato K, Ueda M, Toshima M, Suzuki T, Ozaki K, Mori M, Takubo T, Nagai T, Hanafusa T, Ozawa K: Correlation between flow cytometric identification of CD33-positive cells and morphological evaluation of myeloblasts in bone marrow of patients with acute myeloblastic leukemia. Hematology 2009;14:133-138.

99 Oka S, Muroi K, Mori M, Matsuyama T, Fujiwara S, Oh I, Sato K, Kikuchi S, Ueda M, Toshima M, Suzuki T, Ozaki K, Nagai T, Ozawa K: Prediction of response to imatinib in patients with chronic myelogenous leukemia by flow cytometric analysis of bone marrow blastic cell phenotypes. Leuk Lymphoma 2009;50:290-293.

100 Oka S, Nagatsuka Y, Kikuchi J, Yokote T, Hirabayashi Y, Hanafusa T, Ozawa K, Muroi K: Preferential expression of phosphatidylglucoside along neutrophil differentiation pathway. Leuk Lymphoma 2009;50:1190-1197.

101 Okada T, Nonaka-Sarukawa M, Uchibori R, Kinoshita K, Hayashita-Kinoh H, Nitahara-Kasahara Y, Takeda S, Ozawa K: Scalable purification of adeno-associated virus serotype 1 (AAV1) and AAV8 vectors, using dual ion-exchange adsorptive membranes. Hum Gene Ther 2009;20:1013-1021.

- 102 Okuno T, Nakayama T, Konishi N, Michibata H, Wakimoto K, Suzuki Y, Nito S, Inaba T, Nakano I, Muramatsu S, Takano M, Kondo Y, Inoue N: Self-contained induction of neurons from human embryonic stem cells. *PLoS One* 2009;4:e6318.
- 103 Osawa H, Yamamoto H, Yamada N, Yoshizawa M, Sunada K, Kita H, Ajibe H, Satoh K, Sugano K: Diagnosis of endoscopic Barrett's esophagus by transnasal flexible spectral imaging color enhancement. *J Gastroenterol* 2009;44:1125-1132.
- 104 Sadakane A, Gotoh T, Ishikawa S, Nakamura Y, Kayaba K: Amount and frequency of alcohol consumption and all-cause mortality in a Japanese population: the JMS Cohort Study. *J Epidemiol* 2009;19:107-115.
- 105 Saito T, Saito O, Maeda T, Ito C, Ando Y, Yamagata T, Muto S, Momoi M, Kusano E: Metabolic and hemodynamic advantages of an acetate-free citrate dialysate in a uremic case of congenital methylmalonic acidemia. *Am J Kidney Dis* 2009;54:764-769.
- 106 Saji F, Shiizaki K, Shimada S, Okada T, Kunimoto K, Sakaguchi T, Hatamura I, Shigematsu T: Regulation of fibroblast growth factor 23 production in bone in uremic rats. *Nephron Physiol* 2009;111: 59-66.
- 107 Sakamoto H, Mutoh H, Ido K, Satoh S, Kumagai M, Hayakawa H, Tamada K, Sugano K: Intestinal metaplasia in gallbladder correlates with high amylase levels in bile in patients with a morphologically normal pancreaticobiliary duct. *Hum Pathol* 2009;40:1762-1767.
- 108 Sanada M, Suzuki T, Shih LY, Otsu M, Kato M, Yamazaki S, Tamura A, Honda H, Sakata-Yanagimoto M, Kumano K, Oda H, Yamagata T, Takita J, Gotoh N, Nakazaki K, Kawamata N, Onodera M, Nobuyoshi M, Hayashi Y, Harada H, Kurokawa M, Chiba S, Mori H, Ozawa K, Omine M, Hirai H, Nakauchi H, Koeffler HP, Ogawa S: Gain-of-function of mutated c-CBL tumour suppressor in myeloid neoplasms. *Nature* 2009;460:904-908.
- 109 Santer DM, Yoshio T, Minota S, Moller T, Elkorn KB: Potent induction of IFN-alpha and chemokines by autoantibodies in the cerebrospinal fluid of patients with neuropsychiatric lupus. *J Immunol* 2009;182:1192-1201.
- 110 Sato K, Date S, Aoyagi Y, Kasahara Y, Nawa A, Mizukami H, Hidema S, Ozawa K, Nishimori K: Generation of adeno-associated virus vector enabling functional expression of oxytocin receptor and fluorescence marker genes using the human eIF4G internal ribosome entry site element. *Biosci Biotechnol Biochem* 2009;73:2145-2148.
- 111 Sekiya M, Osuga J, Nagashima S, Ohshiro T, Igarashi M, Okazaki H, Takahashi M, Tazoe F, Wada T, Ohta K, Takanashi M, Kumagai M, Nishi M, Takase S, Yahagi N, Yagyu H, Ohashi K, Nagai R, Kadowaki T, Furukawa Y, Ishibashi S: Ablation of neutral cholesterol ester hydrolase 1 accelerates atherosclerosis. *Cell Metab* 2009;10:219-228.

- 112 Sekiya M, Yahagi N, Tamura Y, Okazaki H, Igarashi M, Ohta K, Takanashi M, Kumagai M, Takase S, Nishi M, Takeuchi Y, Izumida Y, Kubota M, Ohashi K, Iizuka Y, Yagyu H, Gotoda T, Nagai R, Shimano H, Yamada N, Kadokawa T, Ishibashi S, Osuga J: Hormone-sensitive lipase deficiency suppresses insulin secretion from pancreatic islets of Lep ob/ob mice. *Biochem Biophys Res Commun* 2009;387:511-515.
- 113 Shiba Y, Takahashi M, Hata T, Murayama H, Morimoto H, Ise H, Nagasawa T, Ikeda U: Bone marrow CXCR4 induction by cultivation enhances therapeutic angiogenesis. *Cardiovasc Res* 2009;81:169-177.
- 114 Shibasaki S, Eguchi K, Matsui Y, Ishikawa J, Hoshide S, Ishikawa S, Kabutoya T, Pickering TG, Shimada K, Kario K: Adrenergic blockade improved insulin resistance in patients with morning hypertension: the Japan Morning Surge-1 Study. *J Hypertens* 2009;27:1252-1257.
- 115 Shiizaki K, Hatamura I, Imazeki I, Moriguchi Y, Sakaguchi T, Saji F, Nakazawa E, Kato S, Akizawa T, Kusano E: Improvement of impaired calcium and skeletal homeostasis in vitamin D receptor knockout mice by a high dose of calcitriol and maxacalcitol. *Bone* 2009;45:964-971.
- 116 Shimaoka Y, Tajima S, Fujimori F, Yamabayashi C, Moriyama H, Terada M, Takada T, Suzuki E, Bando M, Sugiyama Y, Narita I: Effects of IS-741, a synthetic anti-inflammatory agent, on bleomycin-induced lung injury in mice. *Lung* 2009;187:331-339.
- 117 Shimazaki H, Ando Y, Nakano I, Dalmau J: Reversible limbic encephalitis with antibodies against the membranes of neurones of the hippocampus. *J Neurol Neurosurg Psychiatry* 2007;78:324-325.
- 118 Shimizu M, Ishikawa J, Eguchi K, Hoshide S, Shimada K, Kario K: Association of an abnormal blood glucose level and morning blood pressure surge in elderly subjects with hypertension. *Am J Hypertens* 2009;22:611-616.
- 119 Sone H, Tanaka S, Iimuro S, Oida K, Yamasaki Y, Ishibashi S, Oikawa S, Katayama S, Ito H, Ohashi Y, Akanuma Y, Yamada N: Waist circumference as a cardiovascular and metabolic risk in Japanese patients with type 2 diabetes. *Obesity* 2009;17:585-592.
- 120 Sone H, Tanaka S, Iimuro S, Oida K, Yamasaki Y, Oikawa S, Ishibashi S, Katayama S, Ito H, Ohashi Y, Akanuma Y, Yamada N: Components of metabolic syndrome and their combinations as predictors of cardiovascular disease in Japanese patients with type 2 diabetes. Implications for improved definition. Analysis from Japan Diabetes Complications Study (JDCS). *J Atheroscler Thromb* 2009;16:380-387.
- 121 Sugano K: How to prevent gastric cancer in East and West. *Strategies of Cancer Prevention in Gastroenterology*, (Edited by Lieberman DA, Malfertheiner P, Riemann JF, Spechler SJ) Springer, 2009; 51-62.

- 122 Sugiyasu A, Oginosawa Y, Nogami A, Hata Y: A case with catecholaminergic polymorphic ventricular tachycardia unmasked after successful ablation of atrial tachycardias from pulmonary veins. *Pacing Clin Electrophysiol* 2009;32:e21-24.
- 123 Sun L, Ishida T, Yasuda T, Kojima Y, Honjo T, Yamamoto Y, Yamamoto H, Ishibashi S, Hirata K, Hayashi Y: RAGE mediates oxidized LDL-induced pro-inflammatory effects and atherosclerosis in non-diabetic LDL receptor-deficient mice. *Cardiovasc Res* 2009;82:371-381.
- 124 Sunada K, Yamamoto H: Double-balloon endoscopy: Past, present, and future. *J Gastroenterol* 2009;44:1-12.
- 125 Sunada K, Yamamoto H: Technology and indications. *Gastrointest Endosc Clin N Am* 2009;19:325-333.
- 126 Sunada K, Yamamoto H, Yano T, Sugano K: Advances in the diagnosis and treatment of small bowel lesions with Crohn's disease using double-balloon endoscopy. *Ther Adv Gastroenterol* 2009;2:357-366.
- 127 Suzuki J, Ueno M, Uno M, Hirose Y, Zenimaru Y, Takahashi S, Osuga JI, Ishibashi S, Takahashi M, Hirose M, Yamada M, Kraemer FB, Miyamori I: Effects of hormone-sensitive lipase-disruption on cardiac energy metabolism in response to fasting and refeeding. *Am J Physiol Endocrinol Metab* 2009;297:E1115-1124.
- 128 Takahashi K, Saga Y, Mizukami H, Takei Y, Machida S, Fujiwara H, Ozawa K, Suzuki M: Cetuximab inhibits growth, peritoneal dissemination, and lymph node and lung metastasis of endometrial cancer, and prolongs host survival. *Int J Oncol* 2009;35:725-729.
- 129 Takahashi M: Therapeutic angiogenesis and regeneration in cardiovascular diseases. *Curr Pharm Des* 2009;15:2759.
- 130 Takahashi M: Genetic susceptibility to restenosis: Role of bone marrow cells and inflammatory response. *Arterioscler Thromb Vasc Biol* 2009;29:1407-1408.
- 131 Takahashi M, Izawa A, Ishigatubo Y, Fujimoto K, Miyamoto M, Horie T, Aizawa Y, Amano J, Minota S, Murohara T, Matsubara H, Ikeda U: Therapeutic neovascularization by the implantation of autologous mononuclear cells in patients with connective tissue diseases. *Curr Pharm Des* 2009;15:2778-2783.
- 132 Takei Y, Di Tullio MR, Homma S, Boden-Albala B, Rundek T, Sacco RL, Berry G, Liu R, Jin Z, Eguchi K, Elkind MS: Soluble tumor necrosis factor receptor 1 level is associated with left ventricular hypertrophy: the northern Manhattan study. *Am J Hypertens* 2009;22:763-769.
- 133 Tamba K, Kusano E, Tabei K, Kajii E, Asano Y: Physicians make different decisions from nephrologists at serum creatinine 2.0 mg/dl. *Clin Exp Nephrol* 2009;13:447-451.

- 134 Tanaka Y, Ikeda T, Kishi Y, Masuda S, Shibata H, Takeuchi K, Komura M, Iwanaka T, Muramatsu S, Kondo Y, Takahashi K, Yamanaka S, Hanazono Y: Eras is expressed in primate embryonic stem cells but not related to tumorigenesis. *Cell Transplant* 2009;18:381-389.
- 135 Togashi K, Osawa H, Koinuma K, Hayashi Y, Miyata T, Sunada K, Nokubi M, Horie H, Yamamoto H: A comparison of conventional endoscopy, chromoendoscopy, and the optimal-band imaging system for the differentiation of neoplastic and non-neoplastic colonic polyps. *Gastrointest Endosc* 2009;69:734-741.
- 136 Tokuyama K, Nagasaka S, Mori S, Takahashi N, Kusaka I, Kiyonaga A, Tanaka H, Shindo M, Ishibashi S: Hepatic insulin sensitivity assessed by integrated model of hepatic and peripheral glucose regulation. *Diabetes Technol Ther* 2009;11:487-492.
- 137 Toyoda K, Koga M, Naganuma M, Shiokawa Y, Nakagawara J, Furui E, Kimura K, Yamagami H, Okada Y, Hasegawa Y, Kario K, Okuda S, Nishiyama K, Minematsu K: Routine use of intravenous low-dose recombinant tissue plasminogen activator in Japanese patients: general outcomes and prognostic factors from the SAMURAI register. *Stroke* 2009;40:3591-3595.
- 138 Tsuruta Y, Uchida K, Itabashi M, Yumura W, Nitta K: Antiphospholipid antibodies and renal outcomes in patients with lupus nephritis. *Intern Med* 2009;48:1875-1880.
- 139 Tsutsumi A, Kayaba K, Kario K, Ishikawa S: Prospective study on occupational stress and risk of stroke. *Arch Intern Med* 2009;169:56-61.
- 140 Wada T, Yamashita Y, Saga Y, Takahashi K, Koinuma K, Choi YL, Kaneda R, Fujiwara S, Soda M, Watanabe H, Kurashina K, Hatanaka H, Enomoto M, Takada S, Mano H, Suzuki M: Screening for genetic abnormalities involved in ovarian carcinogenesis using retroviral expression libraries. *Int J Oncol* 2009;35:973-976.
- 141 Uchibori R, Okada T, Ito T, Urabe M, Mizukami H, Kume A, Ozawa K: Retroviral vector-producing mesenchymal stem cells for targeted suicide cancer gene therapy. *J Gene Med* 2009;11:373-381.
- 142 Yamamoto Y, Hayashino Y, Akiba T, Akizawa T, Asano Y, Saito A, Kurokawa K, Fukuhara S: Depressive symptoms predict the subsequent risk of bodily pain in dialysis patients: Japan Dialysis Outcomes and Practice Patterns Study. *Pain Med* 2009;10:883-889.
- 143 Yano Y, Hoshide S, Inokuchi T, Kanemaru Y, Shimada K, Kario K: Association between morning blood pressure surge and cardiovascular remodeling in treated elderly hypertensive subjects. *Am J Hypertens* 2009;22:1177-1182.
- 144 Yano Y, Kario K: Possible difference in the sympathetic activation on extreme dippers with or without exaggerated morning surge. *Hypertension* 2009;53:e1; author reply e2.

145 Yano Y, Toshinai K, Inokuchi T, Kangawa K, Shimada K, Kario K, Nakazato M: Plasma des-acyl ghrelin, but not plasma HMW adiponectin, is a useful cardiometabolic marker for predicting atherosclerosis in elderly hypertensive patients. *Atherosclerosis* 2009;204:590-594.

146 Yokoyama Y, Yamazaki S, Hasegawa T, Wakita T, Hayashino Y, Takegami M, Akiba T, Akizawa T, Asano Y, Saito A, Kurokawa K, Fukuhara S: Impact of early referral to nephrologist on mental health among hemodialysis patients: a Dialysis Outcomes and Practice Patterns Study (DOPPS). *Nephron Clin Pract* 2009;113:c191-197.

147 Yoshizawa M, Osawa H, Yamamoto H, Kita H, Nakano H, Satoh K, Shigemori M, Tsukui M, Sugano K: Diagnosis of elevated-type early gastric cancers by the optimal band imaging system. *Gastrointest Endosc* 2009;69:19-28.