

內科學英文論文業績(2011)

- 1 Akimoto C, Morita M, Atsuta N, Sobue G, Nakano I: High-resolution melting (HRM) analysis of the Cu/Zn superoxide dismutase (SOD1) gene in Japanese sporadic amyotrophic lateral sclerosis (SALS) patients. *Neurol Res Int*;2011:165415,2011.
- 2 Akimoto T, Ito C, Kato M, Ogura M, Muto S, Kusano E: Reduced hydration status characterized by disproportionate elevation of blood urea nitrogen to serum creatinine among the patients with cerebral infarction. *Med Hypotheses*;77:601-604,2011.
- 3 Akimoto T, Muto S, Ito C, Takahashi H, Takeda S, Ando Y, Kusano E: Clinical features of malignant hypertension with thrombotic microangiopathy. *Clin Exp Hypertens*;33:77-83,2011.
- 4 Akimoto T, Otake T, Tanaka A, Takahashi H, Higashizawa T, Inoue M, Nishino K, Saito O, Isoda N, Muto S, Sugano K, Kusano E: Steroid treatment in patients with membranous nephropathy and hepatitis B virus surface antigenemia: A report of two cases. *Clin Exp Nephrol*;15:289-293,2011.
- 5 Amemiya-Kudo M, Oka J, Takeuchi Y, Okazaki H, Yamamoto T, Yahagi N, Matsuzaka K, Okazaki S, Osuga J, Yamada N, Murase T, Shimano H: Suppression of the pancreatic duodenal homeobox domain transcription factor-1 (PDX-1) promoter by sterol regulatory element-binding protein-1c (srebp-1c). *J Biol Chem*;286:27902-27914,2011.
- 6 Aoki Y, Iwamoto M, Minota S: Factors associated with cytomegalovirus antigenaemia in japanese patients with autoimmune diseases. *Scand J Rheumatol*;40:319-321,2011.
- 7 Asari S, Fujimoto K, Miyauchi A, Sato T, Nakano I, Muramatsu S: Subregional 6-[¹⁸F]fluoro-L-m-tyrosine uptake in the striatum in Parkinson's disease. *BMC Neurol*;11:35, 2011.<http://biomedcentral.com/1471-2377/11/35>
- 8 Doi S, Zou Y, Togao O, Pastor JV, John GB, Wang L, Shiizaki K, Gotschall R, Schiavi S, Yorioka N, Takahashi M, Boothman DA, Kuro-o M: Klotho inhibits transforming growth factor-beta1 (TGF-Sbeta1) signaling and suppresses renal fibrosis and cancer metastasis in mice. *J Biol Chem*;286:8655-8665,2011.
- 9 Doi Y, Yokoyama T, Nakamura Y, Nagai M, Fujimoto K, Nakano I: How can the national burden of Parkinson's disease comorbidity and mortality be estimated for the Japanese population? *J Epidemiol*;21:211-216,2011.
- 10 Eguchi K: Ambulatory blood pressure monitoring in diabetes and obesity-a review. *Int J Hypertens*;2:954757,2011.
- 11 Eguchi K: A call for wider use of ambulatory blood pressure monitoring in patients with diabetes. *Hypertens Res*;34:1171-1172,2011.

- 12 Eguchi K, Kuruvilla S, Ishikawa J, Ogedegbe G, Gerin W, Schwartz JE, Pickering TG: Correlations between different measures of clinic, home, and ambulatory blood pressure in hypertensive patients. *Blood Press Monit*;16:142-148,2011.
- 13 Eguchi K, Tsujita A, Ono S, Kario K: A case of syncope induced in the supine position. *Int J Hypertens*; 34:2140,2011.
- 14 Fukutomi M, Hoshide S, Eguchi K, Watanabe T, Shimada K, Kario K: Differential effects of strict blood pressure lowering by losartan/hydrochlorothiazide combination therapy and high-dose amlodipine monotherapy on microalbuminuria: The alphabet study. *J Am Soc Hypertens*;6:73-82,2011.
- 15 Hanawa S, Akimoto T, Uehara E, Inoue M, Imai T, Kotoda A, Yoshizawa H, Matsuyama T, Ueda M, Saito O, Hamano Y, Yumura W, Ozawa K, Muto S, Kusano E: Renal failure caused by plasma cell infiltration in multiple myeloma. *Clin Exp Nephrol*;15:586-590,2011.
- 16 Hata T, Takahashi M, Hida S, Kawaguchi M, Kashima Y, Usui F, Morimoto H, Nishiyama A, Izawa A, Koyama J, Iwakura Y, Taki S, Ikeda U: Critical role of th17 cells in inflammation and neovascularization after ischaemia. *Cardiovasc Res*;90:364-372,2011.
- 17 Hijioka S, Matsuo K, Mizuno N, Hara K, Mekky MA, Vikram B, Hosoda W, Yatabe Y, Shimizu Y, Kondo S, Tajika M, Niwa Y, Tamada K, Yamao K: Role of endoscopic ultrasound and endoscopic ultrasound-guided fine-needle aspiration in diagnosing metastasis to the pancreas: A tertiary center experience. *Pancreatology*;11:390-398,2011.
- 18 Hirahara I, Inoue M, Umino T, Saito O, Muto S, Kusano E: Matrix metalloproteinase levels in the drained dialysate reflect the peritoneal solute transport rate: A multicentre study in Japan. *Nephrol Dial Transplant*;26:1695-1701,2011.
- 19 Hirata Y, Kishino K, Onozaki F, Nakaki Y, Fujiwara S, Yamamoto C, Sato K, Matsuyama T, Ozaki K, Mori M, Ozawa K, Muroi K: Use of cryoprotectant-depleted allogeneic peripheral blood stem cells for transplantation. *Hematology*;16:221-224,2011.
- 20 Horikoshi R, Akimoto T, Meguro D, Saito O, Ando Y, Muto S, Kusano E: Tumoral calcinosis associated with hypercalcemia in a patient with chronic renal failure. *Clin Exp Nephrol*;15:154-158,2011.
- 21 Hoshide S, Parati G, Matsui Y, Shibasaki S, Eguchi K, Kario K: Orthostatic hypertension: Home blood pressure monitoring for detection and assessment of treatment with doxazosin. *Hypertens Res*;35:100-106,2011.
- 22 Iida A, Takahashi A, Kubo M, Saito S, Hosono N, Ohnishi Y, Kiyotani K, Mushiroda T, Nakajima M, Ozaki K, Tanaka T, Tsunoda T, Oshima S, Sano M, Kamei T, Tokuda T, Aoki M, Hasegawa K, Mizoguchi K, Morita M, Takahashi Y, Katsuno M, Atsuta N, Watanabe H, Tanaka

F, Kaji R, Nakano I, Kamatani N, Tsuji S, Sobue G, Nakamura Y, Ikegawa S: A functional variant in *ZNF512B* is associated with susceptibility to amyotrophic lateral sclerosis in Japanese. *Hum Mol Genet*;20:3684-3692,2011.

23 Imai T, Hirahara I, Morishita Y, Onishi A, Inoue M, Muto S, Kusano E: DNA microarray analysis of the epithelial-mesenchymal transition of mesothelial cells in a rat model of peritoneal dialysis. *Adv Perit Dial*;27:11-15,2011.

24 Isayama H, Yasuda I, Ryozawa S, Maguchi H, Igarashi Y, Matsuyama Y, Katanuma A, Hasebe O, Irisawa A, Itoi T, Mukai H, Arisaka Y, Okushima K, Uno K, Kida M, Tamada K: Results of a Japanese multicenter, randomized trial of endoscopic stenting for non-resectable pancreatic head cancer (JM-test): Covered wallstent versus doublelayer stent. *Dig Endosc*;23: 310-315,2011.

25 Ise M, Ise H, Shiba Y, Kobayashi S, Goto M, Takahashi M, Akaike T, Ikeda U: Targeting n-acetylglucosamine-bearing polymer-coated liposomes to vascular smooth muscle cells. *J Artif Organs*;14:301-309,2011.

26 Ishikawa J, Eguchi K, Hoshide S, Shimada K, Kario K: Relationship between the change in left ventricular hypertrophy and asleep blood pressure after sodium restriction and/or diuretic treatment. *Blood Press Monit*;16:172-179,2011.

27 Ishikawa J, Ishikawa Y, Edmondson D, Pickering TG, Schwartz JE: Age and the difference between awake ambulatory blood pressure and office blood pressure: A meta-analysis. *Blood Press Monit*;16:159-167,2011.

28 Ito C, Akimoto T, Nakazawa E, Komori S, Sugase T, Chinda J, Takahashi H, Ioka T, Muto S, Kusano E: A case of cervical cancer-related membranous nephropathy treated with radiation therapy. *Intern Med*;50:47-51,2011.

29 Iwamoto M, Honma S, Asano Y, Minota S: Effective and safe administration of tocilizumab to a patient with rheumatoid arthritis on haemodialysis. *Rheumatol Int*;31: 559-560,2011.

30 Iwamoto M, Minota S: Successful treatment with very low-dose etanercept in a patient with etanercept-induced liver dysfunction. *Rheumatol Int*;31:561-562,2011.

31 Iwazu Y, Akimoto T, Muto S, Kusano E: Clinical remission of henoch-schonlein purpura nephritis after a monotherapeutic tonsillectomy. *Clin Exp Nephrol*;15:132-135,2011.

32 Iwazu Y, Muto S, Hirahara I, Fujisawa G, Takeda S, Kusano E: Matrix metalloproteinase 2 induces epithelial-mesenchymal transition in proximal tubules from the luminal side and progresses fibrosis in mineralocorticoid/salt-induced hypertensive rats. *J Hypertens*;29:2440-2453,2011.

- 33 Izumi M, Suzuki K, Sakamoto T, Hayashi M: Advantages and limitations of antihypertensive treatment for stroke risk in a general population: the Akita Stroke Registry. *Acta Cardiol*;66:729-735,2011.
- 34 Izumi M, Teraoka S, Yamashita K, Matsumoto K, Muronoi T, Izawa Y, Yonekawa C, Ano M, Suzukawa M.: Successful management of aortic thrombi resulted in spinal cord infarction in a patient with antiphospholipid antibody syndrome (APS) during hospital course of acute cholecystitis. *Int Med Case Rep J*;4:93-96,2011.
- 35 Kabutoya T, Mitsuhashi T, WatanabeT, Nakagami R, Hata Y, Shimada K, Kario K: The relationship between optimization for cardiac resynchronization therapy by measurement of dp/dt and the middle-to-long-term prognosis of heart failure patients. *J Arrhythmia*;27: 208-213, 2011.
- 36 Kamata Y, Iwamoto M, Muroi K, Minota S: Repeated local implantation of autologous peripheral blood mononuclear cells for the treatment of ischaemic digits in patients with connective tissue diseases. *Rheumatology (Oxford)*;50:906-910,2011.
- 37 Kamata Y, Takeda K, Nakata M, Minota, S.: Multiple arterial microaneurysms in polyarteritis nodosa. *BMJ*;343:d6854,2011.
- 38 Kario K: Are melatonin and its receptor agonist specific antihypertensive modulators of resistant hypertension caused by disrupted circadian rhythm? *J Am Soc Hypertens*;5:354-358, 2011.
- 39 Kario K, Nishizawa M, Hoshide S, Shimpo M, Ishibashi Y, Kunii O, Shibuya K: Development of a disaster cardiovascular prevention network. *Lancet*;378:1125-1127,2011.
- 40 Kario K, Yano Y, Matsuo T, Hoshide S, Asada Y, Shimada K: Morning blood pressure surge, morning platelet aggregation, and silent cerebral infarction in older Japanese hypertensive patients. *J Hypertens*;29:2433-2439,2011.
- 41 Kario K, Yano Y, Matsuo T, Hoshide S, Eguchi K, Shimada K: Additional impact of morning haemostatic risk factors and morning blood pressure surge on stroke risk in older Japanese hypertensive patients. *Eur Heart J*;32:574-580,2011.
- 42 Kawaguchi M, Takahashi M, Hata T, Kashima Y, Usui F, Morimoto H, Izawa A, Takahashi Y, Masumoto J, Koyama J, Hongo M, Noda T, Nakayama J, Sagara J, Taniguchi S, Ikeda U: Inflamasome activation of cardiac fibroblasts is essential for myocardial ischemia/reperfusion injury. *Circulation*;123:594-604,2011.
- 43 Kawano H, Yamamoto H, Miyata S, Izumi M, Hirano T, Toratani N, Kakutani I, Sheppard JA, Warkentin TE, Kada A, Sato S, Okamoto S, Nagatsuka K, Naritomi H, Toyoda K,

Uchino M, Minematsu K: Prospective multicentre cohort study of heparin-induced thrombocytopenia in acute ischaemic stroke patients. Br J Haematol;154:378-386,2011.

44 Kazama I, Muto S, Inoue M, Fukui T, Kotoda A, Takemura K, Kimura T, Ishikawa N, Yagisawa T, Yumura W, Kusano E: Accelerated recovery from candida peritonitis of enteric origin by early surgical drainage in a peritoneal dialysis patient. Clin Exp Nephrol;15:957-961, 2011.

45 Kenzaka T, Shimoshikiryō M, Kitao A, Kario K, Hashimoto M: Positron emission tomography scan can be a reassuring tool to treat difficult cases of infective endocarditis. J Nucl Cardiol;18:741-743,2011.

46 Kinugasa S, Tojo A, Sakai T, Tsumura H, Takahashi M, Hirata Y, Fujita T: Selective albuminuria via podocyte albumin transport in puromycin nephrotic rats is attenuated by an inhibitor of nadph oxidase. Kidney Int;80:1328-1338,2011.

47 Kobayashi Y, Sakamaki H, Fujisawa S, Ando K, Yamamoto K, Okada M, Ishizawa K, Nagai T, Miyawaki S, Motoji T, Usui N, Iida S, Taniwaki M, Uoshima N, Seriu T, Ohno R: Lack of non-hematological cross intolerance of dasatinib to imatinib in imatinib-intolerant patients with philadelphia chromosome positive chronic myeloid leukemia or acute lymphatic leukemia: A retrospective safety analysis. Int J Hematol;93:745-749,2011.

48 Koga M, Kimura K, Shibasaki K, Shiokawa Y, Nakagawara J, Furui E, Yamagami H, Okada Y, Hasegawa Y, Kario K, Okuda S, Naganuma M, Nezu T, Maeda K, Minematsu K, Toyoda K: Chads2 score is associated with 3-month clinical outcomes after intravenous rt-pa therapy in stroke patients with atrial fibrillation: Samurai rt-pa registry. J Neurol Sci;306:49-53, 2011.

49 Koga M, Shiokawa Y, Nakagawara J, Furui E, Kimura K, Yamagami H, Okada Y, Hasegawa Y, Kario K, Okuda S, Endo K, Miyagi T, Osaki M, Minematsu K, Toyoda K: Low-dose intravenous recombinant tissue-type plasminogen activator therapy for patients with stroke outside european indications: Stroke acute management with urgent risk-factor assessment and improvement (Samurai) rtpa registry. Stroke;43:253-255,2011.

50 Kotoda A, Akimoto T, Kato M, Kanazawa H, Nakata M, Sugase T, Ogura M, Ito C, Sugimoto H, Muto S, Kusano E: Central venous stenosis among hemodialysis patients is often not associated with previous central venous catheters. ASAIO J;57:439-443,2011.

51 Maeda K, Koga M, Okada Y, Kimura K, Yamagami H, Okuda S, Hasegawa Y, Shiokawa Y, Furui E, Nakagawara J, Kario K, Nezu T, Minematsu K, Toyoda K: Nationwide survey of neuro-specialists' opinions on anticoagulant therapy after intracerebral hemorrhage in patients with atrial fibrillation. J Neurol Sci;312:82-85,2011.

- 52 Masuda T, Murata M, Honma S, Iwazu Y, Sasaki N, Ogura M, Onishi A, Ando Y, Muto S, Shimada K, Kario K, Kusano E, Asano Y: Sleep-disordered breathing predicts cardiovascular events and mortality in hemodialysis patients. *Nephrol Dial Transplant*;26:2289-2295,2011.
- 53 Matsubara S, Isoda N, Taniguchi N: Jaundice as the first manifestation of primary biliary cirrhosis during pregnancy: Measurement of portal vein blood flow. *J Obstet Gynaecol Res*;37:963-964,2011.
- 54 Matsui Y, Eguchi K, Ishikawa J, Shimada K, Kario K: Urinary albumin excretion during angiotensin ii receptor blockade: Comparison of combination treatment with a diuretic or a calcium-channel blocker. *Am J Hypertens*;24:466-473,2011.
- 55 Matsui Y, Eguchi K, O'Rourke MF, Ishikawa J, Shimada K, Kario K: Association between aldosterone induced by antihypertensive medication and arterial stiffness reduction: The j-core study. *Atherosclerosis*;215:184-188,2011.
- 56 Matsui Y, Ishikawa J, Eguchi K, Shibasaki S, Shimada K, Kario K: Maximum value of home blood pressure: A novel indicator of target organ damage in hypertension. *Hypertension*;57:1087-1093,2011.
- 57 Matsui Y, Ishikawa J, Shibasaki S, Shimada K, Kario K: Association between home arterial stiffness index and target organ damage in hypertension: Comparison with pulse wave velocity and augmentation index. *Atherosclerosis*;219:637-642,2011.
- 58 Matsuoka H, Ando K, Ueshima K, Babazono T, Kario K, Tanaka S, Nakao K, Fujita T: Design and rationale of the study of assessment for kidney function by urinary microalbumin in randomized (Sakura) trial. *Clin Exp Hypertens*;33:455-462,2011.
- 59 Matsuyama Y, Nagashima T, Honne K, Kamata Y, Iwamoto M, Okazaki H, Sato K, Ozawa K, Minota S: Successful treatment of a patient with rheumatoid arthritis and IgA-kappa multiple myeloma with tocilizumab. *Intern Med*;50:639-642,2011.
- 60 Meguro A, Ozaki K, Hatanaka K, Oh I, Sudo K, Ohmori T, Matsu H, Tatara R, Sato K, Sakata Y, Nakae S, Leonard WJ, Ozawa K: Lack of IL-21 signal attenuates graft-versus-leukemia effect in the absence of CD8 T-cells. *Bone Marrow Transplant*;46:1557-1565,2011.
- 61 Miura S, Sugano K, Kinoshita Y, Fock KM, Goh KL, Gibson P: Diagnosis and treatment of functional gastrointestinal disorders in the Asia-Pacific region: A survey of current practices. *J Gastroenterol Hepatol*;26 Suppl 3:2-11,2011.
- 62 Miyamoto M, Miyamoto T, Iwanami M, Muramatsu S, Asari S, Nakano I, Hirata K: Preclinical substantia nigra dysfunction in rapid eye movement sleep behaviour disorder. *Sleep Med*;13:102-106,2011.

- 63 Miyawaki S, Ohtake S, Fujisawa S, Kiyo H, Shinagawa K, Usui N, Sakura T, Miyamura K, Nakaseko C, Miyazaki Y, Fujieda A, Nagai T, Yamane T, Taniwaki M, Takahashi M, Yagasaki F, Kimura Y, Asou N, Sakamaki H, Handa H, Honda S, Ohnishi K, Naoe T, Ohno R: A randomized comparison of 4 courses of standard-dose multiagent chemotherapy versus 3 courses of high-dose cytarabine alone in postremission therapy for acute myeloid leukemia in adults: The jalsg aml201 study. *Blood*;117:2366-2372,2011.
- 64 Mizushina Y, Bando M, Hosono T, Mato N, Nakaya T, Ishii Y, Yamasawa H, Sugiyama Y: Clinical features of lymphangioleiomyomatosis complicated by renal angiomyolipomas. *Intern Med*;50:285-289,2011.
- 65 Morishita Y, Hanawa S, Chinda J, Iimura O, Tsunematsu S, Kusano E: Effects of aliskiren on blood pressure and the predictive biomarkers for cardiovascular disease in hemodialysis-dependent chronic kidney disease patients with hypertension. *Hypertens Res*;34:308-313,2011.
- 66 Morishita Y, Hanawa S, Miki T, Sugase T, Sugaya Y, Chinda J, Iimura O, Tsunematsu S, Ishibashi K, Kusano E: The association of plasma prorenin level with an oxidative stress marker, 8-ohdg, in nondiabetic hemodialysis patients. *Clin Exp Nephrol*;15:398-404,2011.
- 67 Morishita Y, Onishi A, Watanabe M, Ishibashi K, Kusano E: Establishment of acute kidney injury mouse model by 0.75% adenine ingestion. *Ren Fail*;33:1013-1018,2011.
- 68 Morishita Y, Watanabe M, Nakazawa E, Ishibashi K, Kusano E: The interaction of LFA-1 on mononuclear cells and ICAM-1 on tubular epithelial cells accelerates TGF-beta1-induced renal epithelial-mesenchymal transition. *PLoS One*;6:e23267,2011.
- 69 Motoki H, Koyama J, Tomita T, Aizawa K, Kasai H, Koshikawa M, Izawa A, Kumazaki S, Takahashi M, Ikeda U: Transient pseudorestrictive pattern of transmitral flow velocity curve in patients with paroxysmal atrial fibrillation. *Echocardiography*;28:289-297,2011.
- 70 Mutoh H, Sashikawa M, Sugano K: Sox2 expression is maintained while gastric phenotype is completely lost in Cdx2-induced intestinal metaplastic mucosa. *Differentiation*;81:92-98,2011.
- 71 Nagai M, Hoshide S, Ishikawa J, Shimada K, Kario K: Visit-to-visit blood pressure variations: New independent determinants for carotid artery measures in the elderly at high risk of cardiovascular disease. *J Am Soc Hypertens*;5:184-192,2011.
- 72 Nagai M, Hoshide S, Kario K: Visit-to-visit blood pressure variability and carotid artery atherosclerosis: Heart rate was not a confounder. *Hypertension*;58:e16,2011.
- 73 Nagai M, Kario K: Chronic kidney disease, 24-h blood pressure burden and their effects on silent cerebral injury and cognitive impairment: Might age serve as a modulator? *Hypertens*

- 74 Naganuma M, Koga M, Shiokawa Y, Nakagawara J, Furui E, Kimura K, Yamagami H, Okada Y, Hasegawa Y, Kario K, Okuda S, Nishiyama K, Minematsu K, Toyoda K: Reduced estimated glomerular filtration rate is associated with stroke outcome after intravenous rt-pa: The stroke acute management with urgent risk-factor assessment and improvement (samurai) rt-pa registry. *Cerebrovasc Dis*;31:123-129,2011.
- 75 Nagashima S, Yagyu H, Takahashi N, Kurashina T, Takahashi M, Tsuchita T, Tazoe F, Wang XL, Bayasgalan T, Sato N, Okada K, Nagasaka S, Gotoh T, Kojima M, Hyodo M, Horie H, Hosoya Y, Okada M, Yasuda Y, Fujiwara H, Ohwada M, Iwamoto S, Suzuki M, Nagai H, Ishibashi S: Depot-specific expression of lipolytic genes in human adipose tissues--association among CES1 expression, triglyceride lipase activity and adiposity. *J Atheroscler Thromb*; 18:190-199,2011.
- 76 Nagashima T, Iwamoto M, Minota S: Antisynthetase syndrome associated with long-standing rheumatoid arthritis. *Rheumatol Int*;31:705-706,2011.
- 77 Nagashima T, Iwamoto M, Minota S: Moderate incidence of prior rheumatoid arthritis in patients with polymyositis and dermatomyositis. *Clin Rheumatol*;30:875-876,2011.
- 78 Nagashima T, Minota S: Dermatomyositis in patients with rheumatoid arthritis during adalimumab therapy. *J Rheumatol*;38:574; author reply 575,2011.
- 79 Nagashima T, Minota S: Comment on: Usefulness of anti-cyclic citrullinated peptide antibody and rheumatoid factor to detect rheumatoid arthritis in patients with systemic sclerosis. *Rheumatology (Oxford)*;50:994-996,2011.
- 80 Nakamae H, Shibayama H, Kurokawa M, Fukuda T, Nakaseko C, Kanda Y, Nagai T, Ohnishi K, Maeda Y, Matsuda A, Amagasaki T, Yanada M: Nilotinib as frontline therapy for patients with newly diagnosed ph+ chronic myeloid leukemia in chronic phase: Results from the Japanese subgroup of enestnd. *Int J Hematol*;93:624-632,2011.
- 81 Nezu T, Koga M, Nakagawara J, Shiokawa Y, Yamagami H, Furui E, Kimura K, Hasegawa Y, Okada Y, Okuda S, Kario K, Naganuma M, Maeda K, Minematsu K, Toyoda K: Early ischemic change on ct versus diffusion-weighted imaging for patients with stroke receiving intravenous recombinant tissue-type plasminogen activator therapy: Stroke acute management with urgent risk-factor assessment and improvement (Samurai) rt-PA registry. *Stroke*; 42:2196-2200,2011.
- 82 Nishimura N, Yamamoto H, Yano T, Hayashi Y, Sato H, Miura Y, Shinhata H, Sunada K, Sugano K: Balloon dilation when using double-balloon enteroscopy for small-bowel strictures associated with ischemic enteritis. *Gastrointest Endosc*;74:1157-1161,2011.

- 83 Numata A, Akimoto T, Toshima M, Iwazu Y, Otani N, Miki T, Sugase T, Saito O, Hamano Y, Takemoto F, Ueda Y, Muto S, Kusano E: Membranous nephropathy in an HIV-positive patient complicated with hepatitis B virus infection. *Clin Exp Nephrol*; 15:769-773,2011.
- 84 Ohmine K, Li Y, Bauer TR, Jr., Hickstein DD, Russell DW: Tracking of specific integrant clones in dogs treated with foamy virus vectors. *Hum Gene Ther*;22:217-224,2011.
- 85 Ohshiro T, Matsuda D, Sakai K, Degirolamo C, Yagyu H, Rudel LL, Omura S, Ishibashi S, Tomoda H: Pyripyropene a, an acyl-coenzyme a: Cholesterol acyltransferase 2-selective inhibitor, attenuates hypercholesterolemia and atherosclerosis in murine models of hyperlipidemia. *Arterioscler Thromb Vasc Biol*;31:1108-1115,2011.
- 86 Ohta K, Sekiya M, Uozaki H, Igarashi M, Takase S, Kumagai M, Takanashi M, Takeuchi Y, Izumida Y, Kubota M, Nishi M, Okazaki H, Iizuka Y, Yahagi N, Yagyu H, Fukayama M, Kadowaki T, Ohashi K, Ishibashi S, Osuga J: Abrogation of neutral cholesterol ester hydrolytic activity causes adrenal enlargement. *Biochem Biophys Res Commun*;404:254-260, 2011.
- 87 Otake S, Miyawaki S, Fujita H, Kiyo H, Shinagawa K, Usui N, Okumura H, Miyamura K, Nakaseko C, Miyazaki Y, Fujieda A, Nagai T, Yamane T, Taniwaki M, Takahashi M, Yagasaki F, Kimura Y, Asou N, Sakamaki H, Handa H, Honda S, Ohnishi K, Naoe T, Ohno R: Randomized study of induction therapy comparing standard-dose idarubicin with high-dose daunorubicin in adult patients with previously untreated acute myeloid leukemia: The jalsg aml201 study. *Blood*;117:2358-2365,2011.
- 88 Okada K, Miyamoto M, Kotani K, Yagyu H, Osuga J, Nagasaka S, Ishibashi S: Urinary protein as a marker for systolic blood pressure reduction in patients with type 2 diabetes mellitus participating in an in-hospital diabetes education program. *Hosp Pract (Minneap)*;39:70-75, 2011.
- 89 Origasa H, Goto S, Shimada K, Uchiyama S, Okada Y, Sugano K, Hiraishi H, Uemura N, Ikeda Y: Prospective cohort study of gastrointestinal complications and vascular diseases in patients taking aspirin: Rationale and design of the magic study. *Cardiovasc Drugs Ther*;25:551-560,2011.
- 90 Saito O, Saito T, Asakura S, Sugase T, Ito C, Ando Y, Muto S, Kusano E: The effects of raloxifene on bone turnover markers and bone mineral density in women on maintenance hemodialysis. *Clin Exp Nephrol*;15:126-131,2011.
- 91 Saito O, Yanaka Y, Saito T, Takeda S, Ito C, Sasaki N, Ando Y, Kusano E: Changes in serum osteoprotegerin and bone turnover markers in type 2 diabetic hemodialysis patients. *Jichi Med Univ J*;34:91-99,2011.

- 92 Saito Y, Kondo H, Hojo Y: Granzyme B as a novel factor involved in cardiovascular diseases. *J Cardiol*;57:141-147,2011.
- 93 Sakamoto H, Mutoh H, Hayakawa H, Sashikawa M, Sugano K: Cell lineage dynamics in the process leading to intestinal metaplasia. *J Gastroenterol*;46:620-628,2011.
- 94 Sakamoto H, Yamamoto H, Hayashi Y, Yano T, Miyata T, Nishimura N, Shinhata H, Sato H, Sunada K, Sugano K: Nonsurgical management of small-bowel polyps in Peutz-Jeghers syndrome with extensive polypectomy by using double-balloon endoscopy. *Gastrointest Endosc*;74:328-333,2011.
- 95 Sakata T, Kario K: Antiplatelet therapy effectively reduces plasma plasminogen activator inhibitor-1 levels. *Atherosclerosis*;214:490-491,2011.
- 96 Sakoda H, Ito S, Kanda H, Fujishiro M, Osuga J, Tsukamoto K, Ueki K, Kadokami T: Association between type 1 diabetes mellitus and remitting seronegative symmetrical synovitis with pitting edema: A case report. *Diabetes Res Clin Pract*;91:e43-44,2011.
- 97 Sanada Y, Mizuta K, Yano T, Hatanaka H, Okada N, Wakita T, Umehara M, Egami S, Urahashi T, Hishikawa S, Fujiwara T, Sakuma Y, Hyodo M, Yamamoto H, Yasuda Y, Kawarasaki H: Double-balloon enteroscopy for bilioenteric anastomotic stricture after pediatric living donor liver transplantation. *Transpl Int*;24:85-90,2011.
- 98 Sashikawa Kimura M, Mutoh H, Sugano K: Sox9 is expressed in normal stomach, intestinal metaplasia, and gastric carcinoma in humans. *J Gastroenterol*;46:1292-1299,2011.
- 99 Sato Y, Sato H, Naka K, Furuya S, Tsukiji H, Kitagawa K, Sonoda Y, Usui T, Sakamoto H, Yoshino S, Shimizu Y, Takahashi M, Nagashima S, Jirintai, Nishizawa T, Okamoto H: A nationwide survey of hepatitis E virus (hev) infection in wild boars in Japan: Identification of boar hev strains of genotypes 3 and 4 and unrecognized genotypes. *Arch Virol*;156:1345-1358,2011.
- 100 Sekine H, Shimizu T, Dobashi I, Matsuura K, Hagiwara N, Takahashi M, Kobayashi E, Yamato M, Okano T: Cardiac cell sheet transplantation improves damaged heart function via superior cell survival in comparison with dissociated cell injection. *Tissue Eng Part A*;17:2973-2980,2011.
- 101 Sekiya M, Osuga J, Igarashi M, Okazaki H, Ishibashi S: The role of neutral cholesterol ester hydrolysis in macrophage foam cells. *J Atheroscler Thromb*;18:359-364,2011.
- 102 Shiizaki K, Hatamura I, Mato M, Nakazawa E, Saji F, Onishi A, Ogura M, Watanabe Y, Kusano E: Development and prevention of morphologic and ultrastructural changes in uremia-induced hyperplastic parathyroid gland. *Ultrastruct Pathol*;35:230-238,2011.

- 103 Shimada K, Kario K: Preface - 12th Japanese annual conference on chronocardiology and hypertension. Clin Exp Hypertens;33:209,2011.
- 104 Shimizu M, Ishikawa J, Yano Y, Hoshide S, Shimada K, Kario K: The relationship between the morning blood pressure surge and low-grade inflammation on silent cerebral infarct and clinical stroke events. Atherosclerosis;219:316-321,2011.
- 105 Shirasaki O, Kuwabara M, Saito M, Tagami K, Washiya S, Kario K: Development and clinical application of a new technique for detecting 'sleep blood pressure surges' in sleep apnea patients based on a variable desaturation threshold. Hypertens Res;34:922-928,2011.
- 106 Sone H, Tanaka S, Iimuro S, Oida K, Yamasaki Y, Oikawa S, Ishibashi S, Katayama S, Ohashi Y, Akanuma Y, Yamada N: Serum level of triglycerides is a potent risk factor comparable to ldl cholesterol for coronary heart disease in Japanese patients with type 2 diabetes: Subanalysis of the Japan diabetes complications study (jdc). J Clin Endocrinol Metab; 96:3448-3456,2011.
- 107 Sugano K: Should we Still Subcategorize *helicobacter pylori*-associated Dyspepsia as Functional Disease? J Neurogastroenterol Motil;17:366-371,2011.
- 108 Sugano K, Matsumoto Y, Itabashi T, Abe S, Sakaki N, Ashida K, Mizokami Y, Chiba T, Matsui S, Kanto T, Shimada K, Uchiyama S, Uemura N, Hiramatsu N: Lansoprazole for secondary prevention of gastric or duodenal ulcers associated with long-term low-dose aspirin therapy: Results of a prospective, multicenter, double-blind, randomized, double-dummy, active-controlled trial. J Gastroenterol;46:724-735,2011.
- 109 Sugase T, Saito O, Saito T, Akimoto T, Inoue M, Ando Y, Takemoto F, Kusano E: Adult onset of C1q nephropathy manifesting only as microhematuria. Jichi Med University J;34: 161-167,2011.
- 110 Sung JJ, Chan FK, Chen M, Ching JY, Ho KY, Kachintorn U, Kim N, Lau JY, Menon J, Rani AA, Reddy N, Sollano J, Sugano K, Tsui KK, Wu CY, Yeomans N, Vakil N, Goh KL: Asia-Pacific Working Group consensus on non-variceal upper gastrointestinal bleeding. Gut;60:1170-1177,2011.
- 111 Suzuki K, Izumi M, Sakamoto T, Hayashi M: Blood pressure and total cholesterol level are critical risks especially for hemorrhagic stroke in Akita, Japan. Cerebrovasc Dis;31: 100-106,2011.
- 112 Takahashi S, Ito T, Zenimaru Y, Suzuki J, Miyamori I, Takahashi M, Ishida T, Hirata K, Yamamoto TT, Iwasaki T, Hattori H, Shiomi M: Species differences of macrophage very low-density-lipoprotein (vldl) receptor protein expression. Biochem Biophys Res Commun; 407:656-662,2011.

- 113 Tamada K, Ushio J, Sugano K: Endoscopic diagnosis of extrahepatic bile duct carcinoma: Advances and current limitations. *World J Clin Oncol*;2:203-216,2011.
- 114 Taniguchi H, Kondoh Y, Ebina M, Azuma A, Ogura T, Taguchi Y, Suga M, Takahashi H, Nakata K, Sato A, Sugiyama Y, Kudoh S, Nukiwa T: The clinical significance of 5% change in vital capacity in patients with idiopathic pulmonary fibrosis: Extended analysis of the pirfenidone trial. *Respir Res*;12:93,2011.
- 115 Tatara R, Ozaki K, Kikuchi Y, Hatanaka K, Oh I, Meguro A, Matsu H, Sato K, Ozawa K: Mesenchymal stromal cells inhibit th17 but not regulatory t-cell differentiation. *Cytotherapy*;13:686-694,2011.
- 116 Togashi K, Sunada K, Yoshida N, Hewett DG, Yamamoto H: Flexible spectral-imaging color enhancement: Optimized settings for polyp detection? *Gastrointest Endosc*;74:940,2011.
- 117 Tokuoka H, Muramatsu S, Sumi-Ichinose C, Sakane H, Kojima M, Aso Y, Nomura T, Metzger D, Ichinose H: Compensatory regulation of dopamine after ablation of the tyrosine hydroxylase gene in the nigrostriatal projection. *J Biol Chem*;286:43549-43558,2011.
- 118 Umegaki H, Haimoto H, Hoshide S, Kario K: Strong association between insulin resistance with urinary albumin excretion in older adults. *J Am Geriatr Soc*;59:1361-1362.
- 119 Uto T, Bando M, Yamauchi H, Nakayama M, Ohata M, Mato N, Nakaya T, Yamasawa H, Kawai T, Sugiyama Y: Primary cardiac angiosarcoma of the right auricle with difficult-to-treat bilateral pleural effusion. *Intern Med*;50:2371-2374,2011.
- 120 Vongpatanasin W, Kario K, Atlas SA, Victor RG: Central sympatholytic drugs. *J Clin Hypertens (Greenwich)*;13:658-661,2011.
- 121 Wang JG, Kario K, Lau T, Wei YQ, Park CG, Kim CH, Huang J, Zhang W, Li Y, Yan P, Hu D: Use of dihydropyridine calcium channel blockers in the management of hypertension in Eastern Asians: A scientific statement from the Asian Pacific Heart Association. *Hypertens Res*;34:423-430,2011.
- 122 Wang XL, Osuga J, Tazoe F, Okada K, Nagashima S, Takahashi M, Ohshiro T, Bayasgalan T, Yagyu H, Ishibashi S: Molecular analysis of a novel lcat mutation (gly179 --> arg) found in a patient with complete lcat deficiency. *J Atheroscler Thromb*;18:713-719,2011.
- 123 Watanabe N, Fukushima M, Taniguchi A, Okumura T, Nomura Y, Nishimura F, Aoyama S, Yabe D, Izumi Y, Ohtsubo R, Nakai Y, Nagasaka S: Smoking, white blood cell counts, and TNF system activity in Japanese male subjects with normal glucose tolerance. *Tob Induc Dis*;9:12,2011.
- 124 Yagi H, Ogura T, Mizukami H, Urabe M, Hamada H, Yoshikawa H, Ozawa K, Kume A:

Complete restoration of phenylalanine oxidation in phenylketonuria mouse by a self-complementary adeno-associated virus vector. *J Gene Med*;13:114-122,2011.

125 Yagyu H, Okada K, Sato S, Yamashita Y, Okada N, Osuga J, Nagasaka S, Sugano K, Ishibashi S: Pegylated interferon-alpha2b and ribavirin combination therapy induces hashitoxicosis followed by type 1 diabetes mellitus. *Diabetes Res Clin Pract*;95:e52-54,2011.

126 Yamaguchi A, Murakami T, Takahashi M, Kobayashi E, Sugawara Y: Luminescence imaging of regenerating free bone graft in rats. *Plast Reconstr Surg*;127:78-87,2011.

127 Yamamoto H, Osawa H: Endoscopic submucosal dissection using small-caliber-tip transparent hood and sodium hyaluronate. *Techniques in Gastrointestinal Endoscopy*;13:79-83, 2011.

128 Yano T,Yamamoto H,Sunada K,Miura Y,Taguchi H,Arashiro M,Yoshizawa M,Hayashi Y,Miyata T,Tanaka H,Kobayashi E, Sugano K: New technique for direct percutaneous endoscopic jejunostomy using double-balloon endoscopy and magnetic anchors in a porcine model. *Dig Endosc*;23:206,2011.

129 Yano Y, Haimoto H, Hoshide S, Kabutoya T, Eguchi K, Kario K: Evening heart rate measured at home is associated with visceral obesity and abnormal fat distribution in patients with hypertension. *Am J Hypertens*;24:783-788,2011.

130 Yano Y, Hoshide S, Etoh T, Tamaki N, Yokota N, Kario K: Synergistic effect of chronic kidney disease and high circulatory norepinephrine level on stroke risk in Japanese hypertensive patients. *Atherosclerosis*;219:273-279,2011.

131 Yano Y, Hoshide S, Shimizu M, Eguchi K, Ishikawa J, Ishikawa S, Shimada K, Kario K: Association of home and ambulatory blood pressure changes with changes in cardiovascular biomarkers during antihypertensive treatment. *Am J Hypertens*;25:306-312,2011.

132 Yano Y, Hoshide S, Tamaki N, Inokuchi T, Nagata M, Yokota N, Hidaka T, Kanemaru Y, Matsuda S, Kuwabara M, Shimada K, Kario K: Regional differences in hypertensive cardiovascular remodeling between fishing and farming communities in Japan. *Am J Hypertens*;24:437-443,2011.

133 Yano Y, Hoshide S, Tamaki N, Nagata M, Sasaki K, Kanemaru Y, Shimada K, Kario K: Efficacy of eplerenone added to renin-angiotensin blockade in elderly hypertensive patients: The jichi-eplerenone treatment (JET) study. *J Renin Angiotensin Aldosterone Syst*;12:340-347,2011.

134 Yano Y, Inokuchi T, Hoshide S, Kanemaru Y, Shimada K, Kario K: Association of poor physical function and cognitive dysfunction with high nocturnal blood pressure level in treated elderly hypertensive patients. *Am J Hypertens*;24:285-291,2011.

- 135 Yano Y, Kario K: The risk of cold temperature: An important aspect of the determination of morning blood pressure surge. *Hypertens Res*;34:36-38,2011.
- 136 Yoshida I, Ando K, Ando Y, Ookawara S, Suzuki M, Furuya H, Iimura O, Takada D, Kajiya M, Komada T, Mori H, Tabei K: A new device to monitor blood volume in hemodialysis patients. *Ther Apher Dial*;14:560-565,2011.
- 137 Yoshida K, Nagai T, Ohmine K, Uesawa M, Sripathy P, Ishida Y, Ozawa K: Vincristine potentiates the anti-proliferative effect of an aurora kinase inhibitor, ve-465, in myeloid leukemia cells. *Biochem Pharmacol*;82:1884-1890,2011.
- 138 Yoshida T, Sasaki M, Yoshida M, Namekawa M, Okamoto Y, Tsujino S, Sasayama H, Mizuta I, Nakagawa M: Nationwide survey of Alexander disease in Japan and proposed new guidelines for diagnosis. *J Neurol*;258:1998-2008,2011.
- 139 Yoshida T, Sato K, Ozaki K, Matsuyama T, Ozawa K: Bone involvement in a patient with Hodgkin lymphoma producing granulocyte colony stimulating factor: Pet imaging. *Br J Haematol*;154:424,2011.
- 140 Yoshizawa H, Akimoto T, Nishino K, Inoue M, Ito C, Takeda S, Kotoda A, Tamba K, Yumura W, Muto S, Ueda Y, Kusano E: Nephrotic syndrome and renal failure in a patient with metastatic breast cancer. *Clin Exp Nephrol*;15:567-571,2011.
- 141 Zhang D, Kobayashi T, Kojima T, Kanenishi K, Hagiwara Y, Abe M, Okura H, Hamano Y, Sun G, Maeda M, Jishage K, Noda T, Hino O: Deficiency of the Erc/mesothelin gene ameliorates renal carcinogenesis in Tsc2 knockout mice. *Cancer Sci*;102:720-727,2011.