

内科学英文論文業績(2012)

1. Agréus L, Kuipers EJ, Kupcinskis L, Malfertheiner P, Di Mario F, Leja M, Mahachai V, Yaron N, van Oijen M, Perez Perez G, Rugge M, Ronkainen J, Salaspuro M, Sipponen P, Sugano K, Sung J : Rationale in diagnosis and screening of atrophic gastritis with stomach-specific plasma biomarkers. *Scand J Gastroenterol* ; 47:136-147,2012.
2. Akimoto T, Shiizaki K, Sugase T, Watanabe Y, Yoshizawa H, Otani N, Numata A, Takeshima E, Yamazaki T, Miki T, Ito C, Pastor J.V, Iwazu Y, Saito O, Muto S, Kuro-o M, Kusano E : The relationship between the soluble Klotho protein and the residual renal function among peritoneal dialysis patients. *Clin Exp Nephrol* ; 16:442-7,2012.
3. Akimoto T, Yoshizawa H, Watanabe Y, Numata A, Yamazaki T, Takeshima E, Iwazu K, Komada T, Otani N, Morishita Y, Ito C, Shiizaki K, Ando Y, Muto S, Kuroo M, Kusano E : Characteristics of urinary and serum soluble Klotho protein in patients with different degrees of chronic kidney disease. *BMC Nephrol* ; 13:155,2012.
4. Akita S, Kubota K, Kobayashi A, Misawa R, Shimizu A, Nakata T, Yokoyama T, Takahashi M, Miyagawa S : Role of bone marrow cells in the development of pancreatic fibrosis in a rat model of pancreatitis induced by a choline-deficient/ethionone-supplemented diet. *Biochem Biophys Res Commun* ; 420:743-9,2012.
5. Arai M, Katai S, Muramatsu S, Namiki T, Hanawa T, Izumi S : Current status of Kampo medicine curricula in all Japanese medical schools. *BMC Complement Altern Med* ; 12:207,2012.
6. Azuma M, Koyama D, Kikuchi J, Yoshizawa H, Thasinas D, Shiizaki K, Kuroo M, Furukawa Y, Kusano E : Promoter methylation confers kidney-specific expression of the Klotho gene. *FASEB J* ; 26:4264-74,2012.
7. Bando M, Miyazawa T, Shinohara H, Owada T, Terakado M, Sugiyama Y : An epidemiological study of the effects of statin use on airflow limitation in patients with chronic obstructive pulmonary disease. *Respirology* ; 17:493-8,2012.

8. Chan FK, Goto S, Wu MS, Abola MT, Yeoh KG, Sutrisna B, Chua SS, Mahachai V, Turajane T, Wu B, Zeng QY, Sugano K : Burden of nonsteroidal anti-inflammatory and antiplatelet drug use in Asia:a multidisciplinary working party report. *Clin Gastroenterol Hepatol* ; 10:753-760,2012.
9. Eguchi K, Hoshide S, Ishikawa S, Shimada K, Kario K : Aggressive blood pressure-lowering therapy guided by home blood pressure monitoring improves target organ damage in hypertensive patients with type 2 diabetes/prediabetes. *J Clin Hypertens (Greenwich)* ; 14:422-8,2012.
10. Eguchi K, Hoshide S, Ishikawa S, Shimada K, Kario K : Short sleep duration and type 2 diabetes enhance the risk of cardiovascular events in hypertensive patients. *Diabetes Res Clin Pract* ; 98:518-523,2012.
11. Eguchi K, Hoshide S, Schwartz JE, Shimada K, Kario K : Visit-to-visit and ambulatory blood pressure variability as predictors of incident cardiovascular events in patients with hypertension. *Am J Hypertens* ; 25:962-8,2012.
12. Eguchi K, Kario K : Ambulatory versus home versus clinic blood pressure. *Hypertension* ; 59:e25,2012.
13. Eguchi K, Kuruvilla S, Ishikawa J, Schwartz JE, Pickering TG : A novel and simple protocol for the validation of home blood pressure monitors in clinical practice. *Blood Press Monit* ; 17:210-3,2012.
14. Eguchi K, Shimizu M, Hoshide S, Shimada K, Kario K : A bedtime dose of ARB was better than a morning dose in improving baroreflex sensitivity and urinary albumin excretion—the J-TOP study. *Clin Exp Hypertens* ; 34:488-492,2012.
15. Fujii Y, Yoshihashi K, Suzuki H, Tsutsumi S, Mutoh H, Maeda S, Yamagata Y, Seto Y, Aburatani H, Hatakeyama M : CDX1 confers intestinal phenotype on gastric epithelial cells via induction of stemness-associated reprogramming factors SALL4 and KLF5. *Proc Natl Acad Sci U S A* ; 109:20584-9,2012.
16. Fukutomi M, Hoshide S, Eguchi K, Watanabe T, Shimada K, Kario K :

Differential effects of strict blood pressure lowering by losartan/hydrochlorothiazide combination therapy and high-dose amlodipine monotherapy on microalbuminuria. the ALPHABET study. *J Am Soc Hypertens* ; 6:73-82,2012.

17. Haga R, Miki Y, Funamizu Y, Kon T, Suzuki C, Ueno T, Nishijima H, Arai A, Tomiyama M, Shimazaki H, Takiyama Y, Baba M : Novel compound heterozygous mutations of the SACS gene in autosomal recessive spastic ataxia of Charlevoix-Saguenay. *Clin Neurol Neurosurg* ; 114:746-7,2012.
18. Hamano Y, Yoshizawa H, Sugase T, Miki T, Otani N, Hanawa S, Takeshima E, Morishita Y, Saito O, Takemoto F, Muto S, Yumura W, Kusano E : Rituximab treatment for pr3-anca-positive membranoproliferative glomerulonephritis associated with adult-onset periodic fever syndrome. *Case Rep Nephrol Urol* ; 2:92-101,2012.
19. Harada-Shiba M, Arai H, Oikawa S, Ohta T, Okada T, Okamura T, Nohara A, Bujo H, Yokote K, Wakatsuki A, Ishibashi S, Yamashita S : Guidelines for the management of familial hypercholesterolemia. *J Atheroscler Thromb* ; 19:1043-60,2012.
20. Hatanaka H, Yamamoto H, Yano T, Ushio J, Tomiyama T, Wada S, Sakamoto H, Okada M, Tamada K, Sugano K : Double-balloon endoscopy for hepatolithiasis with multiple stones associated with reflux of intestinal contents into the bile duct in a patient with Roux-en-Y hepaticojejunostomy. *Dig Endosc* ; 24:479,2012.
21. Hatano R, Onoe K, Obara M, Matsubara M, Kanai Y, Muto S, Asano S : Sex hormones induce a gender-related difference in renal expression of a novel prostaglandin transporter, OAT-PG, influencing basal PGE2 concentration. *Am J Physiol Renal Physiol* ; 302:F342-9,2012.
22. Hayakawa M, Yano Y, Kuroki K, Inoue R, Nakanishi C, Sagara S, Koga M, Kubo H, Imakiire S, Aoyagi Z, Kitani M, Kanemaru K, Hidehito S, Shimada K, Kario K : Independent association of cognitive dysfunction with cardiac hypertrophy irrespective of 24-h or sleep blood pressure in older hypertensives. *Am J Hypertens* ; 25:657-63,2012.

23. Hijioaka S, Hara K, Mizuno N, Imaoka H, Ogura T, Haba S, Mekky MA, Bhatia V, Hosoda W, Yatabe Y, Shimizu Y, Niwa Y, Tajika M, Kondo S, Tanaka T, Tamada K, Yamao K : Diagnostic yield of endoscopic retrograde cholangiography and of EUS-guided fine needle aspiration sampling in gallbladder carcinomas. *J Hepatobiliary Pancreat Sci* ; 19:650-5,2012.
24. Homma S, Azuma A, Taniguchi H, Ogura T, Mochiduki Y, Sugiyama Y, Nakata K, Yoshimura K, Takeuchi M, Kudoh S, The Japan NAC Clinical Study Group : Efficacy of inhaled N-acetylcysteine monotherapy in patients with early stage idiopathic pulmonary fibrosis. *Respirology* ; 17:467-77,2012.
25. Hoshide S, Parati G, Matsui Y, Shibazaki S, Eguchi K, Kario K : Orthostatic hypertension: home blood pressure monitoring for detection and assessment of treatment with doxazosin. *Hypertens Res* ; 35:100-6,2012.
26. Hoshide S, Yano Y, Shimizu M, Eguchi K, Ishikawa J, Kario K : Is home blood pressure variability itself an interventional target beyond lowering mean home blood pressure during anti-hypertensive treatment? *Hypertens Res* ; 35:862-6,2012.
27. Hosoya A, Hiraga T, Ninomiya T, Yukita A, Yoshiba K, Yoshiba N, Takahashi M, Ito S, Nakamura H : Thy-1 positive cells in the subodontoblastic layer possess high potential to differentiate into hard tissue-forming cells. *Histochem Cell Biol* ; 137:733-42,2012.
28. Hosoya A, Yukita A, Yoshiba K, Yoshiba N, Takahashi M, Nakamura H : Two distinct processes of bone-like tissue formation by dental pulp cells after tooth transplantation. *J Histochem Cytochem* ; 60:861-73,2012.
29. Hwu WL, Muramatsu S, Tseng SH, Tzen KY, Lee NC, Chien YH, Snyder RO, Brnne BJ, Tai CH, Wu RM : Gene therapy for aromatic L-amino acid decarboxylase deficiency. *Sci Transl Med* ; 4:134-61,2012.
30. Ikemoto T, Hojo Y, Kondo H, Takahashi N, Hirose M, Nishimura Y, Katsuki T, Shimada K, Kario K : Plasma endoglin as a marker to predict cardiovascular events in patients with chronic coronary artery diseases. *Heart Vessels* ; 27:344-51,2012.

31. Imai Y, Kario K, Shimada K, Kawano Y, Hasebe N, Matsuura H, Tsuchihashi T, Ohkubo T, Kuwajima I, Miyakawa M, Japanese Society of Hypertension Committee for Guidelines for Self-monitoring of Blood Pressure at Home : The Japanese Society of Hypertension Guidelines for Self-monitoring of Blood Pressure at Home (Second Edition). *Hypertens Res* ; 35:777-95,2012.
32. Ishikawa J, Nasothimiou EG, Karpettas N, McDoniel S, Feltheimer SD, Stergiou GS, Pickering TG, Schwartz JE : Automatic office blood pressure measured without doctors or nurses present. *Blood Press Monit* ; 17:96-102,2012.
33. Ishikawa J, Hoshide S, Eguchi K, Ishikawa S, Shimada K, Kario K, Japan Morning Surge-Home Blood Pressure Study Investigators Group : Nighttime home blood pressure and the risk of hypertensive target organ damage. *Hypertension*. ; 60:921-8:2012.
34. Iwakiri T, Yano Y, Sato Y, Hatakeyama K, Marutsuka K, Fujimoto S, Kitamura K, Kario K, Asada Y : Usefulness of carotid intima-media thickness measurement as an indicator of generalized atherosclerosis: Findings from autopsy analysis. *Atherosclerosis* ; 225:359-62,2012.
35. Iwamoto M, Homma S, Onishi S, Kamata Y, Nagatani K, Yamagata Z, Minota S : Low level of seroconversion after a novel influenza A/H1N1/2009 vaccination in Japanese patients with rheumatoid arthritis in the 2009 season. *Rheumatol Int* ; 32:3691-4,2012.
36. Iwamoto M, Kamimura T, Nagashima T, Kamata Y, Aoki Y, Onishi S, Minota S : Healthcare –associated infections in rheumatology in Japan. *Rheumatol Int* ; 32:801-4,2012.
37. Iwazu Y, Akimoto T, Izawa S, Inoue M, Muto S, Ando Y, Iwazu K, Fukushima N, Yumura W, Kusano E : Accelerated recovery from nephritic syndrome with acute renal failure by double filtration plasmapheresis in a patient with lupus podocytopathy. *Clin Exp Nephrol* ; 16:485-9,2012.
38. Iwazu K, Akimoto T, Kishaba Y, Sakurai T, Kusano E : Abreak in the glomerular basement membrane in Churg-Strauss syndrome. *Chin Exp Nephrol* ;

16:354-5,2012.

39. Iwazu K, Iwazu Y, Takeda S, Akimoto T, Yumura W, Takahashi H, Ito C, Kanai K, Taniguchi N, Hirai Y, Kusano E : Successful treatment of serial opportunistic infections including disseminated nocardiosis and cryptococcal meningitis in a patient with anca-associated vasculitis. *Intern Med* ; 51:3051-6,2012.
40. Jin D, Muramatsu S, Shimizu N, Yokoyama S, Hirai H, Yamada K, Liu HX, Higashida C, Hashii M, Higashida A, Asano M, Ohkuma S, Higashida H : Dopamine release via the vacuolar ATPase V0 sector c-subunit, confirmed in N18 neuroblastoma cells, results in behavioral recovery in hemiparkinsonian mice. *Neurochem Int* ; 61:907-12, 2012.
41. Kabutoya T, Hoshide S, Ogata Y, Iwata T, Eguchi K, Kario K : The time course of flow-mediated vasodilation and endothelial dysfunction in patients with a cardiovascular risk factor. *J Am Soc Hypertens* ; 6:109-16,2012.
42. Kabutoya T, Ishikawa S, Ishikawa J, Hoshide S, Kario K, JMS Cohort Study Investigators Group : P-wave morphologic characteristics predict cardiovascular events in a community-dwelling population. *Ann Noninvasive Electrocardiol* ; 17:252-9,2012.
43. Kamata Y, Minota S : Progressive multicentric reticulohistiocytosis. *Intern Med* ; 51:687-8,2012.
44. Kario K : Disaster hypertension -its characteristics, mechanism, and management-. *Circ J* ; 76:553-62,2012.
45. Kario K : Is vascular morning blood pressure surge in the elderly resistant to antihypertensives and more risky? *Hypertension* ; 60:e16,2012.
46. Kario K : Is the atherosclerotic risk of extreme dipping in youth partly explained by exaggerated morning surge? *Hypertension* ; 60:e19,2012.
47. Kasai H, Kashima Y, Izawa A, Tomita T, Miyashita Y, Koyama J, Takahashi M, Yoshio T, Yazaki Y, Higuchi M, Ikeda U : Immunoabsorption therapy reduces

oxidative stress in patients with dilated cardiomyopathy. *World J Cardiovasc Dis* ; 2,305-12,2012.

48. Kashiwakura Y, Ohmori T, Mimuro J, Yasumoto A, Ishiwata A, Sakata A, Madoiwa S, Inoue M, Hasegawa M, Ozawa K, Sakata Y : Intra-articular injection of mesenchymal stem cells expressing coagulation factor ameliorates hemophilic arthropathy in factor VIII-deficient mice. *J Thromb Haemost* ; 10:1802-13,2012.
49. Kawasaki R, Tanaka S, Tanaka S, Abe S, Sone H, Yokote K, Ishibashi S, Katayama S, Ohashi Y, Akanuma Y, Yamada N, Yamashita H, for the Japan Diabetes Complications Study Group : Risk of Cardiovascular Diseases Is Increased Even with Mild Diabetic Retinopathy: The Japan Diabetes Complications Study. *Ophthalmology* ; pii:S0161-6420:00813-5,2012.
50. Kobayashi H, Matsuyama T, Oka S, Fujiwara S-I, Oh I, Suzuki T, Ozaki K, Mori M, Nagai T, Ozawa K, Muoi K : Autologous hematopoietic recovery with aberrant antigen expression after allogeneic bone marrow transplantation. *J Clin Exp Hematop* ; 52:81-3,2012.
51. Kobayashi M, Morita T, Chun NA, Matsui A, Takahashi M, Murakami T : Effect of host immunity on metastatic potential in renal cell carcinoma: the assessment of optimal in vivo models to study metastatic behavior of renal cancer cells. *Tumour Biol* ; 33:551-9,2012.
52. Koga M, Shiokawa Y, Nakagawara J, Furui E, Kimura K, Yamagami H, Okada Y, Hasegawa Y, Kario K, Okuda S, Endo K, Miyagi T, Osaki M, Minematsu K, Toyoda K : Low-dose intravenous recombinant tissue-type plasminogen activator therapy for patients with stroke outside European indications: Stroke Acute Management with Urgent Risk-factor Assessment and Improvement (SAMURAI) rtPA Registry. *Stroke* ; 43:253-5,2012.
53. Koga M, Toyoda K, Yamagami H, Okuda S, Okada Y, Kimura K, Shiokawa Y, Nakagawara J, Furui E, Hasegawa Y, Kario K, Osaki M, Miyagi T, Endo K, Nagatsuka K, Minematsu K, Stroke Acute Management with Urgent Risk-factor Assessment and Improvement Study Investigators : Systolic blood pressure lowering to 160mmHg or less using nicardipine in acute intracerebral hemorrhage: a prospective, multicenter, observational study (the Stroke Acute Management with

Urgent Risk-factor Assessment and Improvement-Intracerebral Hemorrhage study).
J Hypertens ; 30:2357-64,2012.

54. Kono C, Yamaguchi T, Yamada Y, Uchiyama H, Kono M, Takeuchi M, Sugiyama Y, Azuma A, Kudoh S, Sakurai T, Tatsumi K : Historical changes in epidemiology of diffuse panbronchiolitis. *Sarcoidosis Vasc Diffuse Lung Dis* ; 29:19-25,2012.
55. Kotani K, Yamada T, Miyamoto M, Ishibashi S, Taniguchi N, Gugliucci A : Influence of atorvastatin on serum amyloid A-low density lipoprotein complex in hypercholesterolemic patients. *Pharmacol Rep* ; 64:212-6,2012.
56. Kotani K, Yamada T, Miyamoto M, Kario K, Ishibashi S, Taniguchi N : The correlation between the cardio-ankle vascular index (CAVI) and serum amyloid A in asymptomatic Japanese subjects. *Heart Vessels* ; 27:499-504,2012.
57. Kotoda A, Akimoto T, Sugase T, Miyamoto N, Kusano E : Balloon-assisted creation and maturation of an arteriovenous fistula in a patient with small-caliber vasculature. *Case Rep Nephrol Urol* ; 2:65-71,2012.
58. Kotoda A, Akimoto T, Sugase T, Yamamoto H, Kusano E : Is there a link between the structural impact of thoracic outlet and the development of central venous stenosis? *Med Hypotheses* ; 80:29-31,2012.
59. Maeda K, Koga M, Okada Y, Kimura K, Yamagami H, Okuda S, Hasegawa Y, Shiokawa Y, Furui E, Nakagawara J, Kario K, Nezu T, Minematsu K, Toyoda K, Stroke Acute Management with Urgent Risk-factor Assessment and Improvement (SAMURAI) Study Investigators : Nationwide survey of neuro-specialists' opinions on anticoagulant therapy after intracerebral hemorrhage in patients with atrial fibrillation. *J Neurol Sci* ; 312:82-5,2012.
60. Makihara N, Okada Y, Koga M, Shiokawa Y, Nakagawara J, Furui E, Kimura K, Yamagami H, Hasegawa Y, Kario K, Okuda S, Naganuma M, Toyoda K : Effect of serum lipid levels on stroke outcome after rt-PA therapy: SAMURAI rt-PA registry. *Cerebrovasc Dis* ; 33:240-7,2012.
61. Malfertheiner P, Megraud F, O'Morain CA, Atherton J, Axon AT, Bazzoli F,

- Gensini GF, Gisbert JP, Graham DY, Rokkas T, El-Omar EM, Kuipers EJ, European Helicobacter Study Group : Management of *Helicobacter pylori* infection--the Maastricht IV/ Florence Consensus Report. *Gut* ; 61:646-64,2012.
62. Masuda T, Honma S, Sasaki N, Hanawa-Yazawa S, Iwazu Y, Kusano E, Asano Y : Effect of continuous positive airway pressure on proteinuria in obstructive sleep apnea. *Clin Kidney J* ; 5:257-60,2012.
63. Masuda T, Muto S, Fujisawa G, Iwazu Y, Kimura M, Kobayashi T, Nonaka-Sarukawa M, Sasaki N, Watanabe Y, Shinohara M, Murakami T, Shimada K, Kobayashi E, Kusano E : Heart angiotensin II-induced cardiomyocyte hypertrophy suppresses coronary angiogenesis and progresses diabetic cardiomyopathy. *Am J Physiol Heart Circ Physiol* ; 302:H1871-83,2012.
64. Matsubara S, Kuwata T, Kamozaawa C, Sakamoto Y, Suzuki M, Tamada K : Connection between hyperemesis gravidarum, jaundice or liver dysfunction, and biliary sludge. *J Obstet Gynaecol Res* ; 38:446-8,2012.
65. Matsubara S, Muto S : Good obstetric outcome of consecutive pregnancies in a woman with Alport syndrome. *Arch Gynecol Obstet* ; 286:261-2,2012.
66. Matsui A, Yokoo H, Negishi Y, Endo-Takahashi Y, Chun NA, Kadouchi I, Suzuki R, Maruyama K, Aramaki Y, Semba K, Kobayashi E, Takahashi M, Murakami T : CXCL17 expression by tumor cells recruits CD11b+Gr1 high F4/80- cells and promotes tumor progression. *PLoS One* ; 7:e44080,2012.
67. Matsui Y, Kario K : Prognostic value of the home blood pressure variability: which is best? *Hypertension* ; 59:e33,2012.
68. Matsui Y, O'Rourke MF, Hoshide S, Ishikawa J, Shimada K, Kario K : Combined effect of angiotensin II receptor blocker and either a calcium channel blocker or diuretic on day-by-day variability of home blood pressure: the Japan Combined Treatment With Olmesartan and a Calcium-Channel Blocker Versus Olmesartan and Diuretics Randomized Efficacy Study. *Hypertension* ; 59:1132-8,2012.
69. Matsui Y, O'Rourke MF, Ishikawa J, Shimada K, Kario K : Association of

changes in ambulatory arterial stiffness index and pulse wave velocity during antihypertensive treatment: the J-CORE study. *Am J Hypertens* ; 25:862-8,2012.

70. Matsuyama Y, Okazaki H, Hoshino M, Onishi S, Kamata Y, Nagatani k, Nagashima T, Iwamoto M, Yoshio T, Ohto-Ozaki H, Tamemoto H, Komine M, Sekiya H, Tominaga S, Minota S : Sustained elevation of interleukin-33 in sera and synovial fluids from patients with rheumatoid arthritis non-responsive to anti-tumor necrosis factor: possible association with persistent IL-1b signaling and a poor clinical response. *Rheumatol Int* ; 32:1397-401,2012.
71. Meguro A, Ozaki K, Sato K, Oh I, Fujiwara S, Hosonuma R, Sasazaki M, Kikuchi Y, Hirata Y, Yamamoto C, Uesawa M, Kobayashi H, Matsu H, Okabe H, Uehara E, Nishikawa A, Tatara R, Hatano K, Yamamoto C, Matsuyama T, Toshima M, Ueda M, Ohmine K, Suzuki T, Mori M, Nagai T, Muroi K, Ozawa K : Rituximab plus 70% cyclophosphamide, doxorubicin, vincristine and prednisone for Japanese patients with diffuse large B-cell lymphoma aged 70 years and older. *Leuk Lymphoma* ; 53:43-9,2012.
72. Miki T, Akimoto T, Sugase T, Numata A, Otani N, Iwazu Y, Takeshima E, Morishita Y, Muto S, Kusano E : Anti-glomerular basement membrane glomerulonephritis complicated by thrombocytopenia. *Intern Med* ; 51:3395-9,2012.
73. Miyamoto M, Miyamoto T, Iwanami M, Muramatsu S, Asari S, Nakano I, Hirata K : Preclinical substantia nigra dysfunction in rapid eye movement sleep behaviour disorder. *Sleep Medicine* ; 13:102-6,2012.
74. Miyazaki M, Adachi H, Katsuno M, Minamiyama M, Jiang YM, Huang Z, Doi H, Matsumoto S, Kondo N, Iida M, Tohnai G, Tanaka F, Muramatsu S, Sobue G : Viral delivery of miR-196a ameliorates the SBMA phenotype via the silencing of CELF2. *Nat Med* ; 18:1136-41,2012.
75. Miwa H, Ghoshal UC, Fock KM, Gonlachanvit S, Gwee KA, Ang TL, Chang FY, Hongo M, Hou X, Kachintorn U, Ke M, Lai KH, Lee KJ, Lu CL, Mahadeva S, Miura S, Park H, Rhee PL, Sugano K, Vilaichone RK, Wong BC, Bak YT : Asian consensus report on functional dyspepsia. *J Gastroenterol Hepatol* ; 27:626-41,2012.

76. Miwa H, Ghoshal UC, Gonlachanvit S, Gwee KA, Ang TL, Chang FY, Fock KM, Hongo M, Hou X, Kachintorn U, Ke M, Lai KH, Lee KJ, Lu CL, Mahadeva S, Miura S, Park H, Rhee PL, Sugano K, Vilaichone RK, Wong BC, Bak YT : Asian consensus report on functional dyspepsia. *J Neurogastroenterol Motil* ; 18:150-68,2012.
77. Mizushina Y, Bando M, Hosono T, Mato N, Nakaya T, Yamasawa H, Hironaka M, Tanaka A, Sugiyama Y : A rare case of asymptomatic diffuse pulmonary ossification detected during a routine health examination. *Intern Med* ; 51:2923-7,2012.
78. Mori M, Naganuma M, Okada Y, Hasegawa Y, Shiokawa Y, Nakagawara J, Furui E, Kimura K, Yamagami H, Kario K, Okuda S, Koga M, Minematsu K, Toyoda K : Early neurological deterioration within 24 hours after intravenous rt-PA therapy for stroke patients: the Stroke Acute Management with Urgent Risk Factor Assessment and Improvement rt-PA Registry. *Cerebrovasc Dis* ; 34:140-6,2012.
79. Morishita Y, Yasui T, Numata A, Onishi A, Ishibashi K, Kusano E : Aliskiren suppresses the renin-angiotensin-aldosterone system and reduces blood pressure and albuminuria in elderly chronic kidney disease patients with hypertension. *Int J Nephrol Renovasc Dis* ; 5:125-33,2012.
80. Morishita Y, Watanabe M, Hirahara I, Akimoto T, Muto S, Kusano E : Level of 8-OHdG in drained dialysate appears to be a marker of peritoneal damage on peritoneal dialysis. *Int J Nephrol Renovasc Dis* ; 5:9-14,2012.
81. Morishita Y, Watanabe M, Hanawa S, Iimura O, Tsunematsu S, Ishibashi K, Kusano E : Long-term effects of aliskiren on blood pressure and the renin-angiotensin-aldosterone system in hypertensive hemodialysis patients. *Int J Nephrol Renovasc Dis* ; 5:45-51,2012.
82. Motoki H, Koyama J, Nakazawa H, Aizawa K, Kasai H, Izawa A, Tomita T, Miyashita Y, Kumazaki S, Takahashi M, Ikeda U : Torsion analysis in the early detection of anthracycline-mediated cardiomyopathy. *Eur Heart J Cardiovasc Imaging* ; 13:95-103,2012.

83. Muramatsu S, Aihara M, Shimizu I, Arai M, Kajii E : Current status of Kampo medicine in community health care. *General Medicine* ; 13:37-45,2012.
84. Murosaki T, Nagashima T, Aoki Y, Imai Y, Iwamoto M, Minota S : Foot ulcers from rheumatoid vasculitis in a patient with rheumatoid arthritis during etanercept treatment. *Intern Med* ; 51:3181-3,2012.
85. Murosaki T, Nagashima T, Matsumoto K, Minota S : Marked colonic wall thickening in lupus enteritis. *Intern Med* ; 51:1451,2012.
86. Nagai M, Hoshide S, Ishikawa J, Shimada K, Kario K : Visit-to-visit blood pressure variations: new independent determinants for cognitive function in the elderly at high risk of cardiovascular disease. *J Hypertens* ; 30:1556-63,2012.
87. Nagai M, Hoshide S, Kario K : Association of prothrombotic status with markers of cerebral small vessel disease in elderly hypertensive patients. *Am J Hypertens* ; 25:1088-94,2012.
88. Nagai T, Suzuki T, Komatsu N, Hosokawa K, Nakao S, Ozawa K : Alteration of chromosome 13 abnormalities after therapeutic hematopoiesis recovery in myelodysplastic syndrome. *Open J Hematol* ; 3-7,2012.
89. Nagasaka S, Kusaka I, Yamashita K, Funase Y, Yamauchi K, Katakura M, Ishibashi S, Aizawa T : Index of glucose effectiveness derived from oral glucose tolerance test. *Acta Diabetol* ; 49 Suppl 1:S195-204,2012.
90. Nagashima S, Yagyu H, Ohashi K, Tazoe F, Takahashi M, Ohshiro T, Bayasgalan T, Okada K, Sekiya M, Osuga J, Ishibashi S : Liver-specific deletion of 3-hydroxy-3-methylglutaryl coenzyme A reductase causes hepatic steatosis and death. *Arterioscler Thromb Vasc Biol* ; 32:1824-31,2012.
91. Nagashima T, Maruyama A, Takatori S, Saito M, Osuga J, Minota S : Subclinical Riedel's thyroiditis with hypothyroidism coexisting with Mikulicz's disease. *Rheumatol Int* ; 32:1851-2,2012.
92. Nagashima T, Iwamoto M, Matsumoto K, Minota S : Interleukin-18 in adult-onset still's disease: treatment target or disease activity indicator? *Intern*

Med ; 51:449,2012.

93. Nagashima T, Okazaki H, Kamata Y, Minota S : Comment on “Comparison of MMP-3 levels in rheumatoid arthritis after treatment with tocilizumab or infliximab for 12 weeks” by Yokoe et al. *Mod Rheumatol* ; 22:638-9,2012.
94. Nakamura K, Ota M, Kawata A, Isozaki E, Muramatsu S, Matsubara S : Careful clinical observation is essential for diagnosis of Huntington disease. *Arq Neuropsiquiatr* ; 70:646,2012.
95. Nakano T, Endo S, Endo T, Hasegawa T, Nakayama M, Sugiyama Y, Hironaka M : Multimodal treatment for multistation mediastinal lymph node adenocarcinoma: a case report. *Ann Thorac Cardiovasc Surg* ; 18:136-9,2012.
96. Nakata M, Nakata W, Isoda N, Yoshizawa M, Sugimoto H : Percutaneous retrograde sclerotherapy for refractory bleeding of jejunal varices: direct injection via superficial epigastric vein. *Cardiovasc Intervent Radiol* ; 35:203-6,2012.
97. Nakayama M, Nawa T, Chonan T, Endo K, Morikawa S, Bando M, Wada Y, Shioya T, Sugiyama Y, Fukai S : Prevalence of pulmonary arteriovenous malformations as estimated by low-dose thoracic CT screening. *Intern Med* ; 51:1677-81,2012.
98. Nakayama M, Sugiyama Y, Yamasawa H, Soda M, Mato N, Hosono T, Bando M : Effect of *Hochuekkito* on alveolar macrophage inflammatory responses in hyperglycemic mice. *Inflammation* ; 35:1294-301,2012.
99. Namekawa M, Ito H, Kameda T, Nakano I : Mandibuloptosis as a cause of supine choking in a patient with amyotrophic lateral sclerosis. *J Neurol* ; 259:1485-6,2012.
100. Namekawa M, Takiyama Y, Honda J, Sakoe K, Naoi T, Shimazaki H, Yamagata T, Momoi MY, Nakano I : A novel adult case of juvenile-onset Alexander disease: Complete remission of neurological symptoms for over 12 years, despite insidiously progressive cervicomedullary atrophy. *Neurol Sci* ; 33:1389-92,2012.

101. Nishizawa M, Hoshide S, Shimpo M, Kario K : Disaster hypertension: experience from the great East Japan earthquake of 2011. *Curr Hypertens Rep* ; 14:375-81,2012.
102. Noguchi C, Tamada K, Wada S, Ohashi A, Hatanaka H, Ushio J, Nakazawa K, Numao N, Sugano K : Successful lithotripsy under fluoroscopy without cholangiography and confirmation: absence of remnant stones using gadolinium chelate combined with intraductal ultrasound in a patient anaphylactic to iodine-based contrast agent. *Dig Endosc* ; 24:195-6,2012.
103. Ogaki K, Li Y, Atsuta N, Tomiyama H, Funayama M, Watanabe H, Nakamura R, Yoshino H, Yato S, Tamura A, Naito Y, Taniguchi A, Fujita K, Izumi Y, Kaji R, Hattori N, Sobue G, Japanese Consortium for Amyotrophic Lateral Sclerosis research (JaCALS) : Analysis of C9orf72 repeat expansion in 563 Japanese patients with amyotrophic lateral sclerosis. *Neurobiol Aging* ; 33:2527.e11-6,2012.
104. Ogata H, Tokuyama K, Nagasaka S, Tsuchita T, Kusaka I, Ishibashi S, Suzuki H, Yamada N, Hamano K, Kiyono K, Struzik ZR, Yamamoto Y : The lack of long-range negative correlations in glucose dynamics is associated with worse glucose control in patients with diabetes mellitus. *Metabolism* ; 61:1041-50,2012.
105. Ogura M, Urabe M, Akimoto T, Onishi A, Ito C, Ito T, Tsukahara T, Mizukami H, Kume A, Muto S, Kusano E, Ozawa K : Interleukin-10 expression induced by adeno-associated virus vector suppresses proteinuria in Zucker obese rats. *Gene Ther* ; 19:476-82,2012.
106. Ohmori T, Yano Y, Sakata A, Ikemoto T, Shimpo M, Madoiwa S, Katsuki T, Mimuro J, Shimada K, Kario K, Sakata Y : Lack of association between serum paraoxonase-1 activity and residual platelet aggregation during dual anti-platelet therapy. *Thromb Res* ; 129:e36-40,2012.
107. Ohnishi K, Nakaseko C, Takeuchi J, Fujisawa S, Nagai T, Yamazaki H, Tauchi T, Imai K, Mori N, Yagasaki F, Maeda Y, Usui N, Miyamura K, Kiyoi H, Ohtake S, Naoe T : Long-term outcome following imatinib therapy for chronic myelogenous leukemia, with assessment of dosage and blood levels. *Cancer Sci* ; 103:1071-8,2012.

108. Oka S, Muroi K, Fujiwara S, Oh I, Matsuyama T, Ohmine K, Suzuki T, Ozaki K, Mori M, Nagai T, Ozawa K, Hanafusa T : Prediction of progression from refractory cytopenia with unilineage dysplasia by analysis of bone marrow blast cell composition. *J Clin Exp Hematop* ; 52:63-6,2012.
109. Oka S, Muroi K, Sato K, Fujiwara S, Oh I, Matsuyama T, Ohmine K, Suzuki T, Ozaki K, Mori M, Nagai T, Fukushima N, Fukushima N, Tanaka A, Ozawa K : Flow cytometric analysis of kappa and lambda light chain expression in endoscopic biopsy specimens before the diagnosis of B-cell lymphoma. *J Clin Exp Hematop* ; 52:127-31,2012.
110. Okada K, Osuga J, Kotani K, Yagyu H, Miyamoto M, Nagasaka S, Ishibashi S : Current smoking status may be associated with overt albuminuria in female patients with type 1 diabetes mellitus: a cross-sectional study. *Tob Induc Dis* ; 10:12,2012.
111. Osawa H, Yamamoto H, Miura Y, Ajibe H, Shinhata H, Yoshizawa M, Sunada K, Toma S, Satoh K, Sugano K : Diagnosis of depressed-type early gastric cancer using small-caliber endoscopy with flexible spectral imaging color enhancement. *Dig Endosc* ; 24:231-6,2012.
112. Osawa H, Yamamoto H, Miura Y, Yoshizawa M, Sunada K, Satoh K, Sugano K : Diagnosis of extent of early gastric cancer using flexible spectral imaging color enhancement. *World J Gastrointest Endosc* ; 4:356-61,2012.
113. Otani N, Akimoto T, Yumura W, Matsubara D, Iwazu Y, Numata A, Miki A, Takemoto F, Fukushima N, Muto S, Kusano E : Is there a link between diabetic glomerular injury and crescent formation? A Case Report and Literature Review. *Diagn Pathol* ; 7:46,2012.
114. Otani N, Morishita Y, Oh O, Saito O, Takemoto F, Muto S, Kusano E : Successful treatment of a mesangial proliferative glomerulonephritis with interstitial nephritis associated with castleman's disease by an anti-interleukin-6 receptor antibody (tocilizumab). *Intern Med* ; 51:1375-8,2012.
115. Popiel H A, Takeuchi T, Fujita H, Yamamoto K, Ito C, Yamane H, Muramatsu S, Toda T, Wada K, Nagai Y : Hsp40 gene therapy exerts therapeutic effects on

polyglutamine disease mice via a non-cell autonomous mechanism. PLoS ONE ; 7:e51069,2012.

116. Rieg T, Gerasimova M, Murray F, Masuda T, Tang T, Rose M, Drucker DJ, Vallon V : Natriuretic effect by exendin-4, but not the DPP-4 inhibitor alogliptin, is mediated via the GLP-1 receptor and preserved in obese type 2 diabetic mice. *Am J Physiol Renal Physiol* ; 303:F963-71,2012.
117. Rondonotti E, Sunada K, Yano T, Paggi S, Yamamoto H : Double-balloon endoscopy in clinical practice: where are we now? *Dig Endosc* ; 24:209-19,2012.
118. Saito O, Saito T, Ueno K, Shiraishi K, Kikuchi T, Yamamoto H, Akimoto T, Ando Y, Muto S, Kusano E : Comparison between Serum Free Triiodothyronine Levels and Body Fluid Distribution in Hemodialysis Patients. *Clin Exp Nephrol* ; 16:952-8,2012.
119. Saito O, Saito T, Asakura S, Akimoto T, Inoue M, Ando Y, Muto S, Kusano E : Effects of raloxifene on bone metabolism in hemodialysis patients with type 2 Diabetes. *Int J Endocrinol Metab* ; 10:464-9,2012.
120. Saito O, Saito T, Ueno K, Shiraishi T, Kikuchi T, Yamamoto H, Akimoto T, Ando Y, Muto S, Kusano E : Comparison between serum free triiodothyronine levels and body fluid distribution in hemodialysis patients. *Clin Exp Nephrol* ; 16:952-8,2012.
121. Saito T, Hojo Y, Ogoyama Y, Hirose M, Ikemoto T, Katsuki T, Shimada K, Kario K : S100A12 as a marker to predict cardiovascular events in patients with chronic coronary artery disease. *Circ J* ; 76:2647-52,2012.
122. Sakaki N, Ashida K, Mizokami Y, Asaka M, Matsui S, Kanto T, Hiraishi H, Hiramatsu N, Sugano K : Endoscopic evaluation of non-steroidal anti-inflammatory drug (NSAID)-induced gastric and duodenal ulcers during prophylaxis with lansoprazole. *J Gastroenterol Hepatol Res* ; 1:260-5,2012.
123. Sakushima K, Tsuboi S, Yabe I, Hida K, Terae S, Uehara R, Nakano I, Sasaki H : Nationwide survey on the epidemiology of syringomyelia in Japan. *J Neurol sci* ; 15;313:147-52,2012.

124. Sato K, Nagai T, Izumi T, Ohmine K, Ozaki K, Muroi K, Ozawa K : Rituximab-induced interstitial pneumonia due to CD8-positive T cell infiltration. *Acta Haematol* ; 128:107-9,2012.
125. Sato N, Saga Y, Mizukami H, Wang D, Fujiwara H, Takei Y, Machida S, Ozawa K, Suzuki M : Cetuximab inhibits the growth of mucinous ovarian carcinoma tumor cells lacking KRAS gene mutations. *Oncol Rep* ; 27:1336-40,2012.
126. Sato N, Saga Y, Mizukami H, Wang D, Takahashi S, Nonaka H, Fujiwara H, Takei Y, Machida S, Takikawa O, Ozawa K, Suzuki M : Downregulation of indoleamine-2,3-dioxygenase in cervical cancer cells suppresses tumor growth by promoting natural killer cell accumulation. *Oncol Rep* ; 28:1574-8,2012.
127. Sato S, Koga M, Yamagami H, Okuda S, Okada Y, Kimura K, Shiokawa Y, Nakagawara J, Furui E, Hasegawa Y, Kario K, Arihiro S, Nagatsuka K, Minematsu K, Toyoda K : Conjugate eye deviation in acute intracerebral hemorrhage: stroke acute management with urgent risk-factor assessment and improvement-ICH (SAMURAI-ICH) study. *Stroke* ; 43:2898-903,2012.
128. Sato Y, Yano Y, Fujimoto S, Konta T, Iseki K, Moriyama T, Yamagata K, Tsuruya K, Yoshida H, Asahi K, Kurahashi I, Ohashi Y, Watanabe T : Glycohemoglobin not as predictive as fasting glucose as a measure of prediabetes in predicting proteinuria. *Nephrol Dial Transplant* ; 27:3862-8,2012.
129. Shimazaki H, Takiyama Y, Ishiura H, Sakai C, Matsushima Y, Hatakeyama H, Honda J, Sakoe K, Naoi T, Namekawa M, Fukuda Y, Takahashi Y, Goto J, Tsuji S, Goto Y, Nakano I : A homozygous mutation of C12orf65 causes spastic paraplegia with optic atrophy and neuropathy (SPG55). *J Med Genet* ; 49:777-84,2012.
130. Shimizu M, Ishikawa J, Yano Y, Hoshide S, Eguchi K, Ishikawa S, Shimada K, Kario K : Association between asleep blood pressure and brain natriuretic peptide during antihypertensive treatment: the Japan Morning Surge-Target Organ Protection (J-TOP) study. *J Hypertens* ; 30:1015-21,2012.
131. Sone H, Tanaka S, Tanaka S, Iimuro S, Ishibashi S, Oikawa S, Shimano H,

- Katayama S, Ohashi Y, Akanuma Y, Yamada N, Japan Diabetes Complications Study Group : Comparison of various lipid variables as predictors of coronary heart disease in Japanese men and women with type 2 diabetes: subanalysis of the Japan Diabetes Complications Study. *Diabetes Care* ; 35:1150-7,2012.
132. Sugano K : Endoscopic technique for diagnosis and treatment of esophageal and gastric cancers. *Molecular genetics and clinical advances in the study of esophageal and gastric cancers, Proceeding* ; 95-100,2012.
133. Sugano K, Kinoshita Y, Miwa H, Takeuchi T, Esomeprazole NSAID Preventive Study Group : Randomised clinical trial: esomeprazole for the prevention of nonsteroidal anti-inflammatory drug-related peptic ulcers in Japanese patients. *Aliment Pharmacol Ther* ; 36:115-25,2012.
134. Sugano K, Kontani T, Katsuo S, Takei Y, Sakaki N, Ashida K, Mizokami Y, Asaka M, Matsui S, Kanto T, Soen S, Takeuchi T, Hiraishi H, Hiramatsu N : Lansoprazole for secondary prevention of gastric or duodenal ulcers associated with long-term non-steroidal anti-inflammatory drug (NSAID) therapy: results of a prospective, multicenter, double-blind, randomized, double-dummy, active-controlled trial. *J Gastroenterol* ; 47:540-52,2012.
135. Sugase T, Akimoto T, Iwazu Y, Yamazaki T, Numata A, Takemoto F, Muto S, Kusano E : Minimal change nephritic syndrome complicated with malignant ascites in a patient with type II diabetes. *Intern Med* ; 51:1885-8,2012.
136. Sung JJ, Ng EK, Lin JT, Ho KY, Ji JF, Sugano K, Poon RT, Chan AT, Goh KL, Han KH, Chen LL, Wu KC, Ng SS, Bresalier RS, Chan FK, Asia Pacific GI Oncology Summit Group : Digestive cancer management in Asia: position statements: a report on GI Oncology Summit in 2011. *J Gastroenterol Hepatol* ; 27:1417-22,2012.
137. Takahashi M : Adipose tissue: an alternative source for therapeutic angiogenesis. *Circ J* ; 76:1597-8,2012.
138. Takeshima E, Morishita Y, Ogura M, Ito C, Saito O, Takemoto F, Ando Y, Muto S, Yumura W, Kusano E : A case of diffuse endocapillary proliferative glomerulonephritis associated with polymyalgia rheumatica. *Case Rep Nephrol*

Urol ; 2:158-64,2012.

139. Takeda S, Chinda J, Murakami T, Numata A, Iwazu Y, Akimoto T, Hamano Y, Muto S, Takahashi M, Kusano E : Development of features of glomerulopathy in tumor-bearing rats: a potential model for paraneoplastic glomerulopathy. *Nephrol Dial Transplant* ; 27:1786-92,2012.
140. Takezawa T, Hayashi S, Adachi Y, Sunada K, Hayashi Y, Nishimura N, Yano T, Miyata T, Yamamoto H, Hirai Y, Sugano K : Human intestinal spirochetosis in an immunocompromised host: evaluation of eradication therapy by endoscopy, histopathology and bacteriology. *Clin J Gastroenterol* ; 5:69-73,2012.
141. Tezuka Y, Endo S, Matsui A, Sato A, Sato K, Semba K, Takahashi M, Murakami T : Potential anti-tumor effect of IFN- γ (IL-28A) against human lung cancer cells. *Lung Cancer* ; 78:185-92,2012.
142. Tomiyama H, Kohro T, Higashi Y, Takase B, Suzuki T, Ishizu T, Ueda S, Yamazaki T, Furumoto T, Kario K, Inoue T, Koba S, Watanabe K, Takemoto Y, Hano T, Sata M, Ishibashi Y, Node K, Maemura K, Ohya Y, Furukawa T, Ito H, Yamashina A : A multicenter study design to assess the clinical usefulness of semi-automatic measurement of flow-mediated vasodilatation of the brachial artery. *Int Heart J* ; 53:170-5,2012.
143. Usui F, Kimura H, Ohshiro T, Tatsumi K, Kawashima A, Nishiyama A, Iwakura Y, Ishibashi S, Takahashi M : Interleukin-17 deficiency reduced vascular inflammation and development of atherosclerosis in western diet-induced ApoE-deficient mice. *Biochem Biophys Res Commun* ; 420:72-7,2012.
144. Usui F, Shirasuna K, Kimura H, Tatsumi K, Kawashima A, Karasawa T, Hida S, Sagara J, Taniguchi S, Takahashi M : Critical role of caspase-1 in vascular inflammation and development of atherosclerosis in western diet-fed apolipoprotein E-deficient Mice. *Biochem Biophys Res Commun* ; 425:162-8,2012.
145. Usuki K, Tojo A, Maeda Y, Kobayashi Y, Matsuda A, Ohyashiki K, Nakaseko C, Tatsuya K, Tanaka H, Miyamura K, Miyazaki Y, Okamoto S, Oritani K, Okada M, Usio N, Nagai T, Amagasaki T, Wanajo A, Naoe T : Efficacy and safety of

- nilotinib in Japanese patients with imatinib-resistant or -intolerant Ph+CML or relapsed/refractory Ph+ALL: a 36-month analysis of a phase I and II study. *Int J Hematol* ; 95:409-9,2012.
146. Wang D, Saga Y, Mizukami H, Sato N, Nonaka H, Fujiwara H, Takei Y, Machida S, Takikawa O, Ozawa K, Suzuki M : Indoleamine-2, 3-dioxygenase, an immunosuppressive enzyme that inhibits natural killer cell function, as a useful target for ovarian cancer therapy. *Int J Oncol* ; 40:929-34,2012.
147. Yagi H, Sanechika S, Ichinose H, Sumi-Ichinose C, Mizukami H, Urabe M, Ozawa K, Kume A : Recovery of neurogenic amines in phenylketonuria mice after liver-targeted gene therapy. *Neuroreport* ; 23:30-4,2012.
148. Yagyu H, Nagashima S, Takahashi M, Miyamoto M, Okada K, Osuga J, Ishibashi S : Ezetimibe, an inhibitor of Niemann-Pick C1-like 1 protein, decreases cholesteryl ester transfer protein in type 2 diabetes mellitus. *Endocr J* ; 59:1077-84,2012.
149. Yagyu H, Okada K, Sato S, Yamashita Y, Okada N, Osuga J, Nagasaka S, Sugano K, Ishibashi S : Pegylated interferon- α 2b and ribavirin combination therapy induces Hashitoxicosis followed by type 1 diabetes mellitus. *Diabetes Res Clin Pract* ; 95:e52-4,2012.
150. Yamamoto C, Muroi K, Okabe H, Uehara E, Hirano T, Sugiyama Y, Ozawa K : Adult-Onset chronic granulomatous disease and CD10-negativity in neutrophils. *J Clin Exp Hematop* ; 52:219-21,2012.
151. Yamamoto D, Takai S, Akimoto T, Hirahara I, Ito C, Muto S, Kusano E : Matrix metalloproteinase-2 inhibition by temocapril and its important role in peritoneal transport. *Clin Exp Pharmacol Physiol* ; 39:864-8,2012.
152. Yamamoto H : Endoscopic submucosal dissection--current success and future directions. *Nat Rev Gastroenterol Hepatol* ; 9:519-29,2012.
153. Yamasawa H, Nakayama M, Bando M, Sugiyama Y : Impaired inflammatory responses to multiple Toll-like receptor ligands in alveolar macrophages of streptozotocin-induced diabetic mice. *Inflamm Res* ; 61:417-26,2012.

154. Yamazaki T, Morishita Y, Yoshida N, Saito O, Takemoto F, Ando Y, Muto S, Yumura W, Kusano E : Successful treatment with tolvaptan to control blood volume and hyponatremia in a chronic kidney disease patient. *CEN Case Report* ; 1:82-5,2012.
155. Yano T, Hatanaka H, Yamamoto H, Nakazawa K, Nishimura N, Wada S, Tamada K, Sugano K : Intraluminal injection of indigo carmine facilitates identification of the afferent limb during double-balloon ERCP. *Endoscopy* ; 44:E340-1,2012.
156. Yano Y, Fujimoto S, Asahi K, Watanabe T : Prevalence of chronic kidney disease in China: a cross-sectional survey. *Lancet* ; 379:815-22,2012.
157. Yano Y, Fujimoto S, Sato Y, Konta T, Iseki K, Moriyama T, Yamagata K, Tsuruya K, Yoshida H, Asahi K, Kurahashi I, Ohashi Y, Watanabe T : Association between prehypertension and chronic kidney disease in the Japanese general population. *Kidney Int* ; 81:293-9,2012.
158. Yano Y, Hatakeyama K : Inflammation and hypertension: new clinical information on pentraxin-3. *Anadolu Kardiyol Derg* ; 12:305-6,2012.
159. Yano Y, Hoshide S, Shimizu M, Eguchi K, Ishikawa J, Ishikawa S, Shimada K, Kario K : Association of home and ambulatory blood pressure changes with changes in cardiovascular biomarkers during antihypertensive treatment. *Am J Hypertens* ; 25:306-12,2012.
160. Yano Y, Ishikawa S, Kario K : Weight and mortality in adults with diabetes. *JAMA* ; 308:2079-80,2012.
161. Yano Y, Kario K : Nocturnal blood pressure and cardiovascular disease: a review of recent advances. *Hypertens Res* ; 35:695-701,2012.
162. Yano Y, Kario K : Nocturnal blood pressure, morning blood pressure surge, and cerebrovascular events. *Curr Hypertens Rep* ; 14:219-27,2012.
163. Yano Y, Ohmori T, Shimada K, Sakata Y, Kario K : Association of sleep onset

of acute coronary syndrome with sleep apnea syndrome and abnormal diurnal variation of hemostasis and adipokine levels. *Blood Coagul Fibrinolysis* ; 23:590-6,2012.

164. Yano Y, Sato Y, Fujimoto S, Konta T, Iseki K, Moriyama T, Yamagata K, Tsuruya K, Yoshida H, Asahi K, Kurahashi I, Ohashi Y, Watanabe T : Association of high pulse pressure with proteinuria in subjects with diabetes, prediabetes, or normal glucose tolerance in a large Japanese general population sample. *Diabetes Care* ; 35:1310-5,2012.
165. Yano Y : Long-chain n-3 polyunsaturated fatty acids and blood pressure. *Hypertens Res* ; 35:967-8,2012.
166. Yokota K, Gomi H, Miura Y, Sugano K, Morisawa Y : Cholangitis with septic shock caused by *Raoultella planticola*. *J Med Microbiol* ; 61:446-9,2012.
167. Yokota K, Shimpo M, Iwata T, Hirose M, Ikemoto T, Ohya K, Katsuki T, Shimada K, Kario K : A case of takayasu arteritis with repeated coronary artery restenosis after drug-eluting stent implantation successfully treated with a combination of steroids. *Intern Med* ; 51:739-43,2012.
168. Yoshio T, Okamoto H, Onishi S, Minota S : Antiribosomal-P protein antibodies are associated with proliferative glomerulonephritis more strongly than with membranous glomerulonephritis in Japanese patients with systemic lupus erythematosus. *Mod Rheumatol* ; 22:488-90,2012.
169. Yuasa M, Fujiwara S, Oh I, Yamaguchi T, Fukushima N, Morimoto A, Ozawa K : Rapidly progressing fatal adult multi-organ langerhans cell histiocytosis complicated with fatty liver disease. *J Clin Exp Hematop* ; 52:121-6,2012.