

内科学英語論文業績 (2013)

1. Akimoto C, Sakashita E, Kasashima K, Kuroiwa K, Tominaga K, Hamamoto T, Endo H. : Translational repression of the McKusick-Kaufman syndrome transcript by unique upstream open reading frames encoding mitochondrial proteins with alternative polyadenylation sites. *Biochim Biophys Acta* 1830:2728-2738, 2013.
2. Akimoto C, Forsgren L, Linder J, Birve A, Backlund I, Andersson J, Nilsson AC, Alstermark H, :Andersen PM. No GGGGCC-hexanucleotide repeat expansion in C9ORF72 in parkinsonism patients in Sweden. *Amyotroph Lateral Scler Frontotemporal Degener* 14:26-29, 2013.
3. Akimoto, T., Kimura,T., Watanabe, Y., Ishikawa, N., Iwazu, Y., Saito, O., Muto, S., Yagisawa, T., Kusano, E.:The impact of nephrectomy and renal transplantation on serum levels of soluble Klothoprotein. *Transplant Proc* 45(1): 134-136, 2013.
4. Akimoto, T., Ito, C., Kotoda, A., Ogura, M., Sugase, T., Sato, R., Kusano, E., Nagata, D.: Challenges of caring for an advanced chronic kidney disease patient with severe thrombocytopenia. *Clin Med Insights Case Rep* 6: 171-175, 2013.
5. Aoki H., Nakata M., Dezaki K., Lu M., Gantulga D., Yamamoto K., Shimada K., Kario K., Yada T. : Ghrelin counteracts salt-induced hypertension via promoting diuresis and renal nitric oxide production in Dahl rats. *Endocr J.* 60 : 571-581 , 2013.
6. Aoki J., Kimura K.,Koga M., Kario K., Nakagawara J., Furui E., Shiokawa Y., Hasegawa Y., Okuda S., Yamagami H., Okada Y., Shibazaki K., Sakamoto Y., Toyoda K. : NIHSS-time score easily predicts outcomes in rt-PA patients : The SAMURAI rt-PA registry. *J Neurol Sci.* 327: 6-11, 2013.
7. Arantes V, Albuquerque W, Freitas Dias CA, Demas Alvares Cabral MM, Yamamoto H: Standardized endoscopic submucosal tunnel dissection for management of early esophageal tumors (with video). *Gastrointest Endosc* ;78: 946-952, 2013.
8. Buchert R, Uebe S, Radwan F, Tawamie H, Issa S, Shimazaki H, Henneke M, Ekici AB, Reis A, Abou Jamra R. :Mutations in the mitochondrial gene *C12ORF65* lead to syndromic autosomal recessive intellectual disability and show genotype phenotype correlation. *Eur J Med Genet* 56:599-602, 2013.
9. Endo K., Kario K., Koga M., Nakagawara J., Shiokawa Y., Yamagami H., Furui E., Kimura K., Hasegawa Y., Okada Y., Okuda S., Namekawa M., Miyagi T., Osaki M., Minematsu K., Toyoda K. : Impact of early blood pressure variability on stroke outcomes after thrombolysis: the SAMURAI rt-PA Registry. *Stroke.* 44 : 816-818, 2013.

10. Eschbach J, Schwalenstöcker B, Soyol SM, Bayer H, Wiesner D, Akimoto C, Nilsson AC, Birve A, Meyer T, Dupuis L, Danzer KM, Andersen PM, Witting A, Ludolph AC, Patsch W, Weydt P. : PGC-1 α is a male-specific disease modifier of human and experimental amyotrophic lateral sclerosis. *Hum Mol Genet* 22:3477-3484, 2013.
11. Fujiwara, S., Muroi, K., Hirata, Y., Sato, K., Matsuyama, T., Ohmine, K., Suzuki, T., Ozaki, K., Mori, M., Nagai, T., Tanaka, A., Ozawa, K.: Clinical features of de novo CD25(+) diffuse large B-cell lymphoma. *Hematology* 18(1): 14-9, 2013.
12. Fukutomi M., Hoshide S., Eguchi K., Watanabe T., Kario K. : Low-grade inflammation and ambulatory blood pressure response to antihypertensive treatment: the ALPHABET study. *Am J Hypertens.* 26 : 784-792, 2013.
13. Furuichi, K., Shimizu, M., Toyama, T., Koya, D., Koshino, Y., Abe, H., Mori, K., Satoh, H., Imanishi, M., Iwano, M., Yamauchi, H., Kusano, E., Fujimoto, S., Suzuki, Y., Okuda, S., Kitagawa, K., Iwata, Y., Kaneko, S., Nishi, S., Yokoyama, H., Ueda, Y., Haneda, M., Makino, H., Wada, T.: Research Group of Diabetic Nephropathy, Ministry of Health, Labour, and Welfare of Japan. Japan Diabetic Nephropathy Cohort Study: study design, methods, and implementation. *Clin Exp Nephrol* 17 (6) : 819-826, 2013.
14. Gomi H, Solomkin JS, Takada T, Strasberg SM, Pitt HA, Yoshida M, Kusachi S, Mayumi T, Miura F, Kiriyaama S, Yokoe M, Kimura Y, Higuchi R, Windsor JA, Dervenis C, Liau KH, Kim MH. TG13 antimicrobial therapy for acute cholangitis and cholecystitis. *J Hepatobiliary Pancreat Sci.* 20:60-70, 2013.
15. Hata, K., Mizukami, H., Sadakane, O., Watakabe, A., Ohtsuka, M., Takaji, M., Kinoshita, M., Isa, T., Ozawa, K., Yamamori, T.: DNA methylation and methyl-binding proteins control differential gene expression in distinct cortical areas of macaque monkey. *J. Neurosci.* 33(50): 19704-14, 2013.
16. Hayashi Y, Yamamoto H, Yano T, Kitamura A, Takezawa T, Ino Y, Sakamoto H, Miura Y, Shinhata H, Sato H, Sunada K, Sugano K: A calibrated, small-caliber tip, transparent hood to aid endoscopic balloon dilation of intestinal strictures in Crohn's disease: successful use of prototype. *Endoscopy* ;45 :E373-374, 2013.
17. Hernandez-Hernandez O, Guiraud-Dogan C, Sicot G, Huguet A, Luillier S, Steidl E, Saenger S, Marciniak E, Obriot H, Chevarin C, Nicole A, Revillod L, Charizanis K, Lee KY, Suzuki Y, Kimura T, Matsuura T, Cisneros B, Swanson MS, Trovero F, Buisson B, Bizot JR, Hamon M, Humez S, Bassez G, Metzger F, Buee L, Munnich A, Sergeant N, Gourdon G, Gomes-Pereira M. Myotonic dystrophy CTG expansion affects synaptic vesicle proteins, neurotransmission and mouse behaviour. *Brain* 136:957-970, 2013.

18. Higuchi R, Takada T, Strasberg SM, Pitt HA, Gouma DJ, Garden OJ, Büchler MW, Windsor JA, Mayumi T, Yoshida M, Miura F, Kimura Y, Okamoto K, Gabata T, Hata J, Gomi H, Supe AN, Jagannath P, Singh H, Kim MH, Hilvano SC, Ker CG, Kim SW. : TG13 miscellaneous etiology of cholangitis and cholecystitis. *Hepatobiliary Pancreat Sci.* Jan;20(1):97-105,2013.
19. Honne, K., Nagashima, T., Onishi, S., Nagatani, K., Iwamoto, M., Minota, S.: Fluorodeoxyglucose positron emission tomography/computed tomography for diagnostic imaging in relapsing polychondritis with atypical manifestations. *J Clin Rheumatol* 19: 104-5 2013.
20. Horikoshi, R., Akimoto, T., Inoue, M., Morishita, Y., Kusano, E.: Febuxostat for hyperuricemia: experience with patients on chronic hemodialysis treatment. *Clin Exp Nephrol* 17(1): 149-150, 2013.
21. Hoshide S., Fukutomi M., Eguchi K., Watanabe T., Kabutoya T., Kario K.: Change in high-sensitive cardiac troponin T on hypertensive treatment. *Clin Exp Hypertens.* 35 : 40-44, 2013.
22. Hoshide S., Imai Y., Kario K.: Response to Rai. *Hypertens Res.* 36 : 88, 2013.
23. Hoshide S., Kario K. : Early morning hypertension: a narrative review. *Blood Press Monit.* 18 : 291-296, 2013.
24. Hwu WL, Lee NC, Chien YH, Muramatsu S, Ichinose H. : AADC deficiency: occurring in humans, modeled in rodents. *Adv Pharmacol* 68:273-284, 2013.
25. Igarashi, Y., Akimoto, T., Nukui, A., Nakamura, H., Kawai, A., Kijima, S., Kubo, T., Sugimoto, H., Morita, T., Kusano, E.: Flank pain, nausea, vomiting and hypotension in a chronic hemodialysis patient with a spontaneous perirenal hemorrhage. *Intern Med* 52(18): 2083-2086, 2013.
26. Imai, T., Takeda, S., Kawaguchi, K., Chaki, Y., Morishita, Y., Akimoto, T., Muto, S., Kusano, E.: Delayed development of pulmonary hemorrhage in a patient with positive circulating anti-neutrophil cytoplasmic antibody: a clinical dilemma. *Case Rep Nephrol Urol* 3(2): 121-127, 2013.
27. Imai, T., Yumura, W., Takemoto, F., Kotoda, A., Imai, R., Inoue, M., Hironaka, M., Muto, S., Kusano, E.: A case of IgG4-related tubulointerstitial nephritis with left hydronephrosis after a remission of urinary tract tuberculosis. *Rheumatol Int* 33(8): 2141-2144, 2013.
28. Ingre C, Landers JE, Rizik N, Volk AE, Akimoto C, Birve A, Hubers A, Keagle PJ, Piotrowska K, Press R, Andersen PM, Ludolph AC, Weishaupt JH. : A novel phosphorylation site mutation in profilin 1 revealed in a large screen of US, Nordic, and German amyotrophic lateral sclerosis/frontotemporal dementia cohorts. *Neurobiol Aging* 34:1708.e1-6, 2013.
29. Inoue, M., Yumura, W., Morishita, Y., Ito, C., Hamano, Y., Ando, Y., Muto, S., Kusano, E.:

Patients with adult minimal change nephrotic syndrome treated with long-term cyclosporine did not experience a reduction in their eGFR. *Clin Nephrol* 79(2): 101-106, 2013.

30. Inoue Y., Yasuda Y., Takahashi M. : Role of the inflammasome in inflammatory responses and subsequent injury after hepatic ischemia-reperfusion injury. (Letter) *Hepatology* 58 : 2212, 2013.

31. Ishikawa S., Kotani K., Kario K., Kayaba K., Gotoh T., Nakamura Y., Kajii E. Jichi Medical School (JMS) cohort study group.: Inverse association between serum lipoprotein(a) and cerebral hemorrhage in the Japanese population. *Thromb Res.* 131:e54-58,2013.

32. Ito, C., Fujii, H., Ogura, M., Sato, H., Kusano, E.: Cetuximab-induced nephrotic syndrome in a case of metastatic rectal cancer. *J Oncol Pharm Pract* 19(3): 265-268, 2013.

33. Itoi T, Tsuyuguchi T, Takada T, Strasberg SM, Pitt HA, Kim MH, Belli G, Mayumi T, Yoshida M, Miura F, Büchler MW, Gouma DJ, Garden OJ, Jagannath P, Gomi H, Kimura Y, Higuchi R. TG13 indications and techniques for biliary drainage in acute cholangitis (with videos). *J Hepatobiliary Pancreat Sci.* Jan;20(1):71-80, 2013.

34. Iwata N, Sekiguchi M, Hattori Y, Takahashi A, Asai M, Ji B, Higuchi M,Staufenbiel M, Muramatsu S, Saido TC. : Global brain delivery of neprilysin gene by intravascular administration of AAV vector in mice. *Sci Rep* 3:1472, 2013.

35. Iwazu, Y., Muto, S., Miyata, Y., Ochi, M., Tokue, A., Asano, Y., Kusano, E.: The origin of idiopathic renal arteriovenous malformation with giant twin aneurysms. *Clin Nephrol* 79(1): 81-84, 2013.

36. Izumi Y, Yabe D, Taniguchi A, Fukushima M, Nakai Y, Hosokawa M, Okumura T, Nin K, Matsumoto K, Nishimura F, Nagasaka S, Seino Y: Circulating TNF receptor 2 is associated with the development of chronic kidney disease in non-obese Japanese patients with type 2 diabetes. *Diabetes Res Clin Pract*; 99(2):145-150, 2013.

37. Kabutoya T., Hoshide S., Ogata Y., Eguchi K., Kario K.: Masked hypertension defined by home blood pressure monitoring is associated with impaired low-mediated vasodilatation in patients with cardiovascular risk factors. *J Clin Hypertens (Greenwich).*15:630-636,2013.

38. Kamata, Y., Minota, S. : Three-pointed star sign of lupus enteritis. *Rheumatology*52 : 1008.2013.

39. Kanazawa, H., Kotoda, A., Akimoto, T., Shinozaki, T., Inoue, M., Sugimoto, H., Kusano E.: Serial Tc-99m MAG3 renography evaluating the recovery of acute kidney injury associated with minimal change nephrotic syndrome. *Intern Med* 52(9): 987-991, 2013.

40. Kario K., Ando S., Kido H., Nariyama J., Takiuchi S., Yagi T., Shimizu T., Eguchi K., Ohno M., Kinoshita O., Yamada T.: The Effects of the L-type calcium channel blocker (Cilnidipine) on sympathetic hyperactive morning hypertension: results from ACHIEVE-ONE. *J Clin Hypertens (Greenwich)*. 15:133-142,2013.
41. Kario K., Nariyama J., Kido H., Ando S., Takiuchi S., Eguchi K., Nijima Y., Ando T., Noda M.: Effect of a novel calcium channel blocker on abnormal nocturnal blood pressure in hypertensive patients. *J Clin Hypertens (Greenwich)*. 15:465-472, 2013.
42. Kario K., Robbins J., Jeffers BW.: Titration of amlodipine to higher doses: a comparison of Asian and Western experience. *Vasc Health Risk Manag*. 9:695-701,2013.
43. Kario K., Saito I., Kushiro T., Teramukai S., Ishikawa Y., Hiramatsu K., Kobayashi F., Shimada K.: Effect of the angiotensin II receptor antagonist olmesartan on morning home blood pressure in hypertension: HONEST Study at 16 weeks. *J Hum Hypertens*. 27 : 721-728,2013.
44. Kario K., Saito I., Kushiro T., Teramukai S., Mori Y., Hiramatsu K., Kobayashi F., Shimada K.: Enhanced blood pressure-lowering effect of olmesartan in hypertensive patients with chronic kidney disease-associated sympathetic hyperactivity : HONEST Study. *J Clin Hypertens (Greenwich)*. 15:555-561,2013.
45. Kario K., Sato Y., Shirayama M., Takahashi M., Shiosakai K., Hiramatsu K., Komiya M., Shimada K.: Inhibitory effects of azelnidipine tablets on morning hypertension. *Drugs R D*. 13 : 63-73,2013.
46. Kario K., Uehara Y., Shirayama M., Takahashi M., Shiosakai K., Hiramatsu K., Komiya M., Shimada K.: Study of sustained blood pressure-lowering effect of azelnidipine guided by self-measured morning and evening home blood pressure: subgroup analysis of the At-HOME Study. *Drugs R D*. 13:75-85,2013.
47. Kario K.: Proposal of a new strategy for ambulatory blood pressure profile-based management of resistant hypertension in the era of renal denervation. *Hypertens Res*. 36 : 478-84, 2013.
48. Kario K. : Orthostatic hypertension-a new haemodynamic cardiovascular risk factor. *Nat Rev Nephrol*. 9 : 726-738, 2013.
49. Kashima Y., Takahashi M., Shiba Y., Itano N., Izawa A., Koyama J., Nakayama J., Sagara J., Taniguchi S., Kimata K., Ikeda U.: Critical role of hyaluronan in neointimal formation after vascular injury. *PLoS One* 8 : e58760,2013.

50. Kawasaki R, Tanaka S, Tanaka S, Abe S, Sone H, Yokote K, Ishibashi S, Katayama S, Ohashi Y, Akanuma Y, Yamada N, Yamashita H; Japan Diabetes Complications Study Group: Risk of cardiovascular diseases is increased even with mild diabetic retinopathy: the Japan Diabetes Complications Study. *Ophthalmology*; 120(3):574-582, 2013.
51. Kenzaka T : Magnetic resonance myelography in a patient with cerebrospinal fluid hypovolemia. *Intern Med* ; 52:2691, 2013.
52. Kenzaka T, Kumabe A, Urushibara Y, Minami K, Ishida T : Hyperammonemia in a patient with obstructive urinary tract infection due to *Corynebacterium urealyticum*. *Cent Eur J Med* ; 8:597-599, 2013.
53. Kenzaka T, Takamura N, Kumabe A, Takeda K : A case of subacute infective endocarditis and blood access infection caused by *Enterococcus durans*. *BMC Infectious Diseases* ; 13: 594, 2013.
54. Kenzaka T, Takeda K : Computed tomography images of rhabdomyolysis. *Intern Med* ; 52: 1761, 2013.
55. Kenzaka T, Ueda Y : Infectious cerebral embolism. *Rev Assoc Med Bras* ; 59: 411-412, 2013.
56. Kenzaka T, Yamamoto Y : Magnetic resonance imaging of mid-ventricular obstructive hypertrophic cardiomyopathy. *QJM* ; 106: 873, 2013.
57. Kimura Y, Takada T, Strasberg SM, Pitt HA, Gouma DJ, Garden OJ, Büchler MW, Windsor JA, Mayumi T, Yoshida M, Miura F, Higuchi R, Gabata T, Hata J, Gomi H, Dervenis C, Lau WY, Belli G, Kim MH, Hilvano SC, Yamashita Y. : TG13 current terminology, etiology, and epidemiology of acute cholangitis and cholecystitis. *J Hepatobiliary Pancreat Sci.* Jan;20(1):8-23, 2013.
58. Kiriya S, Takada T, Strasberg SM, Solomkin JS, Mayumi T, Pitt HA, Gouma DJ, Garden OJ, Büchler MW, Yokoe M, Kimura Y, Tsuyuguchi T, Itoi T, Yoshida M, Miura F, Yamashita Y, Okamoto K, Gabata T, Hata J, Higuchi R, Windsor JA, Bornman PC, Fan ST, Singh H, de Santibanes E, Gomi H, Kusachi S, Murata A, Chen XP, Jagannath P, Lee S, Padbury R, Chen MF, Dervenis C, Chan AC, Supe AN, Liao KH, Kim MH, Kim SW. TG13 guidelines for diagnosis and severity grading of acute cholangitis (with videos). *J Hepatobiliary Pancreat Sci.* Jan;20(1):24-34, 2013.
59. Kobayashi H, Nagai T, Omine K, Sato K, Ozaki K, Suzuki T, Mori M, Muroi K, Yano T, Yamamoto H, Ozawa K: Clinical outcome of non-surgical treatment for primary small intestinal lymphoma diagnosed with double-balloon endoscopy. *Leuk Lymphoma* ; 54:731-736, 2013.
60. Kokuzawa, A., Morishita, Y., Yoshizawa, H., Iwazu, Y., Komada, T., Akimoto, T., Saito, O., Oda, T., Takemoto, F., Ando, Y., Muto, S., Yumura, W., Kusano, E.: Acute post-streptococcal glomerulonephritis with acute kidney injury in nephrotic syndrome with the glomerular deposition of nephritis-associated

plasmin receptor antigen. Intern Med 52(18): 2087-2091, 2013.

61. Komada, T., Morishita, Y., Kitamura, M., Iwazu, K., Mumata, A., Kobayashi, T., Yamamoto, H., Akimoto, T., Saito, O., Ando, Y., Takemoto, F., Muto, S., Yumura, W., Kusano, E.: Acute kidney injury in a patient with nephrotic syndrome due to focal segmental glomerular nephritis induced by a single oral administration of high-dose bisphosphonate (minodronate). Intern Med 52(12): 1383-1387, 2013.

62. Komori T., Eguchi K., Hoshida S., Williams B., Kario K. : Comparison of wrist-type and arm-type 24-h blood pressure monitoring devices for ambulatory use. Blood Press Monit. 18:57-62,2013.

63. Kono S, Deguchi K, Morimoto N, Kurata T, Deguchi S, Yamashita T, Ikeda Y, Matsuura T, Narai H, Omori N, Manabe Y, Yunoki T, Takao Y, Kawata S, Kashihara K, Abe K. : Tissue Plasminogen Activator Thrombolytic Therapy for Acute Ischemic Stroke in 4 Hospital Groups in Japan. J Stroke Cerebrovasc Dis 22:190-196, 2013.

64. Kotani K., Yamada S., Yamada T., Kario K., Taniguchi N.: Oxidized lipoprotein(a) and cardio-ankle vascular index (CAVI) in hypertensive subjects. Heart Vessels.28 : 461-466,2013.

65. Kotoda, A., Akimoto, T., Sugase, T., Yamamoto, H., Kusano, E.: Is there a link between the structural impact of thoracic outlet and the development of central venous stenosis? Med Hypotheses 80(1): 29-31, 2013.

66. Koyama J., Minamisawa A., Aizawa K., Kasai H., Koshikawa M., Izawa A., Tomita T., Miyashita Y., Kumazaki S., Takahashi M., Ikeda U. : Peak systolic velocity of pulmonary venous flow and peak systolic mitral annular velocity are independent predictors of left ventricular global longitudinal strain in patients with cardiomyopathy. Int J Cardiol 168 : 5462-5464, 2013.

67. Kubo K, Azuma A, Kanazawa M, Kameda H, Kusumoto M, Genma A, Saijo Y, Sakai F, Sugiyama Y, Tatsumi K, Dohi M, Tokuda H, Hashimoto S, Hattori N, Hanaoka M, Fukuda Y : Consensus statement for the diagnosis and treatment of drug-induced lung injuries. Respiratory Investigation, 51(4),260-277,2013.

68. Lee NC, Shieh YD, Chien YH, Tzen KY, Yu IS, Chen PW, Hu MH, Hu MK, Muramatsu S, Ichinose H, Hwu WL. : Regulation of the dopaminergic system in a murine model of aromatic L-amino acid decarboxylase deficiency. Neurobiol Dis 52:177-190, 2013.

69. Maruyama,A.,Nagashima,T.,Ikenoya,K.,Aoki,Y.,Matsuyama,Y.,Iwamoto,M.,Minota,S.: Glucocorticoid - induced Normotensive Scleroderma Renal Crisis:A Report on Two Cases and a Review of the Literature in Japan. Intern Med52:1833-7.2013.

70. Maruyama, A., Nagashima, T., Kamata, Y., Nagatani, K., Murosaki, T., Yoshio, T., Minota, S.:

An unusual cause of hemichorea-hemiballism in a patient with systemic lupus erythematosus. *Rheumatol Int* 33:267-8, 2013.

71. Mato N, Bando M, Kusano A, Hirano T, Nakayama M, Uto T, Nakaya T, Yamasawa H, Sugiyama Y : Clinical significance of interleukin 33(IL-33) in patients with eosinophilic pneumonia. *Allergology International* 62,45-52,2013.

72. Matsubara D, Kishaba Y, Ishikawa S, Sakatani T, Oguni S, Tamura T, Hoshino H, Sugiyama Y, Endo S, Murakami Y, Aburatani H, Fukayama M, Niki : T Lung cancer with loss of BRG1/BRM, shows epithelial mesenchymal transition phenotype and distinct histologic and genetic features. *Cancer sci* 104 ,266-273,2013.

73. Matsubara S, Usui R, Watanabe T, Imayoshi M, Ichida M, Ando Y. : Perimortem cesarean section or perimortem cesarean supracerical hysterectomy? *Arch Gynecol Obstet* 287:389-390, 2013.

74. Matsuura T, Kurosaki T, Omote Y, Minami N, Hayashi YK, Nishino I, Abe K. : Exome sequencing as a diagnostic tool to identify a causal mutation in genetically highly heterogeneous limb-girdle muscular dystrophy. *J Hum Genet* 58:564-565, 2013.

75. Miki, A., Takeda, S., Yamamoto, H., Kusano, E.: A case of renal impairment after near-drowning: the universal nature of acute kidney injury. *Clin Exp Nephrol* 17(4): 594-595, 2013.

76. Mimuro, J., Mizukami, H., Hishikawa, S., Ikemoto, T., Ishiwata, A., Sakata, A., Ohmori, T., Madoiwa, S., Ono, F., Ozawa, K., Sakata, Y.: Minimizing the inhibitory effect of neutralizing antibody for efficient gene expression in the liver with adeno-associated virus 8 vectors. *Mol. Ther.* 21(2): 318-23, 2013.

77. Minota, S.: Physico-chemical characteristics of TNF α blockers and their effectiveness in the treatment of rheumatoid arthritis:the theoretical and real worlds. *Mod Rheumatol*23:1034-6,2013.

78. Miura F, Takada T, Strasberg SM, Solomkin JS, Pitt HA, Gouma DJ, Garden OJ, Büchler MW, Yoshida M, Mayumi T, Okamoto K, Gomi H, Kusachi S, Kiriya S, Yokoe M, Kimura Y, Higuchi R, Yamashita Y, Windsor JA, Tsuyuguchi T, Gabata T, Itoi T, Hata J, Liao KH. : TG13 flowchart for the management of acute cholangitis and cholecystitis. *J Hepatobiliary Pancreat Sci.* Jan;20(1):47-54, 2013.

79. Miyagi T., Koga M., Shiokawa Y., Nakagawara J., Hasegawa Y., Furui E., Kimura K., Kario K., Okuda S., Yamagami H., Okada Y., Nezu T., Maeda K., Endo K., Minematsu K., Toyoda K.:Intravenous alteplase at 0.6 mg/kg for acute stroke patients with basilar artery occlusion: the Stroke Acute Management with Urgent Risk Factor Assessment and Improvement (SAMURAI) recombinant tissue plasminogen activator registry. *J Stroke Cerebrovasc Dis.* 22 : 1098-1106, 2013.

80. Miyamoto M, Kotani K, Okada K, Ando A, Hasegawa H, Kanai H, Ishibashi S, Yamada T, Taniguchi N: Arterial wall elasticity measured using the phased tracking method and atherosclerotic risk factors in patients with type 2 diabetes. *J Atheroscler Thromb*; 20(8):678-687, 2013.
81. Miyashita H., Katsuda S. : Basis of monitoring central blood pressure and hemodynamic parameters by peripheral arterial pulse waveform analyses. *Conf Proc IEEE Eng Med Biol Soc*,221-22,2013.
82. Miyata, S., Urabe, M., Gomi A, Nagai, M., Yamaguchi, T., Tsukahara, T., Mizukami, H., Kume, A., Ozawa, K., Watanabe, E.: An R132H mutation in isocitrate dehydrogenase 1 enhances p21 expression and inhibits phosphorylation of retinoblastoma protein in glioma cells. *Neurol. Med. Chir. (Tokyo)*. 53(10): 645-54, 2013.
83. Mochizuki R, Gomi H, Urushibara Y, Takeda K, Yamamoto Y, Kuroki S. : Factors perceived by students for effective clinical reasoning sessions in medical education in Japan. *Medical Education* 47: Suppl. 2: 11, 2013.
84. Morishita, Y., Miki, A., Okada, M., Tsuboi, S., Ishibashi, K., Ando, Y., Kusano, E.: Association of primary care physicians' exercise habits and their age, specialty, and workplace. *J Multidiscip Healthc* 6: 409-414, 2013.
85. Murakami K, Furuta T, Ando T, Nakajima T, Inui Y, Oshima T, Tomita T, Mabe K, Sasaki M, Suganuma T, Nomura H, Satoh K, Hori S, Inoue S, Tomokane T, Kudo M, Inaba T, Take S, Ohkusa T, Yamamoto S, Mizuno S, Kamoshida T, Amagai K, Iwamoto J, Miwa J, Kodama M, Okimoto T, Kato M, Asaka M; Japan GAST Study Group.: Multi-center randomized controlled study to establish the standard third-line regimen for *Helicobacter pylori* eradication in Japan. *J Gastroenterol* ;48:1128-1135,2013.
86. Muroi, K., Fujiwara, S., Tataru, R., Sugimoto, M., Yamamoto, C., Uehara, E., Meguro, A., Hatano, K., Okazuka, K., Oh, I., Ohmine, K., Suzuki, T., Mori, M., Nagai, T., Ozawa, K.: CD56 expression in normal immature granulocytes after allogeneic hematopoietic stem cell transplantation. *J. Clin. Exp. Hematop.* 53(3): 247-50, 2013 .
87. Muroi, K., Miyamura, K., Ohashi, K., Murata, M., Eto, T., Kobayashi, N., Taniguchi, S., Imamura, M., Ando, K., Kato, S., Mori, T., Teshima, T., Mori, M., Ozawa, K.: Unrelated allogeneic bone marrow-derived mesenchymal stem cells for steroid-refractory acute graft-versus-host disease: a phase I/II study. *Int. J. Hematol.* 98(2): 206-13, 2013.
88. Nagai M., Hoshide S., Kario K.: Role of 24-hour blood pressure management in preventing kidney disease and stroke. *Contrib Nephrol.* 179:67-80,2013.
89. Nagai M., Hoshide S., Nishikawa M., Shimada K., Kario K.: Sleep duration and insomnia in

the elderly: associations with blood pressure variability and carotid artery remodeling. *Am J Hypertens*. 26:981-989,2013.

90. Nagai M., Kario K.: What is the truth? Differences in ambulatory blood pressure data between monitors. *J Clin Hypertens (Greenwich)*. 15:326-327,2013.

91. Nagai M., Kario K.: Visit-to-visit blood pressure variability, silent cerebral injury, and risk of stroke. *Am J Hypertens*. 26:1369-1376,2013.

92. Nagai, T., Karakawa, M., Komine, M., Muroi, K., Ohtsuki, M., Ozawa, K.: Development of psoriasis in a patient with chronic myelogenous leukaemia during nilotinib treatment. *Eur. J. Haematol*. 91(3): 270-2, 2013.

93. Nagashima, T., Fukushima, N., Minota, S.: Clinical features of a new disease concept, IgG4-related thyroiditis: comments on the article by Watanabe et al. *Scand J Rheumatol* 42(6):510-1,2013.

94. Nagashima, T., Matsumoto, K., Murosaki, T., Okada, M., Iwamoto, M., Makino, S., Minota, S.: Posterior ischemic optic neuropathy in a patient with granulomatosis with polyangiitis (Wegner's). *Rheumatol Int* 33: 1915-6. 2013.

95. Nakajima, A., Saito, K., Kojima, T., Amano, K., Yoshio, T., Fukuda, W., Inoue, E., Taniguchi, A., Momohara, S., Minota, S., Takeuchi, T., Ishiguro, N., Tanaka, Y., Yamanaka, H.: No increased mortality in patients with rheumatoid arthritis treated with biologics: results from the biologics register of six rheumatology institutes in Japan. *Mod Rheumatol* 23:945-52,2013.

96. Nakamura, J., Nagashima, T., Akiyama, Y., Minota, S.: Radiographic Features of Rhupus Arthropathy. *Intern Med* 52:2837,2013.

97. Nakayama K., Miyashita H., Yanagisawa Y., Iwamoto S.: Seasonal effects of UCP1 gene polymorphism on visceral fat accumulation in Japanese adults. *PLoS One* 8: e74720,2013.

98. Nakayama K., Ogawa A., Miyashita H., Tabara Y., Igase M., Kohara K., Miki T., Kagawa Y., Yanagisawa Y., Katashima M., Onda T., Okada K., Fukushima S., Iwamoto S.: Positive natural selection of TRIB2, a novel gene that influences visceral fat accumulation, in East Asia. *Hum Genet* 132:201-217, 2013.

99. Namekawa M, Kameda T, Kumabe A, Mise J.: Segmental zoster paresis of the right shoulder. *Intern Med* 52:2839, 2013.

100. Namekawa M, Nakamura Y, Nakano I. : Cortical involvement in Marchiafava-Bignami disease can be a predictor of a poor prognosis: a case report and review of the literature. *Intern Med* 52:811-813, 2013.
101. Numata, A., Morishita, Y., Mori, M., Saito, O., Takemoto, F., Ando, Y., Muto, S., Yumura, W., Kusano, E.: De novo postallogeic hematopoietic stem cell transplant membranous nephropathy. *Exp Clin Transplant* 11(1): 75-78, 2013.
102. O'Brien E., Parati G., Stergiou G., Asmar R., Beilin L., Bilo G., Clement D., de la Sierra A., de Leeuw P., Dolan E., Fagard R., Graves J., Head GA., Imai Y., Kario K., Lurbe E., Mallion JM., Mancia G., Mengden T., Myers M., Ogedegbe G., Ohkubo T., Omboni S., Palatini P., Redon J., Ruilope LM., Shennan A., Staessen JA., Vanmontfrans G., Verdecchia P., Waeber B., Wang J., Zanchetti A., Zhang Y. on behalf of the European Society of Hypertension Working Group on Blood Pressure Monitoring.: European Society of Hypertension position paper on ambulatory blood pressure monitoring. *J Hypertens.* 31:1731-1768, 2013.
103. Oe Y., Shimbo D., Ishikawa J., Okajima K., Hasegawa T., Diaz KM., Muntner P., Homma S., Schwartz JE. Alterations in diastolic function in masked hypertension: findings from the masked hypertension study. *Am J Hypertens* 26:808-15, 2013.
104. Ogata H, Nakamura K, Sato M, Tokuyama K, Nagasaka S, Ebine N, Kiyono K, Yamamoto Y: Lack of negative correlation in glucose dynamics by nonexercise activity thermogenesis restriction in healthy adults. *Med Sci Sports Exerc*; 45(1):60-66, 2013.
105. Okada K, Yagyu H, Kotani K, Yamazaki H, Ozaki K, Takahashi M, Nagashima S, Osuga J, Ishibashi S: Effects of miglitol versus sitagliptin on postprandial glucose and lipoprotein metabolism in patients with type 2 diabetes mellitus. *Endocr J*; 60(7):913-922, 2013.
106. Okamoto K, Takada T, Strasberg SM, Solomkin JS, Pitt HA, Garden OJ, Büchler MW, Yoshida M, Miura F, Kimura Y, Higuchi R, Yamashita Y, Mayumi T, Gomi H, Kusachi S, Kiriyama S, Yokoe M, Lau WY, Kim MH. : TG13 management bundles for acute cholangitis and cholecystitis. *J Hepatobiliary Pancreat Sci.* Jan;20(1):55-9, 2013.
107. Okazuka, K., Masuko, M., Matsuo, Y., Miyakoshi, S., Tanaka, T., Kozakai, T., Kobayashi, H., Fuse, K., Shibasaki, Y., Moriyama, M., Takizawa, J., Fuse, I., Toba, K., Furukawa, T.: Successful treatment of severe newly diagnosed immune thrombocytopenia involving an alveolar hemorrhage with combination therapy consisting of romiplostim, rituximab and vincristine. *Int. Med.* 52(11): 1239-42, 2013.
108. Onisi, A., Morishita, Y., Watanabe, M., Mumata, A., Tezuka, M., Okuda, K., Tsunematsu, S., Sugaya, Y., Hashimoto, S., Kusano, E.: Action of irbesartan on blood pressure and glucose/lipid metabolism, in hemodialysis patients with hypertension. *Int J Gen Med* 6: 405-411, 2013.

109. Ono S, Maeda K, Baba K, Usui Y, Tsuji Y, Yano T, Hatanaka H, Yamamoto H: The efficacy of double-balloon enteroscopy for intrahepatic bile duct stones after Roux-en-Y hepaticojejunostomy for choledochal cysts. *Pediatr Surg Int*; 29:1103-1107, 2013.
110. Palatini P., Reboldi G., Beilin LJ., Eguchi K., Imai Y., Kario K., Ohkubo T., Pierdomenico SD., Saladini F., Schwartz JE., Wing L., Verdecchia P.: Predictive value of night-time heart rate for cardiovascular events in hypertension. The ABP-International study. *Int J Cardiol* 168:1490-1495,2013.
111. Rabkin J, Ogino M, Goetz R, McElhiney M, Marziliano A, Imai T, Atsuta N, Morita M, Tateishi T, Matsumura T, Mitsumoto H. : Tracheostomy with invasive ventilation for ALS patients: neurologists' roles in the US and Japan. *Amyotroph Lateral Scler Frontotemporal Degener* 14:116-123, 2013.
112. Rakugi H., Kario K., Enya K., Igeta M., Ikeda Y.: Effect of azilsartan versus candesartan on nocturnal blood pressure variation in Japanese patients with essential hypertension. *Blood Press.* 22 Suppl 1:22-28,2013.
113. Saito I., Kario K., Kushiro T., Teramukai S., Zenimura N., Hiramatsu K., Kobayashi F., Shimada K.: Rationale, study design, baseline characteristics and blood pressure at 16 weeks in the HONEST Study. *Hypertens Res* 36 : 177-182,2013.
114. Saito T., Hojo Y., Hirose M., Ikemoto T., Katsuki T., Kario K. : High-sensitivity troponin T is a prognostic marker for patients with aortic stenosis after valve replacement surgery. *J Cardiol.* 61: 342-347,2013.
115. Sakamoto Y., Koga M., Yamagami H., Okuda S., Okada Y., Kimura K., Shiokawa Y., Nakagawara J., Furui E., Hasegawa Y., Kario K., Arihiro S., Sato S., Kobayashi J., Tanaka E., Nagatsuka K., Minematsu K., Toyoda K. ; for the SAMURAI Study Investigators. Systolic blood pressure after intravenous antihypertensive treatment and clinical outcomes in hyperacute intracerebral hemorrhage : the Stroke Acute Management with Urgent Risk-factor Assessment and Improvement-Intracerebral Hemorrhage Study. *Stroke* 44:1846-1851,2013.
116. Sakamoto H, Mutoh H, Miura Y, Sashikawa M, Yamamoto H, Sugano K: SOX9 Is Highly Expressed in Nonampullary Duodenal Adenoma and Adenocarcinoma in Humans. *Gut Liver* ;7 :513-518, 2013.
117. Sakata K., Hayakawa M., Yano Y., Tamaki N., Yokota N., Eto T., Watanabe R., Hirayama N., Matsuo T., Kuroki K., Sagara S., Mishima O., Koga M., Nagata N., Nishino Y., Kitamura K., Kario K., Takeuchi M., Yamagishi S.: Efficacy of alogliptin, a dipeptidyl peptidase-4 inhibitor, on glucose parameters, the activity of the advanced glycation end product (AGE) - receptor for AGE (RAGE) axis and albuminuria in Japanese type 2 diabetes. *Diabetes Metab Res Rev*.29: 624-630, 2013.

118. Sanaka, T., Mochizuki, T., Kinugasa, E., Kusano, E., Ohwada, S., Kuno, T., Kojima, K., Kobayashi, S., Satoh, M., Shimada, N., Nakao, K., Nakazawa, R., Nishimura, H., Noiri, E., Shigematsu, T., Tomo, T., Maeda, T., VEESA Study Group.: Randomized controlled open-label trial of vitamin E-bonded polysulfone dialyzer and erythropoiesis-stimulating agent response. *Clin J Am Soc Nephrol* 8(6): 969-978, 2013.
119. Shen, Z.J., Hu, J., Ali, A., Pastor, J., Shiizaki, K., Blank, R.D., Kuro-o, M., Malter, J.S.: Pin1 null mice exhibit low bone mass and attenuation of BMP signaling. *PLoS One* 8 (5): e63565, 2013.
120. Shimazaki H, Takiyama Y, Honda J, Sakoe K, Namekawa M, Tsugawa J, Tsuboi Y, Suzuki C, Baba M, Nakano I. : Middle cerebellar peduncles and pontine T2 hypointensities in ARSACS. *J Neuroimaging* 23:82-85, 2013.
121. Shirai K, Saiki A, Oikawa S, Teramoto T, Yamada N, Ishibashi S, Tada N, Miyazaki S, Inoue I, Murano S, Sakane N, Satoh-Asahara N, Bujo H, Miyashita Y, Saito Y: The effects of partial use of formula diet on weight reduction and metabolic variables in obese type 2 diabetic patients--multicenter trial. *Obes Res Clin Pract* ; 7(1): e43-54, 2013.
122. Sugano K: Single-tablet double-dose famotidine plus ibuprofen decreases endoscopic upper GI ulcers compared with ibuprofen alone. *Evid Based Med* ;18: 26-27, 2013.
123. Sugano K :Premalignant conditions of gastric cancer. *J Gastroenterol Hepatol* ;28:906-911,2013
124. Sugano K, Kinoshita Y, Miwa H, Takeuchi T; Esomeprazole NSAID Preventive Study Group.: Safety and efficacy of long-term esomeprazole 20 mg in Japanese patients with a history of peptic ulcer receiving daily non-steroidal anti-inflammatory drugs. *BMC Gastroenterol* ;13: 54, 2013.
125. Sugimoto, M., Fujiwara, S., Hosonuma, R., Matsu, H., Uehara, E., Yamamoto, C., Kobayashi, H., Hatano, K., Meguro, A., Tatara, R., Okabe, H., Oh, I., Matsuyama, T., Ohmine, K., Suzuki, T., Mori, M., Nagai, T., Ozawa, K., Muroi, K.: Analysis of hemolysis in collected bone marrow for bone marrow transplantation. *Transfus. Apher. Sci.* 49(1): 95-6, 2013.
126. Takada T, Strasberg SM, Solomkin JS, Pitt HA, Gomi H, Yoshida M, Mayumi T, Miura F, Gouma DJ, Garden OJ, Büchler MW, Kiriyaama S, Yokoe M, Kimura Y, Tsuyuguchi T, Itoi T, Gabata T, Higuchi R, Okamoto K, Hata J, Murata A, Kusachi S, Windsor JA, Supe AN, Lee S, Chen XP, Yamashita Y, Hirata K, Inui K, Sumiyama Y. TG13: Updated Tokyo Guidelines for the management of acute cholangitis and cholecystitis. *J Hepatobiliary Pancreat Sci.* Jan;20(1):1-7, 2013.

127. Takahashi M, Ishibashi S: [Acquired hypertriglyceridemia]. *Nihon Rinsho*; 71(9): 1597-1601, 2013.
128. Takahashi M. : NLRP3 in myocardial ischemia-reperfusion injury: Inflammasome- dependent or -independent role in different cell types (Editorial) .*Cardiovasc Res*99 :4-5,2013.
129. Takahashi M, Yagyu H, Tazoe F, Nagashima S, Ohshiro T, Okada K, Osuga J, Goldberg IJ, Ishibashi S: Macrophage lipoprotein lipase modulates the development of atherosclerosis but not adiposity. *J Lipid Res*; 54(4): 1124-1134, 2013.
130. Takase S, Osuga J, Fujita H, Hara K, Sekiya M, Igarashi M, Takanashi M, Takeuchi Y, Izumida Y, Ohta K, Kumagai M, Nishi M, Kubota M, Masuda Y, Taira Y, Okazaki S, Iizuka Y, Yahagi N, Ohashi K, Yoshida H, Yanai H, Tada N, Gotoda T, Ishibashi S, Kadowaki T, Okazaki H: Apolipoprotein C-II deficiency with no rare variant in the APOC2 gene. *J Atheroscler Thromb*; 20(5):481-493, 2013. (
131. Takeda K, Kenzaka T, Morita Y, Kuroki S, Kajii E : A rare case of Lemierre`s syndrome caused by *Porphyromonas asaccharolytica*. *Infection* ; 41: 889-892, 2013.
132. Tatara, R., Nagai, T., Suzuki, M., Oh, I., Fujiwara, S., Norizuki, M., Muroi, K., Ozawa, K.: Sepsis and meningoencephalitis caused by *Bacillus cereus* in a patient with myelodysplastic syndrome. *Intern. Med.* 52(17): 1987-90, 2013.
133. Tee, J.B., Choi, Y., Dnyanmote, A., Decambre, M., Ito, C., Bush, K.T., Nigam, S.K.: GDNF-independent ureteric budding: role of PI3K-independent activation of AKT and FOSB/JUN/AP-1 signaling. *Biol Open* 2(9): 952-959, 2013.
134. Teramoto T, Sasaki J, Ishibashi S, Birou S, Daida H, Dohi S, Egusa G, Hiro T, Hirobe K, Iida M, Kihara S, Kinoshita M, Maruyama C, Ohta T, Okamura T, Yamashita S, Yokode M, Yokote K: Chronic Kidney Disease. *J Atheroscler Thromb*; 2013.
135. Teramoto T, Sasaki J, Ishibashi S, Birou S, Daida H, Dohi S, Egusa G, Hiro T, Hirobe K, Iida M, Kihara S, Kinoshita M, Maruyama C, Ohta T, Okamura T, Yamashita S, Yokode M, Yokote K: Treatment B) drug therapy: executive summary of the Japan Atherosclerosis Society(JAS) guidelines for the diagnosis and prevention of atherosclerotic cardiovascular diseases in Japan--2012 version. *J Atheroscler Thromb*; 20(12):850-860, 2013.
136. Teramoto T, Sasaki J, Ishibashi S, Birou S, Daida H, Dohi S, Egusa G, Hiro T, Hirobe K, Iida M, Kihara S, Kinoshita M, Maruyama C, Ohta T, Okamura T, Yamashita S, Yokode M, Yokote K: Treatment A) lifestyle modification: executive summary of the Japan Atherosclerosis Society(JAS) guidelines for the diagnosis and prevention of atherosclerotic cardiovascular diseases in Japan--2012 version. *J Atheroscler Thromb*; 20(12):835-849, 2013.

137. Teramoto T, Sasaki J, Ishibashi S, Birou S, Daida H, Dohi S, Egusa G, Hiro T, Hirobe K, Iida M, Kihara S, Kinoshita M, Maruyama C, Ohta T, Okamura T, Yamashita S, Yokode M, Yokote K: Other high-risk conditions. *J Atheroscler Thromb*; 20(11):785-789, 2013.
138. Teramoto T, Sasaki J, Ishibashi S, Birou S, Daida H, Dohi S, Egusa G, Hiro T, Hirobe K, Iida M, Kihara S, Kinoshita M, Maruyama C, Ohta T, Okamura T, Yamashita S, Yokode M, Yokote K: Absolute risk of cardiovascular disease and lipid management targets. *J Atheroscler Thromb*; 20(9):689-697, 2013.
139. Teramoto T, Sasaki J, Ishibashi S, Birou S, Daida H, Dohi S, Egusa G, Hiro T, Hirobe K, Iida M, Kihara S, Kinoshita M, Maruyama C, Ohta T, Okamura T, Yamashita S, Yokode M, Yokote K: Cardiovascular disease risk factors other than dyslipidemia. Executive summary of the Japan Atherosclerosis Society (JAS) guidelines for the diagnosis and prevention of atherosclerotic cardiovascular diseases in Japan - 2012 version. *J Atheroscler Thromb*; 20(10):733-742, 2013.
140. Teramoto T, Sasaki J, Ishibashi S, Birou S, Daida H, Dohi S, Egusa G, Hiro T, Hirobe K, Iida M, Kihara S, Kinoshita M, Maruyama C, Ohta T, Okamura T, Yamashita S, Yokode M, Yokote K: Diagnostic criteria for dyslipidemia. *J Atheroscler Thromb*; 20(8):655-660, 2013.
141. Teramoto T, Sasaki J, Ishibashi S, Birou S, Daida H, Dohi S, Egusa G, Hiro T, Hirobe K, Iida M, Kihara S, Kinoshita M, Maruyama C, Ohta T, Okamura T, Yamashita S, Yokode M, Yokote K; Japan Atherosclerosis Society (JAS): Comprehensive risk management for the prevention of cardiovascular disease: executive summary of the Japan Atherosclerosis Society (JAS) guidelines for the diagnosis and prevention of atherosclerotic cardiovascular diseases in Japan -- 2012. *J Atheroscler Thromb*; 20(7):603-615, 2013.
142. Teramoto T, Sasaki J, Ishibashi S, Birou S, Daida H, Dohi S, Egusa G, Hiro T, Hirobe K, Iida M, Kihara S, Kinoshita M, Maruyama C, Ohta T, Okamura T, Yamashita S, Yokode M, Yokote K; Japan Atherosclerosis Society. Executive summary of the Japan Atherosclerosis Society (JAS) guidelines for the diagnosis and prevention of atherosclerotic cardiovascular diseases in Japan -2012 version. *J Atheroscler Thromb*; 20(6):517-523, 2013.
143. Tetsuka S, Morita M, Ikeguchi K, Nakano I. : Utility of cystatin C for renal function in amyotrophic lateral sclerosis. *Acta Neurol Scand* 128:386-390, 2013.
144. Tetsuka S, Tominaga K, Ohta E, Kuroiwa K, Sakashita E, Kasashima K, Hamamoto T, Namekawa M, Morita M, Natsui S, Morita T, Tanaka K, Takiyama Y, Nakano I, Endo H. : Paraneoplastic cerebellar degeneration associated with an onconeural antibody against creatine kinase, brain-type. *J Neurol Sci* 335:48-57, 2013.

145. Tetsuka S, Morita M, Iida A, Uehara R, Ikegawa S, Nakano I. : ZNF512B gene is a prognostic factor in patients with amyotrophic lateral sclerosis. *J Neurol Sci* 324:163-166, 2013.
146. Tsuji Y, Maeda K, Ono S, Tazuke Y, Yanagisawa S, Usui Y, Baba K, Yano T, Yamamoto H: A novel diagnostic and treatment strategy for small intestinal lesions in children: hybrid treatment using transumbilical minimal incision surgery combined with double-balloon enteroscopy. *Pediatr Surg Int* ;29:357-361, 2013.
147. Tsukahara, T., Ohmine, K., Yamamoto, C., Uchibori, R., Ido, H., Teruya, T., Urabe, M., Mizukami, H., Kume, A., Nakamura, M., Mineno, J., Takesako, K., Riviere, I., Sadelain, M., Brentjens, R., Ozawa, K.: CD19 target-engineered T-cells accumulate at tumor lesions in human B-cell lymphoma xenograft mouse models. *Biochem. Biophys. Res. Commun.* 438(1): 84-9, 2013 .
148. Tsuyuguchi T, Itoi T, Takada T, Strasberg SM, Pitt HA, Kim MH, Supe AN, Mayumi T, Yoshida M, Miura F, Gomi H, Kimura Y, Higuchi R, Okamoto K, Yamashita Y, Gabata T, Hata J, Kusachi S. TG13 indications and techniques for gallbladder drainage in acute cholecystitis (with videos). *J Hepatobiliary Pancreat Sci.* Jan;20(1):81-8, 2013.
149. Uchibori, R., Tsukahara, T., Mizuguchi, H., Saga, Y., Urabe, M., Mizukami, H., Kume, A., Ozawa, K.: NF- κ B activity regulates mesenchymal stem cell accumulation at tumor sites. *Cancer Res.* 73(1): 364-72, 2013.
150. Ueda, Y., Mizutani, C., Nannya, Y., Kurokawa, M., Kobayashi, S., 3, Takeuchi, J., Tamura, H., 4, Ogata, K., Dan, K., Shibayama, H., Kanakura, Y., Niimi, K., Sasaki, K., Watanabe, M., Emi, N., Teramura, M., Motoji, T., Kida, M., Usuki, K., Takada, S., Sakura, T., Ito, Y., Ohyashiki, K., Ogawa, H., Suzuki, T., Ozawa, K., Imai, K., Kasai, M., Hata, T., Miyazaki, Y., Morita, Y., Kanamaru, A., Matsuda, A., Tohyama, K., Koga, D., Tamaki, H., Mitani, K., Naoe, T., Sugiyama, H., Takaku, F.: Clinical evaluation of WT1 mRNA expression levels in peripheral blood and bone marrow in patients with myelodysplastic syndromes. *Leuk. Lymphoma* 54(7): 1450-1458, 2013.
151. Ueno F, Matsui T, Matsumoto T, Matsuoka K, Watanabe M, Hibi T; Guidelines Project Group of the Research Group of Intractable Inflammatory Bowel Disease subsidized by the Ministry of Health, Labour and Welfare of Japan and the Guidelines Committee of the Japanese Society of Gastroenterology.: Evidence-based clinical practice guidelines for Crohn's disease, integrated with formal consensus of experts in Japan. *J Gastroenterol* ;48:31-72, 2013.
152. Uesawa, M., Muroi, K., Ozawa, K.: Plasmapheresis-refractory transplantation-associated thrombotic microangiopathy successfully treated with pravastatin and limaprost alfadex. *Am. J. Hematol.* 17(4): 462-5, 2013.

153. Wada Y, Yanagihara C, Nishimura Y, Namekawa M. : Familial adult-onset Alexander disease with a novel mutation (D78N) in the glial fibrillary acidic protein gene with unusual bilateral basal ganglia involvement. *J Neurol Sci* 331:161-164, 2013.
154. Watadani T, Sakai F, Johkoh T, Noma S, Akira M, Fujimoto K, Bankier AA, Lee KS, Müller NL, Song JW, Park JS, Lynch DA, Hansell DM, Jardin MR, Franquet T, Sugiyama Y. : Interobserver variability in the CT assessment of honeycombing in the lung. *Radiology*,266,936-944,2013.
155. Yamamoto H: Is double-balloon enteroscopy superior to spiral enteroscopy? *Gastrointest Endosc* ;77 :250-251, 2013.
156. Yamamoto H: Endoscopic Submucosal Dissection Using a Safe Knife V for a Large Flat Lesion in the Ascending Colon. *Video Journal and Encyclopedia of GI Endoscopy*; 1: 351-354, 2013 (消)
157. Yamashita T, Chai HL, Teramoto S, Tsuji S, Shimazaki K, Muramatsu S, Kwak S. : Rescue of amyotrophic lateral sclerosis phenotype in a mouse model by intravenous AAV9-ADAR2 delivery to motor neurons. *EMBO Mol Med* 5:1710-1719, 2013.
158. Yamashita Y, Takada T, Strasberg SM, Pitt HA, Gouma DJ, Garden OJ, Büchler MW, Gomi H, Dervenis C, Windsor JA, Kim SW, de Santibanes E, Padbury R, Chen XP, Chan AC, Fan ST, Jagannath P, Mayumi T, Yoshida M, Miura F, Tsuyuguchi T, Itoi T, Supe AN. TG13 surgical management of acute cholecystitis. *J Hepatobiliary Pancreat Sci*. Jan;20(1):89-96, 2013.
159. Yano Y., Bakris GL., Matsushita K., Hoshide S., Shimada K., Kario K.: Both chronic kidney disease and nocturnal blood pressure associate with strokes in the elderly. *Am J Nephrol*. 38 : 195-203,2013.
160. Yano Y., Hayakawa M., Kuroki K., Ueno H., Yamagishi S., Takeuchi M., Eto T., Nagata N., Nakazato M., Shimada K., Kario K. : Nighttime blood pressure, nighttime glucose values, and target-organ damages in treated type 2 diabetes patients. *Atherosclerosis*. 227: 135-139,2013.
161. Yano Y., Hoshide S., Shimada K., Kario K. : The impact of cigarette smoking on 24-hour blood pressure, inflammatory and hemostatic activity, and cardiovascular risk in Japanese hypertensive patients. *J Clin Hypertens (Greenwich)*. 15 : 234-240,2013.
162. Yano Y., Inokuchi T., Kario K. : Walking speed is a useful marker of frailty in older persons. *JAMA Intern Med*. 173 :325-326, 2013.
163. Yano Y., Kario K., Ishikawa S., Ojima T., Gotoh T., Kayaba K., Tsutsumi A., Shimada K., Nakamura Y., Kajii E.; the JMS Cohort Study Group. Associations between diabetes, leanness, and the risk of deaths in the Japanese general population: the Jichi Medical School Cohort Study. *Diabetes Care*

36 : 1186-1192, 2013.

164. Yan Y, Miyamoto Y, Nitta A, Muramatsu S, Ozawa K, Yamada K, Nabeshima T.: Intrastriatal gene delivery of GDNF persistently attenuates methamphetamine self-administration and relapse in mice. *Int J Neuropsychopharmacol* 16:1559-1567, 2013.

165. Yokoe M, Takada T, Strasberg SM, Solomkin JS, Mayumi T, Gomi H, Pitt HA, Garden OJ, Kiriya S, Hata J, Gabata T, Yoshida M, Miura F, Okamoto K, Tsuyuguchi T, Itoi T, Yamashita Y, Dervenis C, Chan AC, Lau WY, Supe AN, Belli G, Hilvano SC, Liao KH, Kim MH, Kim SW, Ker CG. TG13 diagnostic criteria and severity grading of acute cholecystitis (with videos). *J Hepatobiliary Pancreat Sci*. Jan;20(1):35-46, 2013.

166. Yokota K., Fukuda M., Matsui Y., Hoshida S., Shimada K., Kario K. : Impact of visit-to-visit variability of blood pressure on deterioration of renal function in patients with non-diabetic chronic kidney disease. *Hypertens Res*. 36:151-157,2013.

167. Yoshio,T.,Okamoto,H.,Hirohata,S.,Minota,S.:IgG anti-NR2 glutamate receptor autoantibodies from patients with systemic lupus erythematosus activate endothelial cells. *Arthritis Rheum* 65:457-63,2013.