

## 内科学英語論文業績（2015）

1. Akahoshi, Y., Kako, S., Nakano, H., Ugai, T., Wada, H., Yamasaki, R., Ishihara, Y., Kawamura, K., Sakamoto, K., Sato, M., Ashizawa, M., Terasako-Saito, K., Kimura, S., Kikuchi, M., Nakasone, H., Yamazaki, R., Kanda, J., Nishida, J., Kanda, Y.: Effect of the duration between total body irradiation and stem cell infusion on the outcome of allogeneic transplantation with myeloablative conditioning. *Hematology* 20(7): 410-415, 2015.
2. Akiyama, Y., Nagashima, T., Iwamoto, M., Minota, S.: Clinical features of seven Japanese patients with anti-PL-12 antibody: frequent positivity for anti-cyclic citrullinated peptide antibody. *Jichi Medical University Journal* 38:41-45, 2015.
3. Arai, Y., Aoki, K., Takeda, J., Kondo, T., Eto, T., Ota, S., Hashimoto, H., Fukuda, T., Ozawa, Y., Kanda, Y., Kato, C., Kurokawa, M., Iwato, K., Onizuka, M., Ichinohe, T., Atsuta, Y., Takami, A.: AML and MDS Working Group of Japan Society for Hematopoietic Cell Transplantation. Clinical significance of high-dose cytarabine added to cyclophosphamide/total-body irradiation in bone marrow or peripheral blood stem cell transplantation for myeloid malignancy. *J Hematol. Oncol.* 8: 102, 2015.
4. Aslan F., Alper E., Cekic C., Yurtlu D.A., Ekinci N., Arabul M., Unsal B., Miura Y., and Yamamoto H. Endoscopic submucosal dissection in gastric lesions: the 100 cases experience from a tertiary reference center in West. *Scand J Gastroenterol.* 50(3): 368-375, 2015.
5. Aslan F., Seren A.R., Akpinar Z., Guven A.C., Ekinci N., Alper E., Cekic C., Unsal B., and Yamamoto H. The usage of overtube has a favorable effect on endoscopic submucosal dissection. *Surg Endosc.* 29(9): 2561-2568, 2015.
6. Bando M, Nakayama M, Takahashi M, Hosono T, Mato N, Yamasawa H, Okamoto H, Sugiyama Y. Serum Torque Teno Virus DNA Titer in Idiopathic Pulmonary Fibrosis Patients with Acute Respiratory Worsening. *Intern Med* 54: 1015-1019, 2015.
7. Bando M, Sugiyama Y, Azuma A, Ebina M, Taniguchi H, Taguchi Y, Takahashi H,

- Homma S, Nukiwa T, Kudoh S, The Diffuse Lung Diseases Research Group by a Ministry of Health, Labour and Welfare Grant-in-Aid for Scientific Resenarch. A prospective survey of idiopathic interstitial pneumonias in a web registry in Japan. *Respir Investig* 53: 51-59,2015.
8. Bavishi C., Messerli FH., Kadosh B., Ruilope LM., Kario K. : Role of neprilysin inhibitor combinations in hypertension: insights from hypertension and heart failure trials. *Eur Heart J.* 36:1967-1973,2015.
  9. Ebihara C, Ebihara K, Aizawa-Abe M, Mashimo T, Tomita T, Zhao M, Gumbilai V, Kusakabe T, Yamamoto Y, Aotani D, Yamamoto-Kataoka S, Sakai T, Hosoda K, Serikawa T, Nakao K. Seipin is necessary for normal brain development and spermatogenesis in addition to adipogenesis. *Hum Mol Genet* 24(15):4238-4249,2015.
  10. Edison ES., Yano Y., Hoshide S., Kario K.: Association of electrocardiographic left ventricular hypertrophy with incident cardiovascular disease in Japanese older hypertensive patients. *Am J Hypertens.* 28: 527-534,2015.
  11. Eguchi K., Hoshide S., Kario K. : Effects of celiprolol and bisoprolol on blood pressure, vascular stiffness, and baroreflex sensitivity. *Am J Hypertens.* 28: 858-867,2015.
  12. Eguchi K., Hoshide S., Komori T., Nagasaka S., Kario K. : A new proposal for the target value for home BP in type 2 diabetes patients: the J-HOP Study. *Am J Hypertens.* 28(8): 971-979,2015.
  13. Enkhtuvshin B, Nagashima S, Saito N, Wakabayashi T, Ando A, Takahashi M, Sakai K, Yamamuro D, Nagasaka S, Tamemoto H, Ishibashi S. Successful pregnancy outcomes in a patient with type A insulin resistance syndrome. *Diabet Med.* 32(6): e16-e19,2015.
  14. Fadl Elmula FE., Jin Y., Yang WY., Thijss L., Lu YC., Larstorp AC., Persu A., Sapoval M., Rosa J., Widimsky P., Jacobs L., Renkin J., Petrak O., Chatellier G., Shimada K., Widimsky J., Kario K., Azizi M., Kjeldsen SE., Staessen JA.; European Network Coordinating Research On Renal Denervation (ENCOReD) Consortium.

- Meta-analysis of randomized controlled trials of renal denervation in treatment-resistant hypertension. *Blood Press.* 24:263-274,2015.
15. Fuji, S., Kanda, J., Kato, S., Ikegame, K., Morishima, S., Miyamoto, T., Hidaka, M., Kubo, K., Miyamura, K., Tsudo, M., Kobayashi, H., Maesako, Y., Eto, T., Adachi, S., Ichinohe, T., Atsuta, Y., Kanda, Y.; HLA Working Group of the Japan Society for Hematopoietic Cell Transplantation: A single high-resolution HLA mismatch has a similar adverse impact on the outcome of related hematopoietic stem cell transplantation as a single low-resolution HLA mismatch. *Am. J. Hematol.* 90(7): 618-23, 2015.
16. Fujita, E., Komine, M., Tsuda, H., Adachi, A., Murata, S., Kamata, Y., Minota, S., Ohtsuki, M.: Case of H syndrome with massive skin involvement, retroperitoneal fibrosis and Raynaud's phenomenon with a novel mutation in the SLC29A3 gene. *J Dermatol* 42:1169-1171, 2015.
17. Fukuda H., Miura Y., Hayashi Y., Takezawa T., Ino Y., Okada M., Osawa H., Lefor A.K., and Yamamoto H. Linked color imaging technology facilitates early detection of flat gastric cancers. *Clin J Gastroenterol.* 8(6): 385-389,2015.
18. Fukudo S., Kaneko H., Akiho H., Inamori M., Endo Y., Okumura T., Kanazawa M., Kamiya T., Sato K., Chiba T., Furuta K., Yamato S., Arakawa T., Fujiyama Y., Azuma T., Fujimoto K., Mine T., Miura S., Kinoshita Y., Sugano K., and Shimosegawa T. Evidence-based clinical practice guidelines for irritable bowel syndrome. *J Gastroenterol.* 50(1): 11-30,2015.
19. Fukudo S., Kaneko H., Akiho H., Inamori M., Endo Y., Okumura T., Kanazawa M., Kamiya T., Sato K., Chiba T., Furuta K., Yamato S., Arakawa T., Fujiyama Y., Azuma T., Fujimoto K., Mine T., Miura S., Kinoshita Y., Watanabe M., Sugano K., and Shimosegawa T. Evaluation of Kampo medicine in the clinical practice guideline for irritable bowel syndrome. *J Gastroenterol.* 50(7): 817-818,2015.
20. Gao R, Liu Y, Silva-Fernandes A, Fang X, Paulucci-Holthauzen A, Chatterjee A, Zhang HL, Matsuura T, Choudhary S, Ashizawa T, Koeppen AH, Maciel P, Hazra TK,

- Sarkar PS. Inactivation of PNKP by mutant ATXN3 triggers apoptosis by activating the DNA damage response pathway in SCA3. *PLoS Genet.* 11: e1004834.
21. Gautam M., Fujita D., Kimura K., Ichikawa H., Izawa A., Hirose M., Kashihara T., Yamada M., Takahashi M., Ikeda U., Shiba Y.: Transplantation of adipose-tissue-derived stem cells improves cardiac contractile function and electrical stability in a rat myocardial infarction model. *J Mol Cell Cardiol.* 81:139-149,2015.
  22. Hasegawa T., Asakura M., Eguchi K., Asanuma H., Ohara T., Kanzaki H., Hashimura K., Tomoike H., Kim J., Kitakaze M. : Plasma B-type natriuretic peptide is a useful tool for assessing coronary heart disease risk in a Japanese general population. *Hypertens Res.* 38:74-79,2015.
  23. Hashimoto H., Hatakeyama S\*, Yotsuyanagi H.: Development of cryptococcal immune reconstitution inflammatory syndrome 41 months after the initiation of antiretroviral therapy in an AIDS patient. *AIDS Res Ther.* 12:33, 2015. (doi: 10.1186/s12981-015-0075-6.)
  24. Hatanaka H., Yano T., and Tamada K. Tips and tricks of double-balloon endoscopic retrograde cholangiopancreatography (with video). *J Hepatobiliary Pancreat Sci.* 22(6): e28-e34,2015.
  25. Hatano, K., Nagai, T., Matsuyama, T., Sakaguchi, Y., Fujiwara, S., Oh, I., Muroi, K., Ozawa, K.: Leukemia cells directly phagocytose blood cells in AML-associated hemophagocytic lymphohistiocytosis: a case report and review of the literature. *Acta Haematol.* 133(1): 98-100, 2015.
  26. Hayashi Y., Miura Y., and Yamamoto H. Pocket-creation method for the safe, reliable, and efficient endoscopic submucosal dissection of colorectal lateral spreading tumors. *Dig Endosc.* 27(4): 534-535,2015.
  27. Honne, K., Nagashima, T., Iwamoto, M., Kamesaki, T., Minota, S.: Glucocorticoid-Responsive Cold Agglutinin Disease in a Patient with Rheumatoid Arthritis. *Case Rep Rheumatol*, 2015.
  28. Hoshide S., Kario K., de la Sierra A., Bilo G., Schillaci G., Banegas JR., Gorostidi M., Segura J., Lombardi C., Omboni S., Ruilope L., Mancia G., Parati G.: Ethnic

- differences in the degree of morning blood pressure surge and in its determinants between Japanese and European hypertensive subjects: Data from the ARTEMIS study. Hypertension: 66:750-756, 2015.
29. Hunt R.H., Camilleri M., Crowe S.E., El-Omar E.M., Fox J.G., Kuipers E.J., Malfertheiner P., McColl K.E., Pritchard D.M., Rugge M., Sonnenberg A., Sugano K., and Tack J. The stomach in health and disease. Gut. 64(10): 1650-1668,2015.
30. Ikegame, K., Yoshida, T., Yoshihara, S., Daimon, T., Shimizu, H., Maeda, Y., Ueda, Y., Kaida, K., Ishii, S., Taniguchi, K., Okada, M., Tamaki, H., Okumura, H., Kaya, H., Kurokawa, T., Kodera, Y., Taniguchi, S., Kanda, Y., Ogawa, H.: Unmanipulated Haploidential Reduced-Intensity Stem Cell Transplantation Using Fludarabine, Busulfan, Low-Dose Antithymocyte Globulin, and Steroids for Patients in Non-Complete Remission or at High Risk of Relapse: A Prospective Multicenter Phase I/II Study in Japan. Biol. Blood Marrow Transplant. 21(8): 1495-505, 2015.
31. Ino Y., Yano T., Sakamoto H., Hayashi Y., Osawa H., Lefor A.T., and Yamamoto H. A novel method for endoscopic placement of a capsule endoscope with use of a transparent hood and real-time viewer. Endoscopy. 2015. 47 (Suppl 1) UCTN: e202-e203,2015.
32. Imada H, Sakatani T, Sawada M, Matsuura T, Fukushima N, Nakano I. Alethal intracranial Rosai-Dorfman disease of the brainstem diagnosed at autopsy. Pathol Int. 65:549-553,2015.
33. Imai Y., Morita H., Takeda N., Miya F., Hyodo H., Fujita D., Tajima T., Tsunoda T., Nagai R., Kubo M., Komuro I.: A deletion mutation in myosin heavy chain 11 causing familial thoracic aortic dissection in two Japanese pedigrees. Int J Cardiol. Sep 15, 195:290-292,2015, 26056961.
34. Imaizumi Y., Eguchi K., Kario K. : Coexistence of PM2.5 and low temperature is associated with morning hypertension in hypertensives. Clin Exp Hypertens. 37 : 468-472, 2015.
35. Imaizumi Y., Eguchi K., Kario K.: Lung Disease and Hypertension. Pulse (Basel). 2:103-112, 2015.

36. Inoue Y., Takahashi M.: Comment on “Radiation exposure induces inflammatory pathway activation in immune cells”. *J Immunol.* 194 : 5039, 2015.
37. Ishiguro Y., Sasanuma H., Nitta N., Taniguchi N., Ogata Y., Yasuda Y., Akiyama I.: The arrhythmogenic effect of ultrasonic exposure with acoustic radiation force (ARF) impulse on the rabbit heart with ultrasound contrast agent perfluorobutane. *J Med Ultrason* (2001). 42:47-50,2015.
38. Ishikawa J., Ishikawa S., Kario K. : Prolonged corrected QT interval is predictive of future stroke events even in subjects without ECG-diagnosed left ventricular hypertrophy. *Hypertension*, 65:554-560,2015.
39. Ishikawa J., Ishikawa S., Kario K.; the JMS Cohort Study Investigator Group.: Relationships between the QTc interval and cardiovascular, stroke, or sudden cardiac mortality in the general Japanese population. *J Cardiol.* 65 : 237-242,2015.
40. Ishikawa Y., Takeshima T., Mise J., Ishikawa S., Matsumura M.: Physical symptoms in outpatients with psychiatric disorders consulting the general internal medicine division at a Japanese university hospital. *Int J Gen Med.* 8: 261-266, 2015. (doi: doi.org/10.2147/IJGM.S82006)
41. Iwasaki Y., Maejima Y., Suyama S., Yoshida M., Arai T., Katsurada K., Kumari P., Nakabayashi H., Kakei M., Yada T.: Peripheral oxytocin activates vagal afferent neurons to suppress feeding in normal and leptin-resistant mice: a route for ameliorating hyperphagia and obesity. *Am J Physiol Regul Integr Comp Physiol.* 308 : R360-R369, 2015.
42. Kabutoya T., Kario K.: Depression in hypertension and blood pressure variability over shorter time periods. *Hypertens Res.* 38: 713-715, 2015.
43. Kadoya H., Sato M., Sasaki T., Taniguchi S., Takahashi M., Kashihara N.: Excess aldosterone is a critical danger signal for inflammasome activation in the development of renal fibrosis in mice. *FASEB J.* 29: 3899-3910, 2015.
44. Kagitani H., Hoshide S., Kario K. : Optimal indicators of home BP variability in perimenopausal women and associations with albuminuria and reproducibility: The J-HOT home BP study. *Am J Hypertens.* 28: 586-594, 2015.

45. Kamata, Y., Minota, S.: No increase in synovial fluid level of matrix metalloproteinase-3 by systemic administration of glucocorticoids in rheumatoid arthritis. *Eur J Intern Med* 26:371-372, 2015.
46. Kamata, Y., Minota, S.: Successful treatment of a patient with SAPHO syndrome with certolizumab pegol. *Rheumatol Int* 35:1607-1608, 2015.
47. Kanda, J., Ichinohe, T., Fuji, S., Maeda, Y., Ohashi, K., Fukuda, T., Miyamura, K., Iwato, K., Eto, T., Nakamae, H., Kobayashi, N., Mori, T., Mori, S., Morishima, Y., Atsuta, Y., Kanda, Y.; HLA Working Group of the Japan Society for Hematopoietic Cell Transplantation.: Impact of HLA mismatch direction on the outcome of unrelated bone marrow transplantation: a retrospective analysis from the Japan Society for Hematopoietic Cell Transplantation. *Biol Blood Marrow Transplant.* 21(2): 305-311, 2015.
48. Karasawa T., Kawashima A., Usui F., Kimura H., Shirasuna K., Inoue Y., Komada T., Kobayashi M., Mizushina Y., Sagara J., Takahashi M.: Oligomerized CARD16 promotes caspase-1 assembly and IL-1 $\beta$  processing. *FEBS Open Bio* 5: 348-356, 2015.
49. Karasawa T., Takahashi M.: RIP140 as a novel therapeutic target in the treatment of atherosclerosis. *J Mol Cell Cardiol.* 81: 136-138, 2015.
50. Karasawa T., Takahashi M. : Letter regarding article “Anti-inflammatory and anti-atherogenic effects of the inflammasome NLRP3 inhibitor, arglabin, in ApoE2.Ki mice fed a high fat diet”. *Circulation* 132: 21(e249), 2015.
51. Kario K., Bhatt DL., Brar S., Cohen SA., Fahy M., Bakris GL. : Effect of catheter-based renal denervation on morning and nocturnal blood pressure: Insights from SYMPLICITY HTN-3 and SYMPLICITY HTN-Japan. *Hypertension*. 66: 1130-1137, 2015.
52. Kario K., Hamasaki H.: Nocturnal blood pressure surge behind morning surge in obstructive sleep apnea syndrome: Another phenotype of systemic hemodynamic atherothrombotic syndrome. *J Clin Hypertens (Greenwich)*, 17: 682-685, 2015.
53. Kario K., Hoshide S., Haimoto H., Yamagiwa K., Uchiba K., Nagasaka S., Yano Y.,

- Eguchi K., Matsui Y., Shimizu M., Ishikawa J., Ishikawa S.; the J-HOP study group. Sleep blood pressure self-measured at home as a novel determinant of organ damage: Japan morning surge home blood pressure (J-HOP) study. *J Clin Hypertens* (Greenwich).17(5): 340-348, 2015.
54. Kario K., Hoshide S. : Age-related difference in the sleep pressure-lowering effect between an angiotensin II receptor blocker and a calcium channel blocker in Asian hypertensives: The ACS1 study. *Hypertension*, 65: 729-735, 2015.
55. Kario K., Ogawa H., Okumura K., Okura T., Saito S., Ueno T., Haskin R., Negoita M., Shimada K.; SYMPLICITY HTN-Japan Investigators. SYMPLICITY HTN-Japan - First randomized controlled trial of catheter-based renal denervation in Asian patients. *Circ J*. 79: 1222-1229, 2015.
56. Kario K. : HONEST to clarify association between home blood pressure and cardiovascular events under antihypertensive medication. *J Hum Hypertens*. 29 : 69, 2015.
57. Kario K. : Morning surge in blood pressure: a phenotype of systemic hemodynamic atherothrombotic syndrome. *Am J Hypertens*.28:7-9, 2015.
58. Kario K. : Systemic hemodynamic atherothrombotic syndrome: A blind spot in the current management of hypertension. *J Clin Hypertens (Greenwich)*. 17: 328-331, 2015.
59. Kario K. : Prognosis in relation to blood pressure variability: pro side of the argument. *Hypertens*. 65: 1163-1169, 2015.
60. Kario K. : Preface: EDITORIAL COMMENT “Perfect 24-hr blood pressure control”from morning to nocturnal hypertension: Up-to-date 2015. *Curr Hypertens Rev*.11: 2-6, 2015.
61. Kario K. : Key points of the Japanese Society of Hypertension guidelines for the management of hypertension in 2014. *Pulse (Basel)* 3: 35-47,2015.
62. Kawamura, K., Hayakawa, J., Akahoshi, Y., Harada, N., Nakano, H., Kameda, K., Ugai T., Wada, H., Yamasaki, R., Ishihara, Y., Sakamoto, K., Ashizawa, M., Sato M., Terasako-Saito, K., Kimura, S., Kikuchi, M., Nakasone, H., Yamazaki, R., Kanda, J.,

- Kako, S., Tanihara, A., Nishida, J., Kanda, Y.: Low-dose acyclovir prophylaxis for the prevention of herpes simplex virus and varicella zoster virus diseases after autologous hematopoietic stem cell transplantation. *Int. J. Hematol.* 102(2): 230-237, 2015.
63. Kawamura, K., Takamatsu, H., Ikeda, T., Komatsu, T., Aotsuka, N., Amano, I., Yamamoto, G., Watanabe, K., Ohno, Y., Matsue, K., Kouzai, Y., Tsukada, N., Ishiyama, K., Anzai, N., Kato, K., Suzuki, R., Sunami, K., Kanda, Y.: Cord Blood Transplantation for Multiple Myeloma: A Study from the Multiple Myeloma Working Group of the Japan Society for Hematopoietic Cell Transplantation. *Biol. Blood Marrow Transplant.* 21(7): 1291-1298, 2015.
64. Kawamura, K., Yamazaki, R., Akahoshi, Y., Nakano, H., Ugai, T., Wada, H., Yamasaki, R., Ishihara, Y., Sakamoto, K., Ashizawa, M., Sato, M., Terasako-Saito, K., Kimura, S., Kikuchi, M., Nakasone, H., Kanda, J., Kako, S., Tanihara, A., Nishida, J., Kanda, Y.: Evaluation of the immune status against measles, mumps, and rubella in adult allogeneic hematopoietic stem cell transplantation recipients. *Hematology* 20(2): 77-82, 2015.
65. Kenzaka T., Onishi T.: Top of the basilar syndrome with disturbed consciousness. *Mayo Clin Proc.* 90: 162, 2015. (doi: 10.1016/j.mayocp.2014.06.025.)
66. Kikuchi, M., Akahoshi, Y., Nakano, H., Ugai, T., Wada, H., Yamasaki R., Sakamoto, K., Kawamura, K., Ishihara, Y., Sato, M., Ashizawa, M., Terasako-Saito, K., Kimura, S., Yamazaki, R., Kanda, J., Kako, S., Nishida, J., Kanda, Y.: Risk factors for pre- and post-engraftment bloodstream infections after allogeneic hematopoietic stem cell transplantation. *Transpl. Infect. Dis.* 17(1): 56-65, 2015.
67. Kikuchi, M., Nakasone, H., Akahoshi, Y., Nakano, H., Ugai, T., Wada, H., Yamasaki, R., Sakamoto, K., Kawamura, K., Ishihara, Y., Sato, M., Ashizawa, M., Terasako-Saito, K., Kimura, S., Yamazaki, R., Kako, S., Kanda, J., Nishida, J., Sekiguchi, N., Noto, S., Kida, M., Hangaishi, A., Usuki, K., Kanda, Y.: Reduced-dose (two-thirds) R-CHOP chemotherapy for elderly patients with non-Hodgkin lymphoma. *J. Chemother* 27(2): 99-105, 2015.

68. Kim Y, Asano Y, Koide R, Kimura H, Saitsu H, Matsumoto N, Bandoh M.: Callosal disconnection syndrome in symptomatic female carrier of Pelizaeus-Merzbacher disease. *J Neurol Sci.* 2015; 358(1-2):461-462.
69. Kimura H., Caturegli P., Takahashi M., Suzuki K.: New insights into the function of the immunoproteasome in immune and non-immune cells. *J Immunol Res.* :541984, 2015.
70. Kimura H., Usui F., Karasawa T., Kawashima A., Shirasuna K., Inoue Y., Komada T., Kobayashi M., Mizushina Y., Kasahara T., Suzuki K., Iwasaki Y., Yada T., Caturegli P., Takahashi M.: Immunoproteasome LMP7 deficiency improves obesity and metabolic disorders. *Sci Rep.* 5 : 15883, 2015.
71. Kimura, S., Akahoshi, Y., Nakano, H., Harada, N., Kameda, K., Ugai, T., Wada, H., Yamasaki, R., Ishihara, Y., Kawamura, K., Sakamoto, K., Ashizawa, M., Sato, M., Terasako-Saito, K., Nakasone, H., Kikuchi, M., Yamazaki, R., Kanda, J., Kako S., Tanihara, A., Nishida, J., Kanda, Y.: False-positive *Aspergillus galactomannan* and its kinetics in allogeneic hematopoietic stem cell transplantation. *J. Infect.* 70(5): 520-540, 2015.
72. Kimura, SI., Murata, T., Akahoshi, Y., Nakano, H., Ugai, T., Wada, H., Yamasaki, R., Ishihara, Y., Kawamura, K., Sakamoto, K., Ashizawa, M., Sato, M., Terasako-Saito, K., Nakasone, H., Kikuchi, M., Yamazaki, R., Kako, S., Kanda, J., Tanihara, A., Nishida, J., Kanda, Y.: Economic evaluation of a preemptive treatment strategy for invasive fungal infection in neutropenic patients with hematological diseases. *Eur. J. Clin. Microbiol. Infect. Dis.* 34(5) :951-961, 2015.
73. Kitazawa T., Fujisawa K., Narboux-Neme N., Arima Y., Kawamura Y., Inoue T., Wada Y., Kohro T., Aburatani H., Kodama T., Kim KS., Sato T., Uchijima Y., Maeda K., Miyagawa-Tomita S., Minoux M., Rijli FM., Levi G., Kurihara Y., Kurihara H.: Distinct effects of Hoxa2 overexpression in cranial neural crest populations reveal that the mammalian hyomandibular-ceratohyal boundary maps within the styloid process. *Dev Biol.* 402:162-174, 2015.

74. Koga M., Yamagami H., Okuda S., Okada Y., Kimura K., Shiokawa Y., Nakagawara J., Furui E., Hasegawa Y., Kario K., Arihiro S., Sato S., Homma K., Matsuki T., Kinoshita N., Nagatsuka K., Minematsu K., Toyoda K.; SAMURAI Study Investigators. Blood glucose levels during the initial 72 h and 3-month functional outcomes in acute intracerebral hemorrhage: the SAMURAI-ICH study. *J Neurol Sci.* 350: 75-78, 2015.
75. Komada T., Usui F., Kawashima A., Kimura H., Karasawa T., Inoue Y., Kobayashi M., Mizushina Y., Kasahara T., Taniguchi S., Muto S., Nagata D., Takahashi M.: Role of NLRP3 inflammasomes for rhabdomyolysis-induced acute kidney injury. *Sci Rep.* 5: 10901, 2015.
76. Komori T., Eguchi K., Saito T., Nishimura Y., Hoshide S., Kario K. : Riser blood pressure pattern is associated with mild cognitive impairment in heart failure patients. *Am J Hypertens.* 29:194-201,2015.
77. Kondo Y., Shinozaki S., Hatanaka H., Yano T., Watanabe S., Tamada K., Lefor A., Yamamoto H. Bile Duct Drainage Using a Short Double-Balloon Endoscope for a Hematoma due to Hepatocellular Carcinoma After Roux-en-Y Reconstruction. *J Gastroenterol Hepatol Res.* 4(11): 1826-1829,2015.
78. Kondoh Y, Taniguchi H, Ebina M, Azuma A, Ogura T, Taguchi Y, Suga M, Takahashi H, Nakata K, Sugiyama Y, Kudoh S, Nukiwa T. Risk factors for acute exacerbation of idiopathic pulmonary fibrosis - Extended analysis of pirfenidone trial in Japan. *Respir Investig.* 53: 271-278,2015.
79. Kumabe A., Kenzaka T., Nishimura Y., Aikawa M., Mori M., Matsumura M.: A rare case of anasarca caused by infiltration of the pituitary gland by diffuse large B-cell lymphoma. *BMC Endocr Disord.* 15: 10, 2015. (doi:10.1186/s12902-015-0007-4)
80. Kurashina T, Dezaki K, Yoshida M, Sukma Rita R, Ito K, Taguchi M, Miura R, Tominaga M, Ishibashi S, Kakei M, Yada T. The  $\beta$ -cell GHSR and downstream cAMP/TRPM2 signaling account for insulinostatic and glycemic effects of ghrelin. *Sci Rep.* 15(5):14041,2015.
81. Kushiro T., Kario K., Saito I., Teramukai S., Mori Y., Okuda Y., Shimada K. :

- Effectiveness of olmesartan-based treatment on home and clinic blood pressure in elderly patients with masked and white coat hypertension. *Hypertens Res.* 38:178-185, 2015.
82. Maniwa T, Kondo H, Mori K, Sato T, Teramukai S, Ebina M, Kishi K, Watanabe A, Sugiyama Y, Date H. Outcomes in surgically managed non-small-cell lung cancer patients with evidence of interstitial pneumonia identified on preoperative radiology or incidentally on postoperative histology. *Interact Cardiovasc Thorac Surg.* 20: 641-646, 2015.
83. Masuyama H., Yoshitake N., Sasai T., Nakamura T., Masuyama A., Zuiki T., Kurashina K., Mieda M., Sunada K., Yamamoto H., Togashi K., Terano A., and Hiraishi H. Relationship between the degree of endoscopic atrophy of the gastric mucosa and carcinogenic risk. *Digestion.* 2015. 91(1): 30-36, 2015.
84. Matsumura M., Ando N., Kumabe A., Dhaliwal G.: Pseudo-renal failure: bladder rupture with urinary ascites. *BMJ Case Rep.* 20: 2015. (pii, bcr2015212671, 2015. doi:10.1136/bcr-2015-212671)
85. McMullan CJ., Yano Y., Bakris GL., Kario K., Phillips RA., Forman JP.: Racial impact of diurnal variations in blood pressure on cardiovascular events in chronic kidney disease. *J Am Soc Hypertens.* 9:299-306, 2015.
86. Minota, S.: Comments on the paper showing an exceptionally favorable response to tofacitinib among Japanese rheumatoid patients and an issue surrounding clinical trial led by pharmaceutical company. *Mod Rheumatol* 25:493-394, 2015.
87. Miwa H., Kusano M., Arisawa T., Oshima T., Kato M., Joh T., Suzuki H., Tominaga K., Nakada K., Nagahara A., Futagami S., Manabe N., Inui A., Haruma K., Higuchi K., Yakabi K., Hongo M., Uemura N., Kinoshita Y., Sugano K., and Shimosegawa T. Evidence-based clinical practice guidelines for functional dyspepsia. *J Gastroenterol.* 2015. 50(2): 125-139, 2015.
88. Miyagi T., Koga M., Yamagami H., Okuda S., Okada Y., Kimura K., Shiokawa Y., Nakagawara J., Furui E., Hasegawa Y., Kario K., Arihiro S., Sato S., Minematsu K., Toyoda K.: Reduced estimated glomerular filtration rate affects outcomes 3 months

- after intracerebral hemorrhage: The Stroke Acute Management with Urgent Risk-factor Assessment and Improvement-Intracerebral Hemorrhage Study. *J Stroke Cerebrovasc Dis.* 24:176-182, 2015.
89. Miyazaki Y, Azuma A, Inase N, Taniguchi H, Ogura T, Inoue E, Takeuchi M, Yoshizawa Y, Sugiyama Y, Kudoh S; IPF trial group in Japan. Cyclosporine A combined with low-dose corticosteroid treatment in patients with idiopathic pulmonary fibrosis. *Respir Investig.* 2015; 53: 288-295,2015.
90. Mizushima Y, Shirasuna K, Usui F, Karasawa T, Kawashima A, Kimura H, Kobayashi M, Komada T, Inoue Y, Mato M, Yamasawa H, Latz E, Iwakura Y, Kasahara T, Bando M, Sugiyama Y, Takahashi M. NLRP3 protein deficiency exacerbates hyperoxia-induced lethality through Stat3 protein signaling independent of interleukin-1 $\beta$ . *J Biol Chem* 2015; 290: 5065-5077,2015.
91. Murosaki, T., Mori, K., Nagashima, T., Minota, S.: Hypertrophic osteoarthropathy associated with esophageal cancer. *Intern Med* 54:357-358, 2015.
92. Nagashima, T., Minota, S.: Comment on: The efficacy of tacrolimus in patients with interstitial lung diseases complicated with polymyositis or dermatomyositis. *Rheumatology* 54:1128-1129, 2015.
93. Nagashima, T., Murosaki, T., Honne, K., Kamata, Y., Nagatani, K., Iwamoto, M., Minota, S.: Articular manifestations in Japanese patients with polymyositis and dermatomyositis. *Jichi Medical University Journal* 38:9-16, 2015.
94. Nagai M., Hoshide S., Dote K., Kario K. : Visit-to-visit blood pressure variability and dementia. *Geriatr Gerontol Int.* 15 Suppl 1: 26-33, 2015
95. Nagai M., Hoshide S., Takahashi M., Shimpo M., Kario K.: Sleep duration, kidney function, and their effects on cerebral small vessel disease in elderly hypertensive patients. *Am J Hypertens.* 28: 884-893, 2015.
96. Nagai M., Kario K.: Visit-to-visit blood pressure variability: a possible marker of cognitive decline in Alzheimer's disease? *Neurobiol Aging.* 36 e1,2015.
97. Nagashima S, Yagyu H, Tozawa R, Tazoe F, Takahashi M, Kitamine T, Yamamuro D, Sakai K, Sekiya M, Okazaki H, Osuga J, Honda A, Ishibashi S. Plasma

- cholesterol-lowering and transient liver dysfunction in mice lacking squalene synthase in the liver. *J Lipid Res.* 2015 May;56(5):998-1005,2015.
98. Nagayama S., Ohkuchi A., Shirasuna K., Takahashi K., Suzuki H., Hirashima C., Sakata A., Nishimura S., Takahashi M., Matsubara S. : The frequency of peripheral blood CD4+Fox3+ regulatory T cells in women with preeclampsia and those with high risk factors for preeclampsia. *Hypertens Preg.* 34: 443-455, 2015.
99. Nakamura, J., Nagashima, T., Yoshio, T., Minota, S.: Arthritis mutilans in a patient with juvenile idiopathic arthritis. *Intern Med* 54:689, 2015.
100. Nakayama M, Bando M, Araki K, Sekine T, Kurosaiki F, Sawata T, Nakazawa S, Mato N, Yamasawa H, Sugiyama Y. Physical activity in patients with idiopathic pulmonary fibrosis. *Respirology* 2015; 20: 640-646,2015.
101. Namekawa M, Honda J, Shimazaki H.: “Hot Cross Bun” Sign associated with SCA1. *Intern Med.* 2015;54(7):859-860,2015.
102. Tsugawa J, Ouma S, Fukae J, Tsuboi Y, Shimazaki H, Takiyama Y.: Diagnostic value of neurophysiological evaluation in patients with ARSACS. *Journal of Neurology and Neuroscience* 2015;6(4):45,2015.
103. Natsuaki M., Kozuma K., Morimoto T., Kadota K., Muramatsu T., Nakagawa Y., Akasaka T., Igarashi K., Tanabe K., Morino Y., Ishikawa T., Nishikawa H., Awata M., Abe M., Okada H., Takatsu Y., Ogata N., Kimura K., Urasawa K., Tarutani Y., Shiode N., Kimura T.: Final 3-Year Outcome of a Randomized Trial Comparing Second-Generation Drug-Eluting Stents Using Either Biodegradable Polymer or Durable Polymer: NOBORI Biolimus-Eluting Versus XIENCE/PROMUS Everolimus-Eluting Stent Trial. *Circ Cardiovasc Interv.* 8(10),2015.
104. Nishizawa M., Hoshide S., Okawara Y., Shimpo M., Matsuo T., Kario K. : Aftershock triggers augmented pressor effects in survivors: Follow-up of the great east Japan earthquake. *Am J Hypertens.* 28 : 1405-1408, 2015.
105. Nitta, H., Terui, Y., Yokoyama, M., Mishima, Y., Nishimura, N., Ueda, K., Kusano, Y., Tsuyama, N., Takeuchi, K., Kanda, Y., Hatake, K.: Absolute peripheral

- monocyte count at diagnosis predicts central nervous system relapse in diffuse large B-cell lymphoma. *Haematologica*. 100(1): 87-90, 2015.
106. Oba Y., Watanabe H., Nishimura Y., Ueno S., Nagashima T., Imai Y., Shimpo M., Kario K. : A case of adult-onset acute rheumatic fever with long-lasting atrioventricular block requiring permanent pacemaker implantation. *Int Heart J.* 56 : 664-667, 2015.
107. Ogata, A., Atsumi, T., Fukuda, T., Hirabayashi, Y., Inaba, M., Ishiguro, N., Kai, M., Kawabata, D., Kida, D., Kohsaka, H., Matsumura, R., Minota, S., Mukai, M., Sumida, T., Takasugi, K., Tamaki, S., Takeuchi, T., Ueda, A., Yamamoto, K., Yamanaka, H., Yoshifuji, H., Nomura, A., MUSASHI Study Investigators.: Sustainable efficacy of switching from intravenous to subcutaneous tocilizumab monotherapy in patients with rheumatoid arthritis. *Arthritis Care Res* 67:1354-1362, 2015.
108. Ogura T, Azuma A, Inoue Y, Taniguchi H, Chiba K, Bando M, Niimi Y, Kakutani S, Suga M, Sugiyama Y, Kudoh S, Nukiwa T. All-case post-marketing surveillance of 1371 patients treated with pirfenidone for idiopathic pulmonary fibrosis. *Respir Investig* 53: 232-241,2015.
109. Ogura T, Taniguchi H, Azuma A, Inoue Y, Kondoh Y, Hasegawa Y, Bando M, Abe S, Mochizuki Y, Chida K, Klüglich M, Fujimoto T, Okazaki K, Tadayasu Y, Sakamoto W, Sugiyama Y. *Eur Respir J* 2015; 45: 1382-1392,2015.
110. Ohshiro T, Ohtawa M, Nagamitsu T, Matsuda D, Yagyu H, Davis MA, Rudel LL, Ishibashi S, Tomoda H. New pyripyropene A derivatives, highly SOAT2-selective inhibitors, improve hypercholesterolemia and atherosclerosis in atherogenic mouse models. *J Pharmacol Exp Ther.* 55(2):299-307,2015.
111. Okano T, Koike T, Tada M, Sugioka Y, Mamoto K, Inui K, Okihana H, Ebihara K, Nakao K, Nakamura H. Hyperleptinemia suppresses aggravation of arthritis of collagen-antibody-induced arthritis in mice. *J Orthop Sci.* 20(6):1106-1113,2015.
112. Osaki M., Koga M., Maeda K., Hasegawa Y., Nakagawara J., Furui E., Todo K., Kimura K., Shiokawa Y., Okada Y., Okuda S., Kario K., Yamagami H., Minematsu

- K., Kitazono T., Toyoda K. ; Stroke Acute Management with Urgent Risk-factor Assessment and Improvement (SAMURAI) Study Investigators. A multicenter, prospective, observational study of warfarin-associated intracerebral hemorrhage: The SAMURAI-WAICH study. *J Neurol Sci.* 359:72-77, 2015.
113. Osaki Y, Nakagawa Y, Miyahara S, Iwasaki H, Ishii A, Matsuzaka T, Kobayashi K, Yatoh S, Takahashi A, Yahagi N, Suzuki H, Sone H, Ohashi K, Ishibashi S, Yamada N, Shimano H. Skeletal muscle-specific HMG-CoA reductase knockout mice exhibit rhabdomyolysis: A model for statin-induced myopathy. *Biochem Biophys Res Commun.* 23;466(3):536-540.
114. Park JB., Kario K., Wang JG. : Systolic hypertension: an increasing clinical challenge in Asia. *Hypertens Res.* 38:227-236, 2015.
115. Roush GC., Fagard RH., Salles GF., Pierdomenico SD., Rebaldi G., Verdecchia P., Eguchi K., Kario K., Hoshide S., Polonia J., de la Sierra A., Hermida RC., Dolan E., Fapohunda J. ; ABC-H Investigators. Prognostic impact of sex-ambulatory blood pressure interactions in 10 cohorts of 17312 patients diagnosed with hypertension: systematic review and meta-analysis. *J Hypertens.* 33: 212-220, 2015.
116. Saito M., Hatakeyama S\*, Wakabayashi Y., Yanagimoto S., Takemura T., Yotsuyanagi H.: *A pathologically proven case of adult-onset HIV-related lymphocytic interstitial pneumonia with acute exacerbation treated with steroid and antiretroviral therapy.* *J Infect Chemother.* 21:868-872, 2015.
117. Sakamoto A., Ishizaka N., Imai Y., Uehara M., Ando J., Nagai R., Komuro I.: Association between serum IgG4 concentrations and the morphology of the aorta in patients who undergo cardiac computed tomography. *J Cardiol.* 65:150-156, 2015,
118. Sakamoto A., Ishizaka N., Imai Y., Uehara M., Ando J., Nagai R., Komuro I.: Relationship between serum IgG4 concentrations and atherosclerotic coronary plaques assessed by computed tomographic angiography. *J Cardiol.* 67:254-261, 2015.
119. Sakamoto K., Kawamura M., Kohro T., Omura M., Watanabe T., Ashidate K., Horiuchi T., Hara H., Sekine N., Chin R., Tsujino M., Hiyoshi T., Tagami M.,

- Tanaka A., Mori Y., Inazawa T., Hirano T., Yamazaki T., Shiba T. ; RESEARCH Study Group. Effect of Ezetimibe on LDL-C Lowering and Atherogenic Lipoprotein Profiles in Type 2 Diabetic Patients Poorly Controlled by Statins. PLoS One: 10, e0138332,2015.
120. Sakamoto Y., Koga M., Todo K., Okuda S., Okada Y., Kimura K., Shiokawa Y., Kamiyama K., Furui E., Hasegawa Y., Kario K., Okata T., Kobayashi J., Tanaka E., Yamagami H., Nagatsuka K., Minematsu K., Toyoda K. ; for the SAMURAI study investigators. Relative systolic blood pressure reduction and clinical outcomes in hyperacute intracerebral hemorrhage: the SAMURAI-ICH observational study. J Hypertens. 33:1069-1073, 2015.
121. Sakamoto H., Asahara T., Chonan O., Yuki N., Mutoh H., Hayashi S., Yamamoto H., and Sugano K. Comparative analysis of gastrointestinal microbiota between normal and caudal-related homeobox 2 (cdx2) transgenic mice. Intest Res. 13(1): 39-49,2015.
122. Sakurai, M., Mori, T., Karigane, D., Tozawa, K., Matsuki, E., Shimizu, T., Yokoyama, K., Nakajima, H., Kanda, Y., Okamoto, S.: Unfavorable outcome of chronic myelogenous leukemia in adolescent and young adults treated with tyrosine kinase inhibitors. Int. J. Hematol. 102(3): 342-348, 2015.
123. Sasao W., Yano T., Hayashi Y., Sato H., Miura Y., Lefor A.K., and Yamamoto H. Safe endoscopic removal of a swallowed partial denture with a grip-seal plastic bag. Endoscopy. 47(Suppl 1): UCTN: e305-e306,2015.
124. Sato, M., Kako, S., Matsumoto, K., Oshima, K., Akahoshi, Y., Nakano, H., Ugai, T., Yamasaki, R., Wada, H., Ishihara, Y., Sakamoto, K., Kawamura, K., Ashizawa, M., Terasako-Saito K., Kimura, S., Nakasone, H., Kikuchi, M., Tanihara, A., Yamazaki, R., Tanaka, Y., Kanda, J., Nishida, J., Morita, K., Kanda, Y.: Pharmacokinetics study of once-daily intravenous busulfan in conditioning regimens for hematopoietic stem cell transplantation. Int. J. Hematol. 101(5): 497-504, 2015.
125. Sato T, Kondo H, Watanabe A, Nakajima J, Niwa H, Horio H, Okami J, Okumura N, Sugio K, Teramukai S, Kishi K, Ebina M, Sugiyama Y, Kondo T, Date H. A

- simple risk scoring system for predicting acute exacerbation of interstitial pneumonia after pulmonary resection in lung cancer patients. Gen Thorac Cardiovasc Surg 63: 164-172,2015.
126. Sato T, Watanabe A, Kondo H, Kanzaki M, Okubo K, Yokoi K, Matsumoto K, Marutsuka T, Shinohara H, Teramukai S, Kishi K, Ebina M, Sugiyama Y, Meinoshin O, Date H; Japanese Association for Chest Surgery. Long-term results and predictors of survival after surgical resection of patients with lung cancer and interstitial lung diseases. J Thorac Cardiovasc Surg 149: 64-69, 70.e1-2,2015.
127. Sawahata M, Sugiyama Y, Nakamura Y, Nakayama M, Mato N, Yamasawa H, Bando M. Age-related and historical changes in the clinical characteristics of sarcoidosis in Japan. Respir Med 109: 272-278,2015.
128. Sengoku Y, Nakamura K, Ogata H, Nabekura Y, Nagasaka S, Tokuyama K. Continuous glucose monitoring during a 100-km race: a case study in an elite ultramarathon runner. Int J Sports Physiol Perform. 10(1):124-127,2015.
129. Shibasaki S., Hoshide S., Eguchi K., Ishikawa J., Kario K. ; on behalf of the Japan Morning Surge-Home Blood Pressure (J-HOP) Study Group. Increase trend in home blood pressure on a single occasion is associated with B-type natriuretic peptide and the estimated glomerular filtration rate. Am J Hypertens. 28: 1098-1105, 2015.
130. Shimada K., Kario K., Kushiro T., Teramukai S., Ishikawa Y., Kobayashi F., Saito I.: Differences between clinic blood pressure and morning home blood pressure, as shown by Bland-Altman plots, in a large observational study (HONEST study). Hypertens Res. 38: 876-882, 2015.
131. Shimizu, H., Saitoh, T., Machida, S., Kako, S., Doki, N., Mori, T., Sakura, T., Kanda, Y., Kanamori, H., Miyawaki, S., Okamoto, S.; Kanto Study Group for Cell Therapy (KSGCT).: Allogeneic hematopoietic stem cell transplantation for adult patients with mixed phenotype acute leukemia: results of a matched-pair analysis. Eur. J. Haematol. 95(5): 455-460, 2015.
132. Shimizu M., Hoshide S., Ishikawa J., Yano Y., Eguchi K., Kario K. :

- Correlation of central blood pressure to hypertensive target organ damages during antihypertensive treatment: the J-TOP Study. *Am J Hypertens.* 28: 980-988, 2015.
133. Shinhata H., Yamamoto H., Sunada K., Ino Y., Hayashi Y., Sato H., Miura Y., Sakamoto H., Kitamura A., Takezawa T., Yano T., Sakatani T., and Sugano K. Advanced rectal carcinoma caused by tumor cell implantation after curative endoscopic submucosal dissection of an intramucosal rectal carcinoma. *Endoscopy.* 2015. 47 (Suppl 1): UCTN: e192-194,2015.
134. Shinozaki S., Miura Y., Ino Y., Shinozaki K., Lefor A.K., and Yamamoto H. An Ultrathin Endoscope with a 2.4-mm Working Channel Shortens the Esophagogastroduodenoscopy Time by Shortening the Suction Time. *Clin Endosc.* 48(6): 516-521,2015.
135. Shinozaki S., Sunada K., Otake T., Lefor A.T., and Yamamoto H. Utility of a new reusable clip device for endoscopic treatment. *Dig Endosc.* 27(1): 106-112,2015.
136. Shinozaki S., Sakamoto H., Hayashi Y., Shinozaki K., Lefor A., Yamamoto H. Elevated Serum anti-Helicobacter pylori IgG Levels is a Predictor of Successful Eradication Therapy. *J Gastroenterol Hepatol Res.* 4(10): 1797-1800,2015.
137. Shinozaki S., Yano T., Sakamoto H., Sunada K., Hayashi Y., Sato H., Lefor A.K., and Yamamoto H. Long-Term Outcomes in Patients with Overt Obscure Gastrointestinal Bleeding After Negative Double-Balloon Endoscopy. *Dig Dis Sci.* 60(12): 3691-3696,2015.
138. Shirasuna K., Karasawa T., Usui F., Kobayashi M., Komada T., Kimura H., Kawashima A., Ohkuchi A., Taniguchi S., Takahashi M.: NLRP3 deficiency improves angiotensin II-induced hypertension but not fetal growth restriction during pregnancy. *Endocrinology*, 156: 4281-4292, 2015.
139. Shirasuna K., Usui F., Karasawa T., Kimura H., Kawashima A., Mizukami H., Ohkuchi A., Nishimura S., Sagara J., Noda T., Ozawa K., Taniguchi S., Takahashi M. Nanosilica-induced placental inflammation and pregnancy complications: Different roles of the inflammasome components NLRP3 and ASC. *Nanotoxicology*, 9: 554-567, 2015.

140. Sugano K. Screening of gastric cancer in Asia. Best Pract Res Clin Gastroenterol. 29(6): 895-905,2015.
141. Sugano K. Prevention of upper gastrointestinal ulcer and complications in low-dose aspirin users. Curr Pharm Des. 21(35): 5082-5088,2015.
142. Sugano K. Detection and Management of Early Gastric Cancer. Curr Treat Options Gastroenterol. 13(4): 398-408,2015.
143. Sugano K. How do we manage serious gastrointestinal adverse events associated with anti-thrombotic therapy? Expert Rev Gastroenterol Hepatol. 2015. 9(1): 5-8. PMID: 25096360
144. Sugano K. Journal of Gastroenterology in the era of globalization. J Gastroenterol. 50(1): 1-3,2015.
145. Sugano K., Tack J., Kuipers E.J., Graham D.Y., El-Omar E.M., Miura S., Haruma K., Asaka M., Uemura N., and Malfertheiner P. Kyoto global consensus report on Helicobacter pylori gastritis. Gut. 2015.
146. Sukma Rita R, Dezaki K, Kurashina T, Kakei M, Yada T. Partial blockade of Kv2.1 channel potentiates GLP-1's insulinotropic effects in islets and reduces its dose required for improving glucose tolerance in type 2 diabetic male mice. Endocrinology. 156(1):114-123,2015.
147. Suzuki J., Sasahara T., Toshima M., Norizuki M., Onishi T., Okabe T., Minami K., Morisawa Y.: Usefulness of <sup>18</sup>F-Fluorodeoxyglucose-position emission tomography with computed tomography and gallium-67 scintigraphy for detection of Kaposi sarcoma lesions in a 40-year-old Japanese man with AIDS. ID Cases 2:68-69, 2015. (doi:10.1016/j.idcr.2015.05.001. eCollection2015.)
148. Suzuki, T., Oh, I., Ohmine, K., Meguro, A., Mori, M., Fujiwara, S., Yamamoto, C., Nagai, T., Ozawa, K.: Distribution of serum erythropoietin levels in Japanese patients with myelodysplastic syndromes. Int. J. Hematol. 101(1): 32-36, 2015.
149. Taguchi Y, Ebina M, Hashimoto S, Ogura T, Azuma A, Taniguchi H, Kondoh Y, Suga M, Takahashi H, Nakata K, Sugiyama Y, Kudoh S, Nukiwa T; Pirfenidone Clinical Study Group in Japan. Efficacy of pirfenidone and disease severity of

- idiopathic pulmonary fibrosis: Extended analysis of phase III trial in Japan. *Respir Investig.* 53: 279-287, 2015.
150. Takahashi M.: High-mobility group box 1 protein in myocardial infarction: Should it be stimulated or inhibited? *J Atheroscler Thromb.* 22: 553-554, 2015,
151. Takeda, K., Sato, T., Norizuki, M., Kamata, Y., Nagatani, K., Alan, Kawarai, Lefor., Minota, S.: Adult Kawasaki-like syndrome with eosinophilia and tenosynovitis in a patient with human immunodeficiency virus infection. *Rheumatology* 54:1531-1532, 2015.
152. Takeda, K., Minota, S.: Gross hematuria caused by the nutcracker syndrome. *Clin Exp Nephrol* 19:982-983, 2015.
153. Takeda, K., Minota, S., Akiyama, Y., Nagatani, K.: Pseudorheumatoid arthritis caused by calcium pyrophosphate dehydrate deposition. *Intern Med* 54:2957, 2015.
154. Tamura, K., Akiyama, N., Kanda, Y., Saito, M.: Efficacy and safety of tazobactam/piperacillin as an empirical treatment for the patients of adult and child with febrile neutropenia in Japan. *J. Infect. Chemother.*: 21(9): 654-662, 2015.
155. Tanaka, M., Kanamori, H., Matsumoto, K., Tachibana, T., Numata, A., Ohashi, K., Kobayashi, T., Nakaseko, C., Kanda, Y., Yamazaki, E., Fujisawa, S., Ooi, J., Sakura, T., Aotsuka, N., Onoda, M., Machida, S., Kato, J., Usuki, K., Watanabe, R., Taguchi, J., Yano, S., Saito, T., Takahashi, S., Sakamaki, H., Okamoto, S.; Kanto Study Group for Cell Therapy: Clinical significance of pretransplant serum ferritin on the outcome of allogeneic hematopoietic SCT: a prospective cohort study by the Kanto Study Group for Cell Therapy. *Bone Marrow Transplant.* 50(5): 727-733, 2015..
156. Tanaka S., Kashida H., Saito Y., Yahagi N., Yamano H., Saito S., Hisabe T., Yao T., Watanabe M., Yoshida M., Kudo S.E., Tsuruta O., Sugihara K., Watanabe T., Saitoh Y., Igarashi M., Toyonaga T., Ajioka Y., Ichinose M., Matsui T., Sugita A., Sugano K., Fujimoto K., and Tajiri H. JGES guidelines for colorectal endoscopic submucosal dissection/endoscopic mucosal resection. *Dig Endosc.* 27(4): 417-434, 2015.

157. Tanaka S., Saitoh Y., Matsuda T., Igarashi M., Matsumoto T., Iwao Y., Suzuki Y., Nishida H., Watanabe T., Sugai T., Sugihara K., Tsuruta O., Hirata I., Hiwatashi N., Saito H., Watanabe M., Sugano K., and Shimosegawa T. Evidence-based clinical practice guidelines for management of colorectal polyps. *J Gastroenterol.* 50(3): 252-260, 2015.
158. Tomiyama H., Kohro T., Higashi Y., Takase B., Suzuki T., Ishizu T., Ueda S., Yamazaki T., Furumoto T., Kario K., Inoue T., Koba S., Watanabe K., Takemoto Y., Hano T., Sata M., Ishibashi Y., Node K., Maemura K., Ohya Y., Furukawa T., Ito H., Ikeda H., Yamashina A. : Reliability of measurement of endothelial function across multiple institutions and establishment of reference values in Japanese. *Atherosclerosis*, 242: 433-442, 2015.
159. Toyoda K., Arihiro S., Todo K., Yamagami H., Kimura K., Furui E., Terasaki T., Shiokawa Y., Kamiyama K., Takizawa S., Okuda S., Okada Y., Kameda T., Nagakane Y., Hasegawa Y., Mochizuki H., Ito Y., Nakashima T., Takamatsu K., Nishiyama K., Kario K., Sato S., Koga M. ; SAMURAI Study Investigators. : Trends in oral anticoagulant choice for acute stroke patients with nonvalvular atrial fibrillation in Japan: The SAMURAI-NVAF Study. *Int J Stroke*; 10: 836-842, 2015.
160. Tsuda, R., Ozawa, T., Kobayashi, E., Hamana, H., Taki, H., Tobe, K., Sugiyama, E., Iwamoto, M., Imura, J., Kishi, H., Muraguchi, A.: Monoclonal antibody against citrullinated-peptides obtained from rheumatoid arthritis patients reacts with numerous citrullinated microbial- and food-proteins. *Arthritis Rheumatol* 67:2020-2031, 2015.
161. Tsukahara, T., Iwase, N., Kawakami, K., Iwasaki, M., Yamamoto, C., Ohmine, K., Uchibori, R., Teruya, T., Ido, H., Saga, Y., Urabe, M., Mizukami, H., Kume, A., Nakamura, M., Brentjens, R., Ozawa, K.: The Tol2 transposon system mediates the genetic engineering of T-cells with CD19-specific chimeric antigen receptors for B-cell malignancies. *Gene Ther.* 22(2): 209-215, 2015.
162. Ueda Y., Kenzaka T., Noda A., Yamamoto Y., Matsumura M.: Adult-onset Kawasaki disease (mucocutaneous lymph node syndrome) and concurrent

- Coxsackievirus A4 infection: a case report. Int Med Case Rep J. 8: 225-230, 2015.  
(doi:10.2147/IMCRJ.S90685)
163. Ugai, T., Hamamoto, K., Kimura, S., Akahoshi, Y., Nakano, H., Harada, N., Kameda, K., Wada, H., Yamasaki, R., Ishihara, Y., Kawamura, K., Sakamoto, K., Ashizawa, M., Sato, M., Terasako-Saito, K., Nakasone, H., Kikuchi, M., Yamazaki, R., Okochi, T., Kanda, J., Kako, S., Tanaka, O., Kanda, Y.: A retrospective analysis of computed tomography findings in patients with pulmonary complications after allogeneic hematopoietic stem cell transplantation. Eur. J. Radiol. 84(12): 2663-2670, 2015.
164. Usui F., Kobayashi M., Takahashi M.: Letter regarding article “Inhibition of interleukin-1beta decrease aneurysm formation and progression in murine model of thoracic aortic aneurysm”. Circulation, 131, e399, 2015.
165. Usui F., Shirasuna K., Kimura H., Tatsumi K., Kawashima A., Karasawa T., Yoshimura K., Aoki H., Tsustui H., Noda T., Sagara J., Taniguchi S., Takahashi M.: Inflammasome activation by mitochondrial oxidative stress in macrophages leads to the development of angiotensin II-induced aortic aneurysm. Arterioscler Thromb Vasc Biol. 35: 127-136, 2015.
166. Wada M, Takeshima T, Nakamura Y, Nagasaka S, Kamesaki T, Oki H, Kajii E. Incidence of dizziness and vertigo in Japanese primary care clinic patients with lifestyle-related diseases: an observational study. Int J Gen Med. 8:149-154,2015.
167. Watanabe S., Hashimoto E., Ikejima K., Uto H., Ono M., Sumida Y., Seike M., Takei Y., Takehara T., Tokushige K., Nakajima A., Yoneda M., Saibara T., Shiota G., Sakaida I., Nakamuta M., Mizuta T., Tsubouchi H., Sugano K., and Shimosegawa T. Evidence-based clinical practice guidelines for nonalcoholic fatty liver disease/nonalcoholic steatohepatitis. Hepatol Res. 45(4): 363-377,2015.
168. Watanabe S., Hashimoto E., Ikejima K., Uto H., Ono M., Sumida Y., Seike M., Takei Y., Takehara T., Tokushige K., Nakajima A., Yoneda M., Saibara T., Shiota G., Sakaida I., Nakamuta M., Mizuta T., Tsubouchi H., Sugano K., and Shimosegawa T. Evidence-based clinical practice guidelines for nonalcoholic fatty liver

- disease/nonalcoholic steatohepatitis. *J Gastroenterol.* 50(4):364-377,2015.
169. Yagi H, Kimura T, Koide R.: Case of Wernicke's encephalopathy with isolated abducens nucleus lesion. *Neurology and Clinical Neurosciences.* 3:206-207,2015.
170. Yamamoto Y., Kenzaka T., Kuroki S., Kajii E.: Spontaneous arteriovenous fistula of left internal iliac artery aneurysm. *Eur Heart J Cardiovasc Imaging.* 16(7):817, 2015. (doi: 10.1093/ehjci/jev080.)
171. Yamamoto H., Yano T., Ohmiya N., Tanaka S., Tanaka S., Endo Y., Matsuda T., Matsui T., Iida M., and Sugano K. Double-balloon endoscopy is safe and effective for the diagnosis and treatment of small-bowel disorders: prospective multicenter study carried out by expert and non-expert endoscopists in Japan. *Dig Endosc.* 27(3): 331-337,2015.
172. Yamashita E., Takeuchi M., Seo Y., Izumo M., Ishizu T., Sato K., Suzuki K., Akashi YJ., Aonuma K., Otsuji Y., Oshima S.: Prognostic value of paradoxical low-gradient severe aortic stenosis in Japan: Japanese Multicenter Aortic Stenosis Study, Retrospective (JUST-R) Registry. *J. Cardiol.* 65:360-368, 2015.
173. Yanagida T, Fujimoto S, Inoue T, Suzuki S.: Prehospital delay and stroke-related symptom. *Intern Med.* 54(2):171-177,2015.
174. Yano K., Yasuda H., Takaoka K., Takahashi M., Nakamura H., Imai Y., Wakitani S. : Fate, origin and roles of cells within free bone grafts. *J Orthop Sci.* 20 : 390-396, 2015.
175. Yano, S., Mori, T., Kanda, Y., Kato, J., Nakaseko, C., Fujisawa, S., Tomita, N., Sakai, R., Shono, K., Saitoh, T., Aotsuka, N., Kobayashi, N., Saito, T., Takahashi, S., Kanamori, H., Okamoto, S.; Kanto Study Group for Cell Therapy (KSGCT): Favorable survival after allogeneic stem celltransplantation with reduced-intensity conditioning regimens for relapsed/refractory follicular lymphoma. *Bone Marrow Transplant.* 50(10): 1299-1305, 2015.
176. Yokota K., Sakurada T., Koitabashi K., Shibagaki Y., Kario K., Kimura K.: Association between residual kidney function and visit-to-visit blood pressure variability in peritoneal dialysis patients. *Adv Perit Dial.* 31: 49-53, 2015,

177. Yokota, S., Itoh, Y., Morio, T., Sumitomo, N., Daimaru, K., Minota, S.: Macrophage activation syndrome in patients with systemic juvenile idiopathic arthritis under treatment with tocilizumab. *J Rheumatol* 42:712-722, 2015.
178. Yamamoto-Kataoka S, Ebihara K, Aizawa-Abe M, Nishio M, Kusakabe T, Yamamoto Y, Aotani D, Sakai T, Zhao M, Ebihara C, Gumbilai VM, Hosoda K, Suzuki A, Nakao K. Leptin improves fatty liver independently of insulin sensitization and appetite suppression in hepatocyte-specific Pten-deficient mice with insulin hypersensitivity. *Horm Metab Res*. 47(3):168-175,2015.
179. Yoshio, T., Okamoto, H.: Pathogenesis of Neuropsychiatric Syndromes of Systemic Lupus Erythematosus. *Open J Rheumatol Autoimmune Dis*:46-56, 2015.
180. Yoshida M., Kinoshita Y., Watanabe M., and Sugano K. JSGE Clinical Practice Guidelines 2014: standards, methods, and process of developing the guidelines. *J Gastroenterol*. 50(1): 4-10,2015.
181. Yoshimoto T, Matsubara D, Nakano T, Tamura T, Endo S, Sugiyama Y, Niki T. Frequent loss of the expression of multiple subunits of the SWI/SNF complex in large cell carcinoma and pleomorphic carcinoma of the lung. *Pathol Int* 65: 595-602,2015.