

2014年 業績

(論文)

Ando H, Matsubara S, Oi A, Usui R, Suzuki M, Fujimura A. Two nursing mothers treated with zonisamide: should breastfeeding be avoided? *J Obstet Gynaecol Res* 2014;40:275-278

Baba Y, Ohkuchi A, Usui R, Suzuki H, Kuwata T, Matsubara S. Calculating probability of requiring allogeneic blood transfusion using three preoperative risk factors on cesarean section for placenta previa. *Arch Gynecol Obstet* 2014 Sep 3.

Baba Y, Matsubara S, Ohkuchi A, Usui R, Kuwata T, Suzuki H, Takahashi H, Suzuki M. Anterior placentation as a risk factor for massive hemorrhage during cesarean section in patients with placenta previa. *J Obstet Gynaecol Res* 2014;40:1243-1248

Baba Y, Matsubara S, Kuwata T, Ohkuchi A, Usui R, Saruyama M, Nakata M, Suzuki M. Uterine artery pseudoaneurysm: Not a rare condition occurring after non-traumatic delivery or non-traumatic abortion. *Arch Obstet Gynecol* 2014;290:435-440

Fujiwara H, Yokota H, Monk B, Treilleux I, Devouassoux-Shisheboran M, Davis A, Kim JW, Mahner S, Stany M, Pignata S, Ray-Coquard I, Fujiwara K. Gynecologic Cancer InterGroup (GCIG) consensus review for cervical adenocarcinoma. *Int J Gynecol Cancer* 2014; 24: S96-S101

Fujiwara H, Suzuki M, Takeshima N, Takizawa K, Kimura E, Nakanishi T, Yamada K, Takano H, Sasaki H, Koyama K, Ochiai K. Evaluation of human epididymis protein 4 (HE4) and Risk of Ovarian Malignancy Algorithm (ROMA) as diagnostic tools of type I and type II epithelial ovarian cancer in Japanese women. *Tumour Biol* 2014 (in press)

Fujiwara H, Takahashi Y, Takano M, Miyamoto M, Nakamura K, Kaneta Y, Hanaoka T, Ohwada M, Sakamoto T, Hirakawa T, Fujiwara K, Suzuki M. Evaluation of

Endometrial Cytology: Cytohistological Correlations in 1,441 Cancer Patients. *Oncology* 2014; 88: 86-94

Hara K, Shirasuna K, Usui F, Karasawa T, Mizushina Y, Kimura H, Kawashima A, Ohkuchi A, Matsuyama S, Kimura K, Takahashi M. Interferon-tau attenuates uptake of nanoparticles and secretion of interleukin-1 β in macrophages. *PLoS One* 2014;9(12):e113974

Hirashima C, Ohkuchi A, Takahashi K, Usui R, Matsubara S, Suzuki M. Prediction of early-onset preeclampsia using angiogenesis-related factors. *Med J Obstet Gynecol* 2014 (2) 1025

Hirashima C, Ohkuchi A, Takahashi K, Suzuki H, Matsuda Y, Matsubara S, Suzuki M. Additive effects of mean blood pressure and bilateral notching in the second trimester on subsequent angiogenesis-related factors. *Hypertens Res* 2014;37:76-81

Hirashima C, Ohkuchi A, Takahashi K, Suzuki H, Matsubara S, Suzuki M. A novel three-step approach for predicting the imminent onset of preeclampsia within 4 weeks after blood sampling at 19-31 weeks of gestation. *Hypertens Res* 2014;37:519-25

Hirose N, Ohkuchi A, Usui R, Matsubara S, Suzuki M. Risk of preeclampsia in women with CKD, dialysis or kidney transplantation. *Med J Obstet Gynecol* 2014 (2) 1028

Horie K, Suzuki H, Ohkuchi A, Matsubara S, Ikemoto T, Suzuki M. Thrombus just beneath a retrievable IVC filter in a pregnant woman with deep vein thrombosis: its removal requiring catheter thrombus fragmentation with fibrinolysis. *J Obstet Gynaecol Res* 2014;40:590-594

Kambe S, Yoshitake H, Yuge K, **Ishida Y**, Ali MM, Takizawa T, **Kuwata T, Ohkuchi A, Matsubara S, Suzuki M**, Takeshita T, Saito S, Takizawa T. Human exosomal placenta-associated miR-517a-3p modulates the expression of PRKG1 mRNA in Jurkat cells. *Biol Reprod* 2014;91:129, 1-11

Kuwata T, Matsubara S, Ohkuchi A. Adenomyomectomy: to perform or not to perform? – the thin uterine wall during pregnancy after adenomyomectomy – *Gazz Med Ital* 2014;173(9):489-90

Kuwata T, Takahashi H, Matsubara S. The “stained glass” sign for placental mesenchymal dysplasia. *Ultrasound Obstet Gynecol* 2014;43:355-355

Machida S, Takei Y, Yoshida C, Takahashi Y, Koyanagi T, Sato N, Taneichi A, Saga Y, Fujiwara H, Suzuki M. Radiation therapy for chemotherapy-resistant recurrent epithelial ovarian cancer. *Oncology* 2014; 86: 232-238

Matsubara S. Ureteral catheter is useful to prevent ureteral injuries not only for gynecologic surgery but also for cesarean hysterectomy for placenta previa accreta: the obstetrician’s opinion. *Urologia* 2014;81:187-188

Matsubara S. A stepwise cesarean section for placenta percreta: Effective only for “separable” placenta percreta? *Arch Gynecol Obstet* 12 November 2014

Matsubara S. Removable uterine compression sutures for postpartum haemorrhage: Two questions. *BJOG: An International Journal of Obstetrics and Gynaecology* (in press)

Matsubara S. Perimortem cesarean section: Three possible procedures to overcome atonic bleeding after successful resuscitation. *Acta Obstet Gynecol Scand* 2014, September 10. doi: 10.1111/aogs.12501.

Matsubara S. An easy insertion procedure of Bakri balloon during cesarean section for placenta previa: Use of Nelaton rubber catheter. *Arch Gynecol Obstet* 2014;290:613-614

Matsubara S. New prophylaxis methods for adverse events of uterine compression sutures: Removing compression threads. *Acta Obstet Gynecol Scand* 2014;93:1069-70

Matsubara S. Placenta percreta: Multidisciplinary team may not be enough. *Aus N Z J Obstet Gynaecol* 2014;54:291-291

Matsubara S. A clinically useful sign for auto-amputation of the ovary. *J Pediatr Adolescent Gynecol.* (in press)

Matsubara S. Cervical tourniquet for anterior placenta previa: Clarification and concern. *J Obstet Gynaecol Res* 2014;40:2086-2087

Matsubara S. Some clarification and concerns regarding a novel VV uterine compression suture. *J Obstet Gynaecol Res* 2014;40:1165-1166

Matsubara S. Uterine fundal pressure: Is it really a culprit of poor maternal and neonatal outcome? *J Obstet Gynaecol Res* 2014;40:1956-1956

Matsubara S. A new approach for the Bakri balloon for placenta previa. *Eur J Obstet Gynecol Reprod Biol* 2014;182:262-263

Matsubara S. Placenta percreta: Multidisciplinary team may not be enough. *Aus N Z J Obstet Gynaecol* 2014;54:291-291

Matsubara S. Practical consideration of inserting intrauterine balloon during cesarean section for placenta previa. *Acta Obstet Gynecol Scand* 2014;93:120-121

Matsubara S. An untold factor that may influence the rate of cesarean section. *Acta Obstet Gynecol Scand* 2014;93:218-218

Matsubara S. Combination of an intrauterine balloon and the “holding the cervix” technique for hemostasis of postpartum hemorrhage and for prophylaxis of acute recurrent uterine inversion. *Acta Obstet Gynecol Scand* 2014;93:314-315

Matsubara S, Baba Y. Uterine artery pseudoaneurysm after non-traumatic vaginal delivery as a cause of postpartum hemorrhage: Determination of its mechanism is urgently needed. *Acta Obstet Gynecol Scand* (in press)

Matsubara S, Baba Y. Transverse uterine fundal incision for placenta praevia with accreta: Concern regarding its “overuse”. *BJOG An International Journal of Obstetrics and Gynaecology* (in press)

Matsubara S, Baba Y, Takahashi H. Preventing Bakri balloon from sliding out during “holding the cervix”: “fishing for the balloon shaft” technique (Matsubara). *Acta Obstet Gynecol Scand* (in press)

Matsubara S, Baba Y, Ohkuchi A. Is anterior placentation *per se* a risk for cesarean section-related morbidity in placenta previa? *J Perinatol* 2014;34:649-649

Matsubara S, Baba Y, Ohkuchi A. Cesarean incision in case of placenta previa: Does the transplacental approach cause fetal anemia? *Acta Obstet Gynecol Scand* 2014, Sep 19. doi: 10.1111/aogs.12512.

Matsubara S, Kobayashi M, Baba Y, Usui R. Uterine artery pseudoaneurysm rupture as a culprit of postpartum hemorrhage: not always after cesarean section. *J Emerg Med* 2014;46:e97-98

Matsubara S, Kuwata T, Baba Y, Usui R, Suzuki H, Takahashi H, Ohkuchi A, Suzuki M. A novel “uterine sandwich” for haemorrhage at caesarean section for placenta praevia. *Aus N Z J Obstet Gynaecol* 2014;54:283-286

Matsubara S, Kuwata T, Takahashi H, Kimura Y. Diagnosis of placental mesenchymal dysplasia: Magnetic resonance imaging or color Doppler? *J Obstet Gynaecol Res* 2014 Oct 20. doi: 10.1111/jog.12563.

Matsubara S, Kuwata T, Usui Rie, Ohkuchi A. Uterine artery pseudoaneurysm: A master of deception. *Arch Gynecol Obstet* 2014;289:469-470

Matsubara S, Kuwata T, Yoshida T, Usui R, Ohkuchi A. Uterine compression suture for cesarean hysterectomy: possible applications to conditions other than atonic bleeding. *J Clin Case Rep* 2014;4:5 (on line) doi: 10.4172/2165-7920.1000356

Matsubara S, Lefor AT, Ohkuchi A. Purse-string double-layer closure for cesarean incision (Turan technique): Some concerns. *J Obstet Gynaecol Res* (in press)

Matsubara S, Nakata M, Baba Y, Suzuki H, Nakamura H, Suzuki M. Uterine artery pseudoaneurysm hidden behind septic abortion: pseudoaneurysm without preceding procedure. *J Obstet Gynaecol Res* 2014;40:586-589

Matsubara S, Nonaka H, Kobayashi M, Kuwata T, Fujii H. Intrauterine balloon occlusion during cesarean hysterectomy for placenta previa accreta: the internal or common iliac artery? *Acta Obstet Gynecol Scand* 2014;93:122-123

Matsubara S, Nonaka H, Kobayashi M, Kawai A, Fujii H. Uterine artery pseudoaneurysm after dilatation and curettage in a woman with multiple hepatic and pulmonary cavernous hemangiomas. *Int J Gynecol Obstet* 2014;125:84-85

Matsubara S, Ohkuchi A, Kamesaki T, Ishikawa S, Nakamura Y, Matsumoto M, Clinical Research Support Team (CRST)-Jichi. Supporting rural remote physicians to conduct a study and write a paper: Experience of Clinical Research Support Team (CRST)-Jichi. *Rural Remote Health* 2014;14:2883 (on line) <http://www.rrh.org.au/articles/printviewnew.asp?ArticleID=2883>

Matsubara S, Ohkuchi A, Nonaka H, Ito H, Lefor AT. Prolapse of the small intestine from the uterine perforation at dilatation and curettage. *Case Rep Obstet Gynecol* 2014;2014:164356. doi: 10.1155/2014/164356. <http://dx.doi.org/10.1155/2014/164356>

Matsubara S, Takahashi Y, Kawai A. Uterine artery pseudoaneurysm manifesting at the time of evacuation for abortion: pseudoaneurysm without preceding events. *Acta Obstet Gynecol Scand* 2014;93:723-724

Matsubara S, Takahashi Y, Yoshida T, Usui R, Koike Y. Reduced fetal movements at 27 weeks: an alarm for maternal-fetal listeriosis? *J Obstet Gynaecol* 2014;34:740-741.

Matsubara S, Usui R, Ohkuchi A. Controversy on another possible risk of preterm delivery after cervical conization: time interval between conization and conception. *Eur J Gynecol Oncol* 2014;35:5-6

Matsumoto M, Koike S, **Matsubara S**, Kashima S, Ide H, Yasunaga H. Selection and concentration of obstetric facilities in Japan: A longitudinal study based on national census data. *J Obstet Gynaecol Res* (in press)

Minakami H, Maeda T, Fujii T, Hamada H, Iitsuka Y, Itakura A, Itoh H, Iwashita T, Kanagawa T, Kanai M, Kasuga Y, Kawabata M, Kobayashi K, Kotani T, Kudo Y, Makino Y, **Matsubara S**, Matsuda H, Miura K, Murakoshi T, Murotsuki J, **Ohkuchi A**, Ohno Y, Ohshiba Y, Satoh S, Sekizawa A, Sugiura M, Suzuki S, Takahashi T, Tsukahara Y, Unno N, Yoshikawa H. Guidelines for obstetrical practice in Japan: Japan Society of Obstetrics and (JAOG) 2014 edition. *J Obstet Gynaecol Res* 2014;40:1469-1499

Morikawa A, Ueda K, Takahashi K, Fukunaga M, Iwashita M, Kobayashi Y, Takechi K, Umezawa S, Terauchi F, Kiguchi K, Aoki D, Nomura H, Yoshikawa H, Satoh T, Jobo T, **Fujiwara H, Takei Y**, Kamoi S, Terao Y, Isonishi S. Pathology-oriented treatment strategy of malignant ovarian tumor in pregnant women: analysis of 41 cases in Japan. *Int J Clin Oncol* 2014; 19: 1074-1079

Nagayama S, Ohkuchi A, Usui R, Matsubara S, Suzuki M. The role of the father in the occurrence of preeclampsia. *Med J Obstet Gynecol* 2014 (2) 1029

Nagayama S, Matsubara S, Horie K, Kuwata T, Ohkuchi A, Usui R, Nakata M, Suzuki M. The ovarian artery: An unusual feeding artery of uterine artery pseudoaneurysm necessitating repetitive transarterial embolisation. *J Obstet Gynaecol* (in press)

Okada Y, Inoue N, Fukushima N, Yoshikawa T, Takahashi Y, **Matsubara S**, Hasegawa Y. An infant with idiopathic mitral valve chordae rupture. *Pediatr Intern* (in press)

Ohkuchi A, Takahashi K, Hirashima C, Usui R, Matsubara S, Suzuki M. Prediction

of early-onset preeclampsia using uterine artery Doppler. *Med J Obstet Gynecol* 2014 (2) 1026

Okuchi A, Hirashima C, Takahashi K, Shirasuna K, Suzuki H, Ariga H, Kobayashi M, Hirose N, Matsubara S, Suzuki M. A trio of risk factors for the onset of preeclampsia in the second and early third trimesters. *Pregnancy Hypertension: An International Journal of Women's Cardiovascular Health* 2014;4:224–230

Ohmaru T, Ohkuchi A, Muto S, Hirashima C, Matsubara S, Suzuki M. Increased antiangiogenic factors in severe proteinuria without hypertension in pregnancy: is kidney biopsy necessary? *CEN Case Rep* 2014;3:86-89

Sakamoto Y, Takei Y, Fujiwara H, Machida S, Taneichi A, Suzuki M. Gestational choriocarcinoma with uterine serosal metastasis mimicking ruptured ectopic pregnancy: A case report. *Oncol Lett* (in press)

Satoh T, **Takei Y**, Treilleux I, Devouassoux-Shisheboran M, Ledermann J, Viswanathan AN, Mahner S, Provencher DM, Mileschkin L, Avall-Lundqvist E, Pautier P, Reed NS, Fujiwara K. Gynecologic Cancer InterGroup (GCIG) Consensus Review for Small Cell Carcinoma of the Cervix. *Int J Gynecol Cancer* 2014; 24: S102-S108

Shirasuna K, Usui F, Karasawa T, Kimura H, Kawashima A, Mizukami H, Ohkuchi A, Nishimura S, Sagara J, Noda T, Ozawa K, Taniguchi S, Takahashi M. Nanosilica-induced placental inflammation and pregnancy complications: Different roles of the inflammasome components NLRP3 and ASC. *Nanotoxicology* 2014;11:1-14

Suzuki H, Matsubara S, Uchida S, Ohkuchi A. Ovary hyperstimulation syndrome accompanying molar pregnancy: Case report and review of the literature. *Arch Gynecol Obstet* 2014;290:803-806

Suzuki H, Ohkuchi A, Shirasuna K, Takahashi H, Usui R, Matsubara S, Suzuki M. Animal model of preeclampsia: Insight into possible biomarker candidates for predicting preeclampsia. *Med J Obstet Gynecol* 2014 (2) 1031

Takahashi H, Baba Y, Matsubara S. Brain damage of surviving co-twin following single fetal death in monochorionic diamniotic twin pregnancy at 8-9 weeks gestation. *Acta Obstet Gynecol Scand* 2014;93:1336-1336

Takahashi H, Matsubara S, Kobayashi M, Ohkuchi A. Drainage failure of Bakri balloon: No drainage does not indicate no bleeding. *Acta Obstet Gynecol Scand* 19 DEC 2014 DOI: 10.1111/aogs.12563

Takahashi H, Ohkuchi A, Usui R, Takizawa T, Matsubara S, Suzuki M. Importance of chromosome 19 miRNA cluster in pregnancy. *Med J Obstet Gynecol* 2014 (2) 1032

Takahashi H, Takizawa T, Matsubara S, Ohkuchi A, Kuwata T, Usui R, Matsumoto H, Sato Y, Fujiwara H, Okamoto A, Suzuki M, Takizawa T. Extravillous trophoblast cell invasion is promoted by the CD44-hyaluronic acid interaction. *Placenta* 2014;35:163-170

Takahashi H, Matsubara S, Saito K, Bando M. Good obstetric outcome after embolization of pulmonary arteriovenous malformation in hereditary hemorrhagic telangiectasia: planned pregnancy may be important also in this condition. *Aus N Z J Obstet Gynaecol* 2014;54:191-191

Takahashi H, Matsubara S, Kuwata T, Ohkuchi A, Mukoda Y, Saito K, Usui R, Suzuki M. Maternal manifestation of Ballantyne's syndrome occurring concomitantly with the development of fetal congenital mesoblastic nephroma. *J Obstet Gynaecol Res* 2014;40:1114-1117

Takahashi H, Yuge K, Matsubara S, Ohkuchi A, Kuwata T, Usui R, Suzuki M, Takizawa T. Differential expression of ADAM (a Disintegrin and Metalloproteinase) genes between human first trimester villous and extravillous trophoblast cells. *J Nippon Med Sch* 2014;81:122-129

Takahashi H, Matsubara S, Kuwata T, Saruyama M, Usui R, Ohkuchi A, Takizawa

T, **Suzuki M.** Changes in expression of VEGF-D related genes in placental mesenchymal dysplasia *J Obstet Gynaecol Res* 2014;40:1145-1149

Takahashi K, Ohkuchi A, Kobayashi M, Matsubara S, Suzuki M. Recurrence risk of hypertensive disease in pregnancy. *Med J Obstet Gynecol* 2014 (2) 1023

Takahashi K, Ohkuchi A, Furukawa R, Matsubara S, Suzuki M. Establishing measurements of subcutaneous and visceral fat area ratio in the early second trimester by magnetic resonance imaging in obese pregnant women. *J Obstet Gynaecol Res* 2014 ;40:1304-1307

Takei Y, Fujiwara H, Nagashima T, Takahashi Y, Takahashi S, Suzuki M. Successful pregnancy in a Peutz-Jeghers syndrome patient with lobular endocervical glandular hyperplasia. *J Obstet Gynaecol Res* (in press)

Taneichi A, Fujiwara H, Mizoguchi Y, Machida S, Nonaka H, Takei Y, Saga Y, Suzuki M. Disseminated intravascular coagulopathy caused by uterine leiomyoma with sarcoma-like findings on magnetic resonance imaging. *Case Rep Obstet Gynecol* 2014; 2014: 978743

Taneichi A, Fujiwara H, Takahashi Y, Takei Y, Machida S, Saga Y, Takahashi S, Suzuki M. Influences of uterine adenomyosis on muscle invasion and prognosis of endometrioid adenocarcinoma. *Int J Gynecol Cancer* 2014; 24: 1429-1433

Tsukahara T, Iwase N, Kawakami K, Iwasaki M, Yamamoto C, Ohmine K, Uchibori R, Teruya T, Ido H, **Saga Y**, Urabe M, Mizukami H, Kume A, Nakamura M, Brentjens R, Ozawa K. The Tol2 transposon system mediates the genetic engineering of T-cells with CD19-specific chimeric antigen receptors for B-cell malignancies. *Gene Ther* (in press)

Yamada T, Abe K, **Baba Y**, Inubashiri E, Kawabata K, Kubo T, Maegawa Y, Fuchi N, Nomizo M, Shimada M, Shiozaki A, Hamada H, **Matsubara S**, Akutagawa N, Kataoka S, Maeda M, Masuzaki H, Sagawa N, Nakai A, Saito S, Minakami H. Vaccination during

the 2013 - 2014 influenza season in pregnant Japanese women. *European Journal of Clinical Microbiology & Infectious Diseases* doi: 10.1007/s10096-014-2259-8

Yamada T, Mochizuki J, Hanaoka M, Hashimoto E, **Ohkuchi A**, Ito M, Kubo T, Nakai A, Saito S, Unno N, **Matsubara S**, Minakami H. Effects of campaign for postpartum vaccination on seronegative rate against rubella among Japanese women. *BMC Infectious Diseases* 2014 Mar 21;14:152. doi: 10.1186/1471-2334-14-152.

Yamada T, Kubo T, Mochizuki J, Hashimoto E, **Ohkuchi A**, Ito M, Hanaoka M, Nakai A, Saito S, Unno N, **Matsubara S**, Minakami H. Immune status among Japanese during nationwide rubella outbreak in Japan 2012-2013. *J Infect* 2014;68:300-302

平嶋洋斗、鈴木寛正、戸代原加奈、薄井里英、桑田知之、大口昭英、松原茂樹、鈴木光明。帝王切開後膿瘍へのドレナージのタイミング：症例報告 栃木県母性衛生学会雑誌 2014;40:5-7

永島友美、溝口由香子、薄井里英、廣瀬典子、齋藤こよみ、桑田知之、大口昭英、松原茂樹、鈴木光明。妊婦の急性胆嚢炎-胆嚢摘出を要した症例- 栃木県産婦人科医報 2013;40:38-40 (昨年未掲載)

大橋麻衣、藤原寛行、町田静生、葭葉貴弘、佐藤尚人、猿山美幸、高橋寿々代、永島友美、種市明代、竹井裕二、鈴木光明。婦人科悪性腫瘍の発見契機 栃木県産婦人科医報 2013;40: 10-13 (昨年未掲載)

種市明代、藤原寛行、竹井裕二、高橋詳史、鈴木寛正、森澤宏行、近澤研郎、齊藤こよみ、今井賢、橘直之、町田静生、嵯峨泰、鈴木光明。子宮腺筋症から発生した子宮体癌の1例 日本エンドメトリオーシス学会会誌 2014;35: 244-246

薄井里英、渡辺尚、松原茂樹。先天性血栓性素因合併妊娠の管理 Obstetric management of pregnant women complicated with congenital thrombophilia: lessons learned from five cases. *Jpn J Obstet Gynecol Neonatol Hematol* 2013;22:89-94 (昨年未掲載 Japanese with English abstract)

(発表)

Koyanagi T, Suzuki Y, Kobayashi M, Miyashita H, **Saga Y**, **Suzuki M**, Sato Y.
Development of a novel anti-angiogenic cancer therapy targeting vasohibin-2. The 5th
International Meeting on Angiogenesis, Amsterdam, March 12-14, 2014

Koyanagi T, Suzuki Y, Kobayashi M, Miyashita H, **Saga Y**, **Suzuki M**, Sato Y.
Development of a novel anti-angiogenic cancer therapy targeting vasohibin-2. The 18th
International Vascular Biology Meeting 2014, Kyoto, April 14-17, 2014

Ohkuchi A, **Hirashima C**, **Nagayama S**, **Suzuki H**, **Takahashi K**, **Matsubara S**,
Suzuki M. Decreased circulating levels of galectin-1 in the second trimester as an
independent risk factor for not only preeclampsia but also gestational hypertension. XIX
International society for the study of hypertension in pregnancy (ISSHP) World
Congress. October 26-29, 2014. Louisiana, USA (Hilton – New Orleans Riverside)

Ohkuchi A, **Hirashima C**, **Saruyama M**, **Takahashi K**, **Ohmaru T**, **Suzuki H**,
Matsubara S, **Suzuki M**. Prediction of preeclampsia using angiogenesis-related factors
or home blood pressure monitoring. Workshop on the 46th International Congress on
Pathophysiology of Pregnancy. September 19, 2014. Tokyo (Keio Plaza Hotel)
(Hypertension research in pregnancy 2014; 2:70-71)

Saga Y, **Sato N**, Mizukami H, Uchibori R, Tsukahara T, Urabe M, Kume A, **Suzuki M**,
Ozawa K. Robust treatment for cervical cancer targeting human papillomavirus E6/E7.
The 11th Nikko International Symposium, Tochigi, October 30, 2014

Saga Y, **Sato N**, Mizukami H, Uchibori R, Tsukahara T, Urabe M, Kume A, **Suzuki M**,
Ozawa K. Robust treatment for cervical cancer using short-hairpin RNA against human
papillomavirus type 16 E6/E7. The 20th Annual Meeting of Japan Society of Gene
Therapy (JSGT), Tokyo, August 6-8, 2014

Saruyama M, **Ohkuchi A**, **Takahashi K**, **Ohmaru T**, **Hirashima C**, **Suzuki H**,
Matsubara S, **Suzuki M**. The existence of inflection point in home blood pressure

monitoring at earlier gestational weeks in preeclampsia and gestational hypertension. 46th International Congress on Pathophysiology of Pregnancy. September 19, 2014. Tokyo (Keio Plaza Hotel) (Hypertension research in pregnancy 2014; 2:89)

安部まさき、高橋寿々代、竹井裕二、葭葉貴弘、吉田智香子、大橋麻衣、町田静生、藤原寛行、鈴木光明。卵巣成熟嚢胞性奇形腫から腹膜偽粘液腫を伴う粘液性腺癌へ悪性転化を示した一例 第80回栃木県産科婦人科学会 宇都宮 2014年9月6日

安倍まさき、高橋詳史、薄井里英、大口昭英、松原茂樹、鈴木光明。妊娠27週で早産した母児リステリア症。第8回日本早産予防研究会 獨協医大 2014年11月15日

馬場洋介、松原茂樹、桑田知之、大口昭英、薄井里英、猿山美幸、鈴木光明。子宮動脈仮性動脈瘤は無侵襲的な分娩・流産後にも発症する：22例の検討。第66回日本産婦人科学会総会 東京国際フォーラム 2014年4月20日（日本産科婦人科学会雑誌 2014；66：801）

馬場洋介、松原茂樹、大口昭英、桑田知之、薄井里英、高橋宏典、鈴木寛正、鈴木光明。前置胎盤での同種間輸血確率を予測する：術前に把握できるリスク因子を用いて。第50回日本周産期新生児学会総会 シェラトン・グランデ・トーキョーベイ・ホテル 2014年7月14日（日本周産期・新生児医学会雑誌 2014；50：701）

馬場洋介、高橋宏典、大橋麻衣、齋藤こよみ、薄井里英、桑田知之、大口昭英、松原茂樹、鈴木光明。MD 双胎1児死亡後の生存児脳形態異常：妊娠8週での1児死亡後に認められた変化。第80回栃木県産科婦人科科学会 宇都宮 2014年9月7日

江口和男、大丸貴子、大口昭英、平嶋周子、高橋佳代、鈴木寛正、荻尾七臣、松原茂樹、鈴木光明。妊娠中の自由行動下血圧指標は Small for Gestational Age に関連している。第37回日本高血圧学会総会 パシフィコ横浜 2014年

10月17～19日

藤原寛行、竹井裕二、町田静生、嵯峨泰、葭葉貴弘、佐藤尚人、小柳貴裕、吉田智香子、佐山雅昭、平尾潔、木村孔三、鈴木光明。子宮頸がん検診 ASC-US/HPV 陽性群における CIN リスクは LSIL 群と同等である—細胞診/HPV 併用検診モデル事業より 第 66 回日本産科婦人科学会学術集会 東京 2014 年 4 月 18-20 日

平嶋周子、大口昭英、高橋佳代、松原茂樹、鈴木光明。妊娠中期、後期前半の sFlt-1/PIGF 比、及び、soluble endoglin による妊娠高血圧腎症発症リスク評価。第 35 回日本妊娠高血圧学会 京王プラザ 2014 年 9 月 20 日 (日本妊娠高血圧学会雑誌 2014; 21: 49)

堀江健司、永山志穂、薄井里英、大口昭英、神谷千津子、小森咲子、松原茂樹、鈴木光明。QT 延長症候群合併妊娠において胎児心磁図により先天性 QT 延長症候群が予測出来た 1 例。第 127 回関東連合産科婦人科学会総会 日本都市センター。2014 年 6 月 22 日 (関東連合産科婦人科学会雑誌 2014;51:267)

堀江健司、大口昭英、馬場洋介、鈴木寛正、桑田知之、薄井里英、松原茂樹、鈴木光明。切迫早産妊婦におけるリトドリンの副反応に対するイソクスプリンの効果。第 66 回日本産科婦人科学会総会 東京国際フォーラム 2014 年 4 月 20 日 (日本産科婦人科学会雑誌 2014 ; 66 : 780)

今井賢、永山志穂、堀江健司、鈴木寛正、桑田知之、薄井里英、大口昭英、松原茂樹、鈴木光明。重症妊娠悪阻を契機に発見された汎血球減少症、真性甲状腺機能亢進症。第 66 回日本産科婦人科学会総会 東京国際フォーラム 2014 年 4 月 20 日 (日本産科婦人科学会雑誌 2014 ; 66 : 809)

今井賢、鈴木達也、坂本有希、堀江健司、木村歩未、木村円、昇千穂美、橘直之、池田伴衣、鈴木光明。両配偶子の凍結融解後顕微授精を行い、胚盤胞凍結後の融解移植で妊娠が成立した 1 例。第 59 回日本生殖医学会総会 東京 2014 年 12 月 4-5 日

岩下あゆみ、馬場洋介、平嶋洋斗、佐藤尚人、高橋詳史、木村円、薄井里英、大口昭英、松原茂樹、鈴木光明。重症妊娠悪阻：腎不全・呼吸停止を示した症例。第 80 回栃木県産婦人科科学会 宇都宮 2014 年 9 月 7 日

岩下あゆみ、竹井裕二、藤原寛行、佐藤尚人、野中宏亮、斎藤こよみ、馬場洋介、永島友美、町田静生、鈴木光明。再三の再発巣に対し放射線治療が奏効した子宮体部明細胞腺癌の一例 第 128 回関東連合産科婦人科学会 松本 2014 年 10 月 25-26 日

岩下あゆみ、竹井裕二、町田静生、種市明代、高橋寿々代、堀江健司、木村歩未、溝口由香子、藤原寛行、鈴木光明。失神を契機に発見された静脈内平滑筋腫症の 1 例 第 79 回栃木県産科婦人科学会 宇都宮 2014 年 2 月 2 日

藤原寛行。〔シンポジウム〕栃木県小山地区における細胞診/HPV-DNA 検査併用子宮頸がん検診 第 56 回日本婦人科腫瘍学会 宇都宮 2014 年 7 月 18-19 日

藤原寛行、町田静生、嗟峨泰、森澤宏行、吉田智香子、佐藤尚人、小柳貴裕、高橋詳史、種市明代、竹井裕二、佐山雅昭、平尾潔、木村孔三、鈴木光明。
〔シンポジウム〕栃木県小山地区における細胞診/HPV-DNA 検査併用子宮頸がん検診 第 53 回日本臨床細胞学会秋期大会 下関 2014 年 11 月 8-9 日

藤原寛行、鈴木光明。〔シンポジウム〕細胞診/HPV-DNA 検査併用子宮頸がん検診 第 55 回日本臨床細胞学会春期大会 横浜 2014 年 6 月 6 日

木村円、渡辺尚、松原茂樹、鈴木光明。妊娠糖尿病(GDM)の診断基準改訂に伴う影響。第 50 回日本周産期新生児学会総会 シェラトン・グランデ・トーキョーベイ・ホテル 2014 年 7 月 14 日 (日本周産期・新生児医学会雑誌 2014 ; 50)

神戸沙織、弓削主哉、石田洋一、大口昭英、松原茂樹、鈴木光明、齋藤滋、瀧澤俊広、竹下俊行。ヒト胎盤特異的マイクロ RNA はエクソソームを介して母体免疫細胞の遺伝子発現を修飾している。第 66 回日本産婦人科学会総会 東京国際フォーラム 2014 年 4 月 18 日 (日本産科婦人科学会雑誌 2014 ; 66 : 435)

小林真実、高橋佳代、大口昭英、鈴木寛正、有賀治子、廣瀬典子、平嶋周子、松原茂樹、鈴木光明。妊娠高血圧症候群既往歴は、血圧高値と子宮動脈血流速度異常とは独立した妊娠高血圧腎症の危険因子である。第66回日本産婦人科学会総会 東京国際フォーラム 2014年4月19日（日本産科婦人科学会雑誌 2014；66：678）

小柳貴裕、嵯峨泰、高橋詳史、佐藤尚人、町田静生、種市明代、竹井裕二、藤原寛行、鈴木光明。卵巣癌・予後因子・治療法の探索 新規血管新生調節因子バゾヒビン2中和抗体の開発と卵巣癌治療応用へ向けた基礎研究 第66回日本産科婦人科学会学術集会（ミニワークショップ） 東京 2014年4月18-20日

小柳貴裕、嵯峨泰、高橋詳史、佐藤尚人、高橋寿々代、町田静生、種市明代、竹井裕二、藤原寛行、鈴木光明。新規血管新生調節因子バゾヒビン2を標的とした新規卵巣癌治療法の開発 第27回関越DIF研究会 大宮 2014年2月8日

倉林寛、渡辺慎太郎、桑田知之、吉野雄大。当院で経験した周産期心筋症の2例。佐野市合同症例発表会、佐野、2014年11月17日

桑田知之、市塚清健、名取道也、前山朝子、松原茂樹、鈴木光明。経膈プローブHPV汚染：現状と対策。第66回日本産婦人科学会総会 東京国際フォーラム 2014年4月19日（日本産科婦人科学会雑誌 2014；66：670）

桑田知之、高橋宏典、松原茂樹、名取道也、市塚清健、鯉淵晴美。経膈探触子の汚染と管理法に関する研究。第87回日本超音波医学会学術集会平成26年度新技術開発セッション パシフィコ横浜 2014年5月11日（超音波医学 2014；41：S637）

永山志穂、桑田知之、廣瀬典子、向田幸子、鈴木寛正、馬場洋介、高橋宏典、薄井里英、大口昭英、松原茂樹、鈴木光明。Double-bubble sign + FGRを認めるのに羊水量が正常な場合は?:症例報告。第50回日本周産期新生児学会総会 シェラトン・グランデ・トーキョーベイ・ホテル 2014年7月14日（日本周産期・

新生児医学会雑誌 2014 ; 50 : 701)

永山志穂、桑田知之、堀江健司、薄井里英、大口昭英、松原茂樹、鈴木光明。子宮動脈と卵巣動脈との両者塞栓を要した仮性動脈瘤。第 66 回日本産婦人科学会総会 東京国際フォーラム 2014 年 4 月 19 日 (日本産科婦人科学会雑誌 2014 ; 66 : 697)

南雲佐苗、田中弘子、木村円、渡辺尚。若年妊産婦への支援～高校生が自己決定をするまでの看護の関わり～。第 33 回日本思春期学会 つくば国際会議場 2014 年 8 月 31 日

野中宏亮、竹井裕二、藤原寛行、町田静生、種市明代、高橋寿々代、佐藤尚人、葎葉貴弘、高橋詳史、森澤宏行、吉田智香子、嵯峨泰、鈴木光明。婦人科がん手術前の静脈血栓塞栓症のリスク因子とフォンダパリヌクスの有効性と安全性 第 52 回日本癌治療学会学術集会 横浜 2014 年 8 月 28-30 日

野中宏亮、吉田智香子、大和田倫孝、梅崎光、黒田一、松田義雄、佐藤郁夫。子宮頸部小細胞癌の一例 第 80 回栃木県産科婦人科学会 宇都宮 2014 年 9 月 7 日

森澤宏行、藤原寛行、堀江健司、有賀治子、葎葉貴弘、鈴木達也、町田静生、竹井裕二、嵯峨泰、福嶋敬宜、鈴木光明。類内膜腺癌との鑑別を要した Atypical polypoid adenomyoma の 1 例 第 56 回日本婦人科腫瘍学会学術講演会 宇都宮 2014 年 7 月 17-19 日

森澤宏行、藤原寛行、種市明代、岩下あゆみ、大橋麻衣、堀江健司、永島友美、猿山美幸、町田静生、竹井裕二、鈴木光明。月経随伴性帰郷に対するジェノゲスト長期投与の一例 第 35 回日本エンドメトリーオーシス学会 鹿児島 2014 年 1 月 25-26 日

向田幸子、薄井里英、高橋宏典、鈴木寛正、馬場洋介、大口昭英、松原茂樹、鈴木光明。絨毛間腔に血腫が多発し、重度 FGR を示した先天性アンチトロンビン

III 欠損症合併妊娠例. 第 50 回日本周産期新生児学会総会 シェラトン・グランデ・トーキョーベイ・ホテル 2014 年 7 月 14 日 (日本周産期・新生児医学会雑誌 2014 ; 50 : 794)

小古山学、種市明代、藤原寛行、廣瀬典子、葭葉貴弘、町田静生、竹井裕二、鈴木光明。高周波電気メスを用いた子宮腺筋症核出術 ; 症例報告 第 80 回栃木県産科婦人科学会 宇都宮 2014 年 9 月 6 日

大口昭英。妊娠高血圧症候群。第 66 回日本産婦人科学会総会 東京国際フォーラム 2014 年 4 月 20 日 (日本産科婦人科学会雑誌 2014 ; 66 : 365)

大口昭英、鈴木寛正、平嶋周子、高橋佳代、松原茂樹、鈴木光明。[シンポジウム 1 : 妊娠高血圧症候群の発症メカニズムの新展開] 妊娠高血圧症候群と血管新生関連因子。第 29 回日本生殖免疫学会総会・学術集会 伊藤国際学術研究センター 2014 年 12 月 12 日

大橋麻衣、藤原寛行、町田静生、葭葉貴弘、佐藤尚人、猿山美幸、高橋寿々代、永島友美、種市明代、竹井裕二、鈴木光明。卵巣がん早期発見へ向けての取り組み 発見契機の検討から 第 127 回関東連合産科婦人科学会 東京 2014 年 6 月 21-22 日

大橋麻衣、藤原寛行、竹井裕二、嵯峨泰、町田静生、高橋寿々代、種市明代、高橋詳史、森澤宏行、佐藤尚人、小柳貴裕、鈴木光明。子宮頸がん検診受診のインフォームドチョイスに関するランダム化比較試験 第 53 回日本臨床細胞学会秋期大会 下関市 2014 年 11 月 8 日

嵯峨泰。粘液性卵巣癌の抗癌剤抵抗性には E-カドヘリンを介した強固な細胞間結合が関与する 第 32 回日本ヒト細胞学会 (シンポジウム) 東京 2014 年 8 月 30-31 日

嵯峨泰、佐藤尚人、竹井裕二、町田静生、種市明代、高橋寿々代、藤原寛行、鈴木光明。子宮頸がん初期病変に対する新規治療の展望 高リスク型 HPV の E6/E7

を標的とした短ヘアピン RNA 搭載アデノ随伴ウイルスベクターによる子宮頸がん治療 第 56 回日本婦人科腫瘍学会学術講演会（ワークショップ）宇都宮 2014 年 7 月 17-19 日

嵯峨泰、佐藤尚人、竹井裕二、町田静生、種市明代、高橋寿々代、高橋詳史、小柳貴裕、藤原寛行、鈴木光明。18 型 HPV の E6/E7 を標的とした短ヘアピン型 RNA 搭載 2 型アデノ随伴ウイルスベクターの子宮頸がん細胞に対する効果 第 13 回日本婦人科がん分子標的研究会 米子 2014 年 3 月 14-15 日

嵯峨泰、高橋詳史、小柳貴裕、鈴木光明、佐藤靖史。Vasohibin-1 は卵巣癌細胞のインドール酸素添加酵素発現の抑制を介して腫瘍免疫寛容を阻害する 第 9 回 Vasohibin 研究会 蔵王 2013 年 1 月 11-12 日

齋藤慎之介、須田史朗、齋藤こよみ、馬場洋介、加藤敏。産褥精神病の再発予防に関する精神科的介入の可能性について。第 110 回日本精神神経学会学術総会パシフィコ横浜 2014 年 6 月 28 日（日本精神神経学会総会プログラム・抄録集 2014;S731 2014 年）

笹原鉄平、種市明代、木村由美子、森澤雄司。クラリスロマイシン内服によって治癒したセフトリアキソン耐性淋菌感染症の小児例 第 27 回 日本性感染症学会学術集会 神戸 2014 年 12 月 6-7 日

佐藤尚人、稲田美和子。疼痛管理および精神的ケアに苦慮した双極性障害合併子宮頸癌の一例 第 56 回日本婦人科腫瘍学会学術講演会 宇都宮 2014 年 7 月 17-19 日

柴山幸奈、中野理恵、渡部睦美、松本美智子、山口順子、渡辺道子、桑田知之、松原茂樹、甲斐君枝、渡邊亮一。安静の違いによる妊婦の重心動揺の比較-切迫早産治療後の転倒予防の援助-。第 39 回栃木県母性衛生学会総会 獨協医大 2014 年 6 月 28 日

鈴木達也、昇千穂美、今井賢、坂本有希、橘直之、廣瀬典子、池田伴衣、島田和

彦、平野由紀、鈴木光明. 移植カテーテル遺残胚再移植による妊娠成績への影響.
第 66 回日本産科婦人科学会、東京、2014 年 4 月 18-20 日

橋直之、鈴木達也、堀江健司、木村歩未、今井賢、木村円、昇千穂美、坂本有希、
池田伴衣、鈴木光明。当院での AMH 低値症例の不妊治療成績について。第 59 回
日本生殖医学会総会 東京 2014 年 12 月 4-5 日

高橋詳史、葭葉貴弘、薄井里英、安部まさき、前山朝子、大橋麻衣、大口昭英、
松原茂樹、鈴木光明：胎動減少が先行した母児リステリア症。第 128 回関東連
合産科婦人科学会 松本 2014 年 10 月 26 日 (関東連合産科婦人科学会雑誌
2014;51:455)

高橋宏典、弓削主哉、松原茂樹、大口昭英、桑田知之、薄井里英、松本久宣、佐
藤幸保、藤原浩、岡本愛光、瀧澤俊広、鈴木光明。CD44 を介した絨毛外栄養細
胞の浸潤調節機構の解明。第 66 回日本産婦人科学会総会 東京国際フォーラム
2014 年 4 月 18 日 (日本産科婦人科学会雑誌 2014 ; 66 : 433)

高橋宏典、桑田知之、向田幸子、永山志穂、廣瀬典子、鈴木寛正、馬場洋介、薄
井里英、大口昭英、松原茂樹、鈴木光明。先天性中胚葉性腎腫における腎構造有
無の重要性:2 症例の比較。第 50 回日本周産期新生児学会総会 シェラトン・グ
ランデ・トーキョーベイ・ホテル 2014 年 7 月 14 日 (日本周産期・新生児医学
会雑誌 2014 ; 50 : 821)

高橋宏典、大口昭英、桑田知之、薄井里英、菊池邦生、松原茂樹、鈴木光明、竹
下俊行、瀧澤俊広。栄養膜細胞における C19MC プロモーター領域のメチル化解
析。第 22 回日本胎盤学会学術集会 京都大学 2014 年 10 月 3 日

高野政志、越智寛幸、竹井裕二、宮本守員、荷見よう子、金田佳史、中村和人、
黒崎亮、佐藤豊実、藤原寛行、長尾昌二、古谷健一、横田治重、伊藤公彦、峯岸
敬、吉川裕之、藤原恵一、鈴木光明。頸部浸潤を疑う子宮体癌に対する広汎子宮
全摘術の必要性: GOTIC-005 後方視的多施設検討 第 56 回日本婦人科腫瘍学会
学術講演会 (シンポジウム) 宇都宮 2014 年 7 月 17-19 日

高野政志、越智寛幸、竹井裕二、宮本守員、荷見よう子、中村和人、金田佳史、黒崎亮、吉川裕之、佐藤豊実、鈴木光明、藤原恵一。新FIGO stage II 子宮体癌の予後因子－後方視的多施設研究 (GOTIC-005) － 第66回日本産科婦人科学会学術集会 (ミニワークショップ) 東京 2014年4月18-20日

竹井裕二、藤原寛行、町田静生、種市明代、高橋寿々代、佐藤尚人、永島友美、猿山美幸、野中宏亮、葭葉貴弘、嵯峨泰、鈴木光明。卵巣明細胞腺癌I期の再発因子 第66回日本産科婦人科学会学術集会 東京 2014年4月18-20日

種市明代、藤原寛行、竹井裕二、高橋詳史、鈴木寛正、森澤宏行、近澤研郎、齊藤こよみ、今井賢、橋直之、町田静生、嵯峨泰、鈴木光明。子宮腺筋症から発生した子宮体癌の1例 第35回日本エンドメトリオーシス学会 鹿児島 2014年1月25-26日

渡辺尚、木村円、高橋詳史、内田真一郎、田中均：当科における帝王切開後の静脈血栓塞栓症予防の工夫。第79回栃木県産科婦人科学会，宇都宮，2014年2月2日

渡辺尚、木村円、内田真一郎、田中均、高橋詳史、薄井里英、松原茂樹。当科における開腹術後の静脈血栓予防。第24回日本産婦人科新生児血液学会 ワークピア横浜 2014年6月13日

山田崇弘、久保隆彦、望月純子、橋本恵理子、大口昭英、伊藤実香、花岡正智、中井章人、齋藤滋、海野信也、松原茂樹、水上尚典：本邦における2012-2013年風疹流行時の日本人風疹抗体保有状況 多施設共同研究。第50回日本周産期・新生児医学会総会 シェラトン・グランデ・トーキョーベイ・ホテル 2014年7月13～15日 (日本周産期・新生児医学会雑誌 2014; 50: 778)

葭葉貴弘、竹井裕二、藤原寛行、町田静生、種市明代、高橋寿々代、野中宏亮、高橋詳史、森澤宏行、吉田智香子、嵯峨泰、鈴木光明。子宮体癌術後の定期的経過観察の有用性 第52回日本癌治療学会学術集会 横浜 2014年8月28-30日

吉田智香子。〔シンポジウム〕子宮体癌の標準治療とは—子宮体癌リンパ節郭清の省略可能条件 第56回日本婦人科腫瘍学会学術講演会 宇都宮 2014年7月17-19日

吉田智香子、大和田倫孝、厚木右介、梅崎光、田川実紀、松田義雄、黒田一。CIN3に対する子宮頸部円錐切除術により偶然に発見された中腎腺癌の1例 第56回日本婦人科腫瘍学会学術講演会 宇都宮 2014年7月17-19日

吉田智香子、松田義雄、梅崎光、森澤宏行、厚木右介、大和田倫孝、佐藤郁夫。胎児胸腔穿刺が著効した21 trisomy の一例 第79回栃木県産科婦人科学会 宇都宮 2014年2月2日

(著書・総説)

(編集)板橋家頭夫、楠田聡、高橋尚人、名取道也、松原茂樹、宮川智幸：周産期感染症2014 東京医学社 東京 pp1-631

藤原寛行。月経困難症 In 梶井英治(監)：治療薬レジデントマニュアル 東京 羊土社 2014;610-615

藤原寛行。子宮頸がん検診の進化—本邦の検診事情と将来像— In 小西郁生(監)：子宮頸癌トータルマネージメント—啓発から予防・管理・治療まで— 東京 メディカルレビュー社 2014;50-52

藤原寛行、鈴木光明。子宮頸部細胞診報告様式ベセスダシステムとASC-USの取り扱い 日本医事新報 2014;4730:51

藤原寛行、矢野晴美。婦人科感染症 In 梶井英治(監)：治療薬レジデントマニュアル。東京 羊土社 2014;616-621

小西郁生監修、嘉村敏治・鈴木光明編集。子宮頸癌トータルマネージメント—啓発から予防・管理・治療まで— メディカルビュー社

松原茂樹 (単著)。「論文作成 ABC; うまいケースレポート作成のコツ」 東京医学社 東京 2014 pp. 1-286

松原茂樹。妊婦での抗菌薬使用のコツ。In 市村恵一 (編) 耳鼻咽喉科最新薬物療法マニュアル 中山書店 東京 2014 pp36-39

松原茂樹。妊娠悪阻。In 産婦人科処方のすべて (医学書院) 東京 2014 pp248-250

松原茂樹。B-Lynch と Matsubara-Yano (MY) uterine compression suture -そのコツと新しい応用。周産期医学 2014;561-567

松原茂樹。帝王切開術 I 基本術式 -そのコツと勘所- In:産婦人科研修ノート (綾部琢哉ら編) 診断と治療社 東京 2014 pp184-187

松原茂樹。帝王切開術 II -Difficult case での工夫- In:産婦人科研修ノート (綾部琢哉ら編) 診断と治療社 東京 2014 pp188-191

松原茂樹。帝王切開の特殊性。In:産婦人科研修ノート (綾部琢哉ら編) 診断と治療社 東京 2014 p194

松原茂樹。産後に胎胞膨瘤? In:産婦人科研修ノート (綾部琢哉ら編) 診断と治療社 東京 2014 p268

松原茂樹。前置胎盤: 膈方向への出血に留意。 In:産婦人科研修ノート (綾部琢哉ら編) 診断と治療社 東京 2014 p249

松原茂樹。弛緩出血・癒着胎盤の B-Lynch 縫合 (compression suture)。In: 産婦人科手術 Up to Date (青木大輔ら 編) 診断と治療社 東京 pp 51-56

松原茂樹。前期破水。今日の治療指針 2014 (山口徹ら編) 医学書院 東京 2014

pp1189-1190

松原茂樹。妊娠中・授乳中の薬の使い方。梶井英治（編）治療薬レジデントマニュアル 羊土社 東京 pp866-870

松原茂樹、竹田省。産科出血に対する IVR・座長まとめ。日本周産期新生児医学会雑誌 2014;50:1

宮川義隆、柏木浩和、高蓋寿朗、藤村欣吾、倉田義之、小林隆夫、木村正、安達知子、渡辺尚、今泉益栄、高橋幸博、松原康、照井克生、桑名正隆、金川武司、村田満、富山佳昭。厚生労働科学研究費補助金難治性疾患克服研究事業 血液凝固異常症に関する調査研究班妊娠合併 ITP 診療の参照ガイド作成委員会 妊娠合併特発性血小板減少性紫斑病診療の参照ガイド 臨床血液 2014;51:8-14

鈴木光明、藤原寛行。HPV 検査を用いた子宮頸癌検診 日本医事新報 2014;4726;54

鈴木達也。更年期障害 治療薬レジデントマニュアル。(監) 梶井英治、(編) 小谷和彦、他。 羊土社 (東京) 2014 pp 604-609

竹井裕二、藤原寛行、鈴木光明。卵巣癌プラチナ感受性再発における臨床試験「婦人科腫瘍領域における実地臨床につながる臨床試験」産婦人科の実際 2014; 63:2051-2056

(講演・その他)

藤原寛行。[講演] Brief explanation of iPLAS trial. 平成 26 年度第 1 回インターグループミーティング 東京 2014 年 1 月 24 日

藤原寛行。[講演] 早期発見の重要性—子宮頸がんの現状から— Tochigi-standard cancer treatment study meeting (T-CARE) 下野市 2014 年 2 月 17 日

藤原寛行。[講演] 卵巣癌の病態と治療 卵巣癌勉強会 宇都宮 2014 年 5 月 15

日

藤原寛行。〔講演〕GOTIC003、007、009 平成26年度GOTIC総会 大宮 2014年5月23日

藤原寛行。〔講演〕GCIG2014報告 第17回GOTIC教育セミナー 東京 2014年6月21日

藤原寛行。〔講演〕卵巣癌の病態と治療 協和発酵キリン勉強会 宇都宮 2014年7月31日

藤原寛行。〔講演〕iPLAS trial 平成26年度第2回インターグループミーティング 横浜 2014年8月29日

藤原寛行。〔講演〕再発卵巣癌治療 東京がん化学療法研究会 東京 2014年11月18日

藤原寛行。〔卵巣癌ガイドラインコンセンサスミーティング〕術後化学療法が省略できる条件は？ 第56回日本婦人科腫瘍学会 宇都宮 2014年7月18-19日

桑田知之。〔教育講演〕すぐ役に立つ産科救急の知識と技術 第7回小山・芳賀地域分科会救急研修会 真岡市二宮 2014年1月25日

桑田知之。〔教育講演〕羊水・胎盤・臍帯の超音波診断 宇都宮産婦人科医会及び各郡支部合同研修会 宇都宮 2014年5月16日

桑田知之。〔教育講演（ランチョンセミナー）〕妊娠中の安全確保：明日からの外来で気をつけてほしいこと 第50回日本周産期新生児医学会 浦安 2014年7月15日

松原茂樹。〔教育講演〕アクセプトされる論文作成のコツ：若手研究者のために

第 56 回日本婦人科腫瘍学会 栃木総合文化センター大ホール 2014 年 7 月 17 日 (日本婦人科腫瘍学会雑誌 2014 ; 32 : 360-361)

松原茂樹。〔講演〕論文書き方のコツのコツ 順天堂大学産婦人科セミナー 順天堂大学 2014 年 1 月 21 日

松原茂樹。〔講演〕アクセプトされる論文の書き方のコツ 原著論文の場合、ケースレポートの場合 聖隷浜松病院セミナー 20104 年 3 月 7 日

松原茂樹。〔ランションセミナー〕「産褥大出血：子宮圧迫法とサンドイッチ法：前置胎盤へも応用可能」 第 66 回日本産科婦人科学会総会 東京 2014 年 4 月 18 日

松原茂樹。〔講演〕論文の書き方、コツのコツ 原著 vs ケースレポート 東京大学産婦人科セミナー 東京大学 2014 年 5 月 19 日

松原茂樹。〔講演〕前置胎盤の approach は？ Introductory remark 日本産婦人科医会宇都宮部会および栃木県郡市医会合同研修会 宇都宮 2014 年 5 月 16 日

松原茂樹。〔講演〕Introductory remark 「前回帝王切開前置胎盤の取り扱い」 128 回関東連合産婦人科学会 松本 2014 年 10 月 26 日

松原茂樹。〔講演〕僕が考えるかっこいい職業人・医師・医学生 -産科大出血への止血術考案を例に- 自治医大オープンキャンパス 自治医大 2014 年 7 月 30 日

松原茂樹。〔講演〕論文作成：コツのコツー 原著 vs. ケースレポート 自治医大シンポジウム 自治医大 2014 年 9 月 4 日

鈴木光明。〔講演〕子宮頸がんは“予防できるがん”です -HPVワクチンと検診- ハロースマイルプロジェクト「子宮頸がん予防啓発セミナー」 東京都 2014 年 1 月 17 日

鈴木光明。〔講演〕子宮頸がん検診維新ーベセスダシステムと HPV-DNA 併用検診を中心にー 平成 24・25 年度日本産婦人科医会がん部会事業研修会 山口市 2014 年 1 月 19 日

鈴木光明。〔講演〕知っておきたい子宮頸がんの基礎知識 子宮頸がん予防公開講座 宇都宮市 2014 年 3 月 8 日

鈴木光明。〔講演〕HPV-DNA 検査併用子宮頸癌検診。平成 25 年度第 2 回細胞診従事者講演会 第 61 回栃木県臨床細胞学会学術講演会 下野市 2014 年 3 月 8 日

鈴木光明。〔講演〕細胞診/HPV 併用検診の現状 ー栃木県小山地区併用検診を中心にー 両毛地区産婦人科講演会 足利市 2014 年 6 月 18 日

鈴木光明。〔講演〕HPV ワクチンの接種向上をめざして ー接種差し控え前に高い接種率を達成した栃木県事例を中心にー 子宮頸がん予防に関する国際シンポジウム 東京都 2014 年 6 月 20 日

鈴木光明。〔講演〕子宮頸がんの征圧をめざして。第 56 回日本婦人科腫瘍学会 宇都宮市 2014 年 7 月 17 日

鈴木光明。〔講演〕子宮頸がんを理解しよう ～検診で防げる子宮頸がん～ 第 56 回 日本婦人科腫瘍学会 市民公開講座 宇都宮市 2014 年 7 月 19 日

鈴木光明。〔講演〕知っておきたい子宮頸がんの基礎知識 子宮頸がん “ゼロ” キャンペーン 2014 下野新聞社主催 宇都宮市 2014 年 9 月 20 日

鈴木光明。〔講演〕子宮頸がん検診維新 ーHPV 検査併用検診を中心にー 第 39 回 地域がん診療連携セミナー 佐野市 2014 年 10 月 7 日

鈴木光明。〔講演〕HPV 検査併用子宮頸がん検診のすすめ 第 4 回 県北医療連

携学術講演会 大田原市 2014年10月16日

鈴木光明。〔講演〕子宮頸がん新規治療の開発に向けて 拡大四郡市産科婦人科医会 静岡市 2014年10月17日

鈴木光明。〔講演〕HPV 検査併用子宮頸がん検診の普及にむけて 検診率向上・併用検診推進にむけた研修会 盛岡市 2014年10月23日

鈴木光明。〔講演〕HPV 検査併用検診リコメンデーションと栃木県小山地区におけるモデル事業について。第73回日本公衆衛生学会総会 宇都宮市 2014年11月6日

鈴木光明。〔講演〕HPV 検査併用子宮頸がん検診の普及にむけて 検診率向上・併用検診推進にむけた研修会 宇都宮市 2014年11月6日

鈴木光明。〔講演〕HPV 検査併用子宮頸がん検診の普及にむけて 検診受診率向上・併用検診推進にむけた研修会 岐阜市 2014年11月13日

鈴木光明。〔講演〕検診で防げる子宮頸がん Hellosmaile セミナー 千葉海浜幕張 2014年11月20日

鈴木光明。〔講演〕栃木県小山地区LBC/HPV 検査併用子宮頸がん検診の現状 第23回日本婦人科がん検診学会サテライトセミナー 大阪市 2014年11月22日

鈴木光明。〔講演〕HPV E6E7 を標的とした分子・遺伝子治療の開発にむけて 第4回 福岡産婦人科セミナー 福岡市 2014年11月27日

鈴木達也。〔講演〕産婦人科開業医の先生方に知って頂きたい不妊診療の知識。宇都宮市産婦人科医会学術講演会 宇都宮市 2014年3月14日

鈴木達也。〔講演〕不妊診療に必要な知識～ガイドライン・治療指針を中心に～。那須郡市部産婦人科医会学術講演会 那須塩原市 2014年6月19日

竹井裕二。〔講演〕GCIIG Meeting Report 第16回 GOTIC 教育セミナー 大宮 2014年2月1日

竹井裕二。〔講演〕婦人科悪性腫瘍手術へのセプラフィルムの活用について 科研製薬株式会社外部講師勉強会 宇都宮 2014年6月26日

内田真一郎。〔プライマリケア勉強会〕内科・外科の救急が依頼でみるような産婦人科救急疾患。芳賀赤十字病院 真岡市 2014年10月1日

渡辺尚。〔特別講演〕帝王切開後の静脈血栓塞栓症予防対策。平成25年度冬期山梨産科婦人科学会・山梨県産婦人科医会合同学術集会 甲府 2014年3月1日