

英文論文

Baba Y, Takahashi H, Morisawa H, Matsubara D, Tamura K, Usui R, Matsubara S. A potentially useful addition to predict spontaneous resolution of uterine artery pseudoaneurysm: Absence of diastolic flow. *Case Rep Obstet Gynecol* 2018;2018, Article ID 2158248, 3 pages. <https://doi.org/10.1155/2018/2158248>

Chikazawa K, Netsu S, Kuwata T, Konno R.: Bevacizumab improves overall survival in platinum refractory ovarian cancer patients: A retrospective study. *Taiwan J Obstet Gynecol.* 2018 ;57(6):819-824.

Chikazawa K, Yoshida C, Kuwata T, Konno R.: Vaginal incision during total laparoscopic hysterectomy may cause severe bradycardia and cardiac arrest. *Taiwan J Obstet Gynecol* 2018 ;57(3):468-469.

Chikazawa K, Netsu S, Akashi K, Suzuki Y, Hotta D, Konno R. Feasibility and tolerability of bevacizumab: a retrospective study in Japanese ovarian cancer patients. *Eur J Gynaecol Oncol*2018(5)790-793

Chikazawa K, Imai K, Liangcheng W, Sasaki S, Horiuchi I, Kuwata T, Takagi K.: Detection of Asherman's syndrome after conservative management of placenta accreta: a case report. *J Med Case Rep.* 2018 20;12(1):344.

Chikazawa K, Takahashi H, Sasaki S, Ushijima J, Masuko T, Horiuchi I, Kuwata T, Takagi K.: Prophylactic laparoscopic adnexal surgery with low-pressure CO2 insufflation for ovarian cyst during the late first trimester or second trimester of pregnancy. *Clin Exp Obstet Gynecol* (in press)

Fujiwara H, Suzuki M, Morisawa H, Sayama M, Kimura K. The impact of triage for atypical squamous cells of undetermined significance with human papillomavirus testing in cervical cancer screening in Japan. *Asian Pac J Cancer Prev* (in press)

Hirai Y, Sakamoto K, **Fujiwara H**, Kamata M, Tamura T, Yanoh K, Norimatsu Y, Kasai T, Teramoto K, Kurokawa T, **Takahashi Y**, Iwanari O, Suzuki M. Liquid-based endometrial cytology using SurePath™ is not inferior to suction endometrial tissue biopsy for detecting endometrial malignancies- Midterm report of a multicenter study advocated by Japan Association of Obstetricians and Gynecologists. *Cytopathology* 2018 Nov 19. doi: 10.1111/cyt.12657.

Hirashima C, Ogoyama M, Abe M, Shiraishi S, Sugase T, Niki T, Matsubara S, Ohkuchi A. Clinical usefulness of serum levels of soluble fms-like tyrosine kinase 1/placental growth factor ratio to rule out preeclampsia in women with new-onset lupus nephritis during pregnancy. CEN Case Rep (in press)

Hirashima C, Ohkuchi A, Nagayama S, Suzuki H, Takahashi K, Ogoyama M, Takahashi H, Shirasuna K, Matsubara S. Galectin-1 as a novel risk factor for both gestational hypertension and preeclampsia, specifically its expression at a low level in the second trimester and a high level after onset. Hypertens Res. 2018;41(1):45-52.

Hirashima C, Takahashi K, Saito S, Seki H, Watanabe K, Naruse K, Makino S, Metoki H, Matsubara S, Ichihara A, Ohkuchi A. Pregnancy outcomes in Japanese pregnant women with either chronic hypertension or white coat hypertension (JP-WCH): proposal for a prospective multicenter cohort study. Hypertens Res Pregnancy. 2018;6:7-10

Hirashima H, Ohkuchi A, Usui R, Kijima S, Matsubara S. Magnetic resonance imaging of degeneration of uterine adenomyosis during pregnancy and postpartum period. J Obstet Gynaecol Res 2018;44:1169-73.

Hirashima H, Iwamoto M, Ozaki T, Kijima S, Matsubara S, Ohkuchi A. Posterior reversible encephalopathy syndrome with stroke in puerperal woman with high titer of anti-phospholipid IgM antibody. Case Rep Obstet Gynecol 2018 Dec 3;2018:7438676.

Horie K, Takahashi H, Matsubara D, Kataoka K, Furukawa R, Baba Y, Ohkuchi A, Matsubara S. Absent ductus venosus associated to partial liver defect: A case report. Case Rep Obstet Gynecol 2018;2018:6591025

Horie K, Takahashi H, Fujimoto Y, Kaneko D, Yada Y, Matsubara S. Takotsubo syndrome occurring concomitantly with preeclampsia: A case report. J Obstet Gynaecol Res 2018 (in press)

Jauniaux E, Silver RM, **Matsubara S.** The new world of placenta accreta spectrum disorders. Int J Gynaecol Obstet. 2018;140:259-60.

Koyanagi T, To Y, Ando M, Matsuoka S, Nakamura S, Goto M, Kondo H, Eguchi F, Tsujioka H. Primary peritoneal carcinosarcoma arising from the Douglas pouch: A case report. Mol Clin Oncol 2018;9:485-488

Koyanagi T, Kondo H, Toyama A, Ando M, Imaoka S, Inamura M, Yamamoto H, Nakamura S, To Y, Fukami T, Goto M, Tsujioka H, Eguchi F. Malignant lymphoma of the uterine cervix presumptively diagnosed by Pap smear: A case report. *Oncol Lett* 2018;15: 6678-6680

Li D, Wang L, Horiuchi I, Kimura SI, **Chikazawa K**, Kimura A, Sasaki S, **Kuwata T**, Takagi K.: Preoperative administration of eculizumab to prevent surgery-triggered hemolysis during cesarean section with paroxysmal nocturnal hemoglobinuria. *Clin Case Rep.* 2018 25;6(9):1807-1809.

Machida S, Matsubara S, Fujiwara H, Takei Y. Informed consent for end-of-life chemotherapy in cancer patients: To what extent should we inform patients of our personal opinion? *J Oncol Pharm Pract.* (in press)

Makino S, Takeda S, Kondoh E, Kawai K, Takeda J, **Matsubara S**, Itakura A, Sago H, Tanigaki S, Tanaka M, Ikeda T, Kanayama N. Annual Report of Perinatology Committee, Japan Society of Obstetrics and Gynecology, 2018: National survey of uterine rupture in Japan. *J Obstet Gynaecol Res* (in press)

Matoda M, Takeshima N, Michimae H, Iwata T, Yokota H, Torii Y, Yamamoto Y, Takehara K, Nishio S, Takano H, Mizuno M, Takahashi Y, **Takei Y**, Hasegawa T, Mikami M, Enomoto T, Aoki D, Sugiyama T. Postoperative chemotherapy for node-positive cervical cancer: Results of a multicenter phase II trial (JGOG1067). *Gynecol Oncol* 2018;149: 513-519.

Matsubara D, Kataoka K, **Takahashi H**, Minami T, Yamagata T. A Patient-Specific Hollow Three-Dimensional Model for Simulating Percutaneous Occlusion of Patent Ductus Arteriosus. *Int Heart J.* 2018 Nov 20. doi: 10.1536/ihj.17-742.

Matsubara D, **Takahashi H**, Kataoka K, Minami T, Furukawa R, **Matsubara S**, Yamagata T. Tracheal stenosis due to vascular rings: Its possible prenatal diagnosis based on four cases of vascular rings with or without eventual tracheal stenosis. *Clin Exp Obstet Gynecol* (in press)

Matsubara S. Pre-pregnancy cardiovascular indices and birth outcomes of subsequent pregnancies: A “sequential stress test” revealing hidden cardiovascular weakness? *BJOG* 2018;125(9):1135.

Matsubara S. German words: Still used by Japanese Obstetrics and Gynecology doctors. *Arch Gynecol Obstet* 2018;297:555-557.

Matsubara S. Psychological burden on obstetricians caused by patients' deaths. *Acta Obstet Gynecol Scand* 2018;97(11):1405

Matsubara S. Is an obstetrician/gynecologist a worker, artist, or scholar?: Anxiety of an old professor. *Arch Gynecol Obstet.* 2018;298(5):857-8.

Matsubara S. Re: We should stop using incorrect Latin to describe parity and use plain English instead: Overcoming ambiguity to describe parity. *BJOG.* 2018;125(12):1631.

Matsubara S. Some suggestions to non-specialized centers still managing placenta accreta spectrum disorders. *Acta Obstet Gynecol Scand* 2018 Nov 9. doi: 10.1111/aogs.13501.

Matsubara S. Balloon uterine tamponade device after peripartum hysterectomy for morbidly adherent placenta. *Obstet Gynecol* (in press)

Matsubara S. Nausea suture for placenta accreta spectrum: Further studies are needed. *BJOG* 2018 Aug 9. doi: 10.1111/1471-0528.15422.

Matsubara S. Letter to, 'Intermittent aortic balloon occlusion combined with cesarean section for the treatment of patients with placenta previa complicated by placenta accreta: A retrospective study.': Some concerns. *J Obstet Gynaecol Res* 2018 Oct 4. doi: 10.1111/jog.13838

Matsubara S. Segmental uterine wall resection for placenta accreta spectrum: For what purpose? *Rev Bras Ginecol Obstet.* 2018;40:652-3.

Matsubara S. Abortion, termination of pregnancy, or Unterbrechung? A non-English-native obstetrician's view on obstetric English terminology. (Abtreibung, Schwangerschaftsabbruch oder "Unterbrechung"? Ansichten eines nicht muttersprachlichen Facharztes für Geburtshilfe zur englischen geburtshilflichen Terminologie) *Geburtshilfe Frauenheilkd.* 2018;78:1217-1218.

Matsubara S. Author's reply re: Nausea suture for placenta accreta spectrum: further studies are needed: Nausea suture: which uterine compression suture will remain in the future? *BJOG.* 2018 Oct 15. doi: 10.1111/1471-0528.15465.

Matsubara S. Vaginal examination and fear of childbirth. *Aust N Z J Obstet Gynaecol*

2018;58(5):E14-E15.

Matsubara S. Comment on “Discussion on the Timing of Balloon Occlusion of the Abdominal Aorta during a Caesarean Section in Patients with Pernicious Placenta Previa Complicated with Placenta Accreta.”: Is “before” really better than “after”? Biomed Research International. Volume 2018, Article ID 9493878, <https://doi.org/10.1155/2018/9493878>

Matsubara S. Predelivery uterine artery embolization for placental anomalies: Some clarifications. Radiol Med 2018;123(1):79-80

Matsubara S. Segmental resection of the uterine wall for placenta previa percreta: Some clarifications. J Matern Fetal Neonat Med 2018;31(18):2506-7

Matsubara S. How to reverse the decline in the number of Japanese obstetricians and gynecologists. J Obstet Gynaecol Res 2018;44(9):1864.

Matsubara S. Obstetric surgeries: Specific features different from surgeries in other surgical fields. Eur J Obstet Gynecol Reprod Biol 2018;226:75-6.

Matsubara S. “Filling the bladder” at cesarean hysterectomy for placenta percreta: More than avoiding bladder injury. Geburtshilfe Frauenheilkd. 2018;78(7):715-716.

Matsubara S. Maternal beta₂-sympathomimetic administration for fetal atrioventricular block: Some additions and concerns. Clin Exp Obstet Gynecol 2018; XLV, n. 1, 7-8 (doi: 10.12891/ceog4221.2018)

Matsubara S. Night-time delivery and obstetricians: Some suggestions. J Obstet Gynaecol Res 2018;44:1341

Matsubara S, Jauniaux E. Placenta accreta spectrum disorders: A new standardized terminology better defining the condition. J Obstet Gynaecol Res. 2018;44(7):1338-1339.

Matsubara S, Matsubara D. Informed consent and informed decision in maternal fetal neonatal medicine: Do they go hand in hand? J Matern Fetal Neonat Med 2018;31(21):2930–2931

Matsubara S, Matsubara D. Re: "Respectful care during childbirth in health facilities globally: a qualitative evidence synthesis.": Informed consent from parents based on "accurate" information: What is "accurate"? BJOG 2018;125(8):1038.

Matsubara S, Morita T, Muto S, Suzuki T. Intrauterine balloon tamponade and bilateral hydronephrosis: Do they really have a cause-effect relationship? J Obstet Gynaecol. 2018; 38(4): 587.

Matsubara S, Palacios Jaraquemada JM, Local uterine resection for placenta percreta: Technical details are important. J Matern Fetal Neonat Med. 2018;31(17):2338-9.

Matsubara S, Takahashi H. Double B-Lynch suture: Technical concerns. J Obstet Gynaecol. 2018 Dec 25;1. doi: 10.1080/01443615.2018.1527301.

Matsubara S, Takahashi H. Stage operation for placenta accreta spectrum disorders: Clarification and concern. Medicine (Baltimore) June 25, 2018 <https://journals.lww.com/md-journal/Blog/MedicineCorrespondenceBlog/Pages/default.aspx>

Matsubara S, Takahashi H. Temporary intra-arterial balloon occlusion for placenta accreta spectrum disorders: Always inflate? Arch Gynecol Obstet 2018 Jun 22. doi: 10.1007/s00404-018-4832-3.

Matsubara S, Takahashi H. Random placenta margin incision in cesarean section for placenta previa: Some clarifications. J Matern Fetal Neonat Med 2018 May 9:1-2. doi: 10.1080/14767058.2018.1470237.

Matsubara S, Takahashi H. Uterine artery pseudoaneurysm: Importance of interventional radiology in obstetric surgery. J Obstet Gynaecol 2018. Doi:10.1080/01443615.2018.1555577

Matsubara S, Takahashi H. Placenta previa accreta and previous cesarean section: Some clarifications. Chin Med J (Engl) 2018;131:1504-5.

Matsubara S, Takahashi H. Bakri balloon for placenta accreta spectrum disorder: An alternative to caesarean hysterectomy? J Obstet Gynaecol 2018 Jun 12:1. doi: 10.1080/01443615.2018.1455081

Matsubara S, Takahashi H. Letter to the Editor: Multifaceted spiral suture: A hemostatic technique in managing placenta praevia or accreta. Medicine (Baltimore) 2018, 11 January,

<http://journals.lww.com/md-journal/Blog/MedicineCorrespondenceBlog/Pages/default.aspx>

Matsubara S, Takahashi H. Parallel vertical compression suture to the lower uterine segment for placenta previa: is conducting bladder separation first safe for abnormally invasive placenta? *J Matern Fetal Neonatal Med* 2018 Jan 2;1-2. doi: 10.1080/14767058.2017.1421167

Matsubara S, Takahashi H. Intentional placental removal on suspicious placenta accreta spectrum: Still prohibited? *Arch Gynecol Obstet* 2018;297:1-2.

Matsubara S, Takahashi H. Prior cesarean section and placenta accreta spectrum disorders: Some clarifications. *Arch Gynecol Obstet* 2018 Jun 18. doi: 10.1007/s00404-018-4817-2.

Matsubara S, Takahashi H. Cesarean scar pregnancy and uterine artery pseudoaneurysm: Preceding or coexisting? *Clin Exp Obstet Gynecol* 2018;XLV;72-74.

Matsubara S, Baba Y, Takahashi H. Placenta previa and hemorrhage: The placental location may be an important determinant of the bleeding amount. *J Matern Fetal Neonat Med* 2018;31:1390-1.

Matsubara S, Matsubara D, Matsubara T. Burnout and devastated feeling on patient's death: Universal to clinicians. *Aus Crit Care* (in press)

Matsubara S, Takahashi S, Takahashi H. Intrauterine sutures in cesarean section for placenta previa: Some concerns. *Arch Gynecol Obstet* 2018. doi 10.1007/s00404-018-5013-0

Matsubara S, Takahashi H, Baba Y. Letter to "Scoring model to predict massive post-partum bleeding in pregnancies with placenta previa: A retrospective cohort study.": The best scoring model may depend on the situation. *J Obstet Gynaecol Res* 2018;44(6):1186-1187

Matsubara S, Takahashi H, Ohkuchi A. Racial difference in postpartum hemorrhage outcome: Pathophysiological, clinical, and social significance? *Am J Obstet Gynecol* 2018;219:515-6.

Matsubara S, Takahashi H, Takei Y. Magnetic resonance imaging for diagnosis of placenta accreta spectrum disorders: Still useful for real-world practice. *Am J Obstet Gynecol* 2018;219(3):312-313

Matsubara S, Takahashi H, Suzuki T. Mode of delivery of triplet pregnancy: Hidden factors that should be considered. *Arch Gynecol Obstet* 2018;298(3):459-460

Matsubara S, Takahashi H, Suzuki T. Retained placenta accreta with marked vascularity, uterine artery pseudoaneurysm, and placental polyp: Overlapping clinical entities? *Arch Gynecol Obstet.* 2018; 297(1): 269-270.

Matsubara S, Takahashi H, Usui R. Letter to “Retrospective analysis: Conservative treatment of placenta increta with methotrexate.”: Some clarifications. *J Obstet Gynaecol Res.* 2018;44(8):1499-1500

Matsubara S, Takahashi H, Usui R. Tydeman Tube for impacted foetal head at caesarean section: Some concerns and suggestions. *J Obstet Gynaecol.* 2018;38:146-147

Matsubara S, Takahashi H, Yano H. Letter to “Ring compression suture for controlling post-partum hemorrhage during cesarean section”: Some additions. *J Obstet Gynaecol Res* 2018;44(10)2016-7.

Matsubara S, Matsubara D, Takahashi H, Baba Y. Perceived fetal movement count as a traditional but essential tool for evaluating fetal health: Some additions and Japanese obstetricians’ and pediatricians’ view. *J Matern Fetal Neonatal Med.* 2018;31:251-2.

Matsubara S, Morita T, Muto S, Suzuki T. Intrauterine balloon tamponade and bilateral hydronephrosis: Do they really have a cause-effect relationship? *J Obstet Gynaecol.* 2018;38(4):587-7.

Matsubara S, Takahashi H, Matsubara D, Nakamura H. Common iliac artery pseudoaneurysm after balloon occlusion for placenta accreta: Simply inappropriate ballooning? *Medicine (Baltimore)* April 5, 2018 <https://journals.lww.com/md-journal/Blog/MedicineCorrespondenceBlog/Pages/default.aspx>

Matsubara S, Takahashi H, Nakamura H, Sugimoto H. Placenta accreta and intraarterial balloon occlusion: Preset or inflate and occlude where? *Eur Radiol.* 7 August 2018. <https://www.european-radiology.org/opinions/letter-editor-placenta-accreta-intraarterial-balloon-occlusion-preset-inflate-occlude/>

Matsubara S, Takahashi H, Matsubara D, Ohkuchi A. Re: “Peripartum hysterectomy: an economic analysis of direct healthcare costs using routinely collected data”: Some concerns from obstetricians’ viewpoint. *BJOG*. 2018;125(7):905-906.

Matsubara S, Takahashi H, Ohkuchi A, Kumagai H, Ishikawa S. Association between intrauterine beta-2-receptor-agonist (ritodrine) exposure and childhood asthma: Is ritodrine a real culprit? *Pediatr Allergy Immunol*. 2018;44(8):1499-1500

Matsuda Y, Itoh T, Itoh H, Ogawa M, Sasaki K, Kanayama N, **Matsubara S.** Impact of placental weight and fetal/placental weight ratio Z score on fetal growth and the perinatal outcome. *Int J Med Sci*. 2018;15(5):484-491

Matsushita C, Fujiwara H, Takei Y, Saga, Machida S, Taneichi A, Takahashi S, Yoshida T, Koyanagi T, Takahashi Y, Morisawa H, Suzuki M. New criteria for the omission of lymphadenectomy in endometrioid carcinoma. *International Journal of Gynecological Cancer* (in press)

Narumi R, Takei Y, Morisawa H, Taneichi A, Matsubara S, Fujiwara H. Successful laparotomy tumor resection and levonorgestrel-releasing intrauterine system for atypical polypoid adenomyoma. *J Obstet Gynaecol Res* 2018 Aug 9. doi: 10.1111/jog.13783

Ohhashi M, Takahashi H, Baba Y, Suzuki H, Horie K, Usui R, Ohkuchi A, Watanabe T, Matsubara S. Pregnancy-related thromboembolism with special reference to its risk factors: 10-year experience in a Japanese tertiary obstetric institute. *Hypertension Research in Pregnancy* 2017;5:59-64 (昨年未掲載)

Ohtake Y, Kanazawa H, **Takahashi H, Matsubara S,** Sugimoto H. Magnetic resonance imaging on the human placental cotyledon: Proposal of a novel cotyledon appearance score. *Eur J Obstet Gynecol Reprod Biol* 2018;232:82-86.

Oide S, **Chikazawa K, Imai K, Yoshida C, Kuwata T, Konno R.:** Cyst contents aspiration before laparoscopically assisted cystectomy in pregnant women. *J Obstet Gynaecol*. 2018 27:1-2.

Okada N , Sasaki A, Saito J, Mitani Y, Yachie A, Takahashi T, **Matsubara S,** Tenkumo C, Tanaka H, Hata T, Motomura K, Nagasawa J, Wada Y, Sako M, Yamaguchi K, Matsumoto K, Nakamura H, Sago H, Mizuta K. The Japanese experience and pharmacokinetics of antenatal maternal high-dose

immunoglobulin treatment as a prophylaxis for neonatal hemochromatosis in siblings. *J Matern Fetal Neonat Med* 2018 Jun 11:1-131. doi: 10.1080/14767058.2018.1487940

Sato N, Saga Y, Uchibori R, Tsukahara T, Urabe M, Kume A, **Fujiwara H**, Suzuki M, Ozawa K, Mizukami H. Eradication of cervical cancer in vivo by an AAV vector that encodes shRNA targeting human papillomavirus type 16 E6/E7. *Int J Oncol.* 2018 ;52:687-696.

Seno K, Tanikawa N, **Takahashi H**, **Ohkuchi A**, **Suzuki H**, **Matsubara S**, Iwata H, Kuwayama T, Shirasuna K. Oxygen concentration modulates cellular senescence and autophagy in human trophoblast cells. *Am J Reprod Immunol.* 2018;79(6):e12826.

Shoji T, Komiyama S, Kigawa J, Tanabe H, Kato K, Itamochi H, **Fujiwara H**, Kamiura S, Hamano T, Sugiyama T; Japanese Gynecologic Oncology Group. An open-label, randomized, phase II trial evaluating the efficacy and safety of standard of care with or without bevacizumab in platinum-resistant epithelial ovarian, fallopian tube, or primary peritoneal cancer patients previously treated with bevacizumab for front-line or platinum-sensitive ovarian cancer: rationale, design, and methods of the Japanese Gynecologic Oncology Group study JGOG3023. *BMC Cancer.* 2018 ;18:771.

Suga R, Tsuji M, Tanaka R, Shibata E, Tanaka M, Senju A, Araki S, Morokuma S, Sanefuji M, Oda M, Mise N, **Baba Y**, Hayama-Terada M, Kusuhara K, Mitsubuchi H, Katoh T, Kawamoto T. Factors associated with occupation changes after pregnancy/delivery: result from Japan Environment & Children's pilot study. *BMC Womens Health.* 2018 Jun 5;18(1):86. doi: 10.1186/s12905-018-0575-3. PMID:29871634

Suzuki H, **Hirashima C**, **Nagayama S**, **Takahashi K**, Yamamoto T, **Matsubara S**, **Ohkuchi A**. Increased serum levels of sFlt-1/PlGF ratio in preeclamptic women with onset at <32 weeks compared with ≥32 weeks. *Pregnancy Hypertens* 2018;12:96-103

Suzuki H, **Nagayama S**, **Hirashima C**, **Takahashi K**, **Takahashi H**, **Ogoyama M**, Nagayama M, Shirasuna K, **Matsubara S**, **Ohkuchi A**. Markedly higher sFlt-1/PlGF ratio in a woman with acute fatty liver of pregnancy compared with HELLP syndrome. *J Obstet Gynaecol Res* 2018 Aug 23. doi: 10.1111/jog.13786.

Suzuki Y, **Horie K**, Yada Y, Kono Y, **Hirashima C**, **Usui R**, **Matsubara S**, **Ohkuchi A**. Vaginal *Ureaplasma* species increase chorioamnionitis in very preterm infants with preterm premature

rupture of the membranes at < 28 weeks of gestation. *Eur J Clin Microbiol Infect Dis*. 2018;37(12):2371-2380

Takei Y, Takahashi S, Machida S, Taneichi A, Yoshida T, Takahashi Y, Yoshida C, Saga Y, Matsubara S, Fujiwara H. Impact of the number of removed lymph nodes on recurrence-free survival in stage I ovarian clear cell carcinoma. *Int J Clin Oncol*. 2018 ;23:930-935.

Takekuma M, Shimokawa M, Nishio S, Omi H, Tabata T, **Takei Y**, Nasu K, Takahashi Y, Toyota S, Ichikawa Y, Arakawa A, Ito F, Tsubamoto H, Mori T, Hirashima Y, Ito K. A phase II study of adjuvant chemotherapy with paclitaxel and nedaplatin for uterine cervical cancer with lymph node metastasis. *Cancer Sci* 2018;109: 1602-1608.

Takahashi H, Matsubara S. Placental thickness measurement is difficult in some cases. *Acta Obstet Gynecol Scand* 2018 Aug 21. doi: 10.1111/aogs.13443.

Takahashi H, Matsubara S. Letter to "Placental mesenchymal dysplasia with severe fetal growth restriction in one placenta of a dichorionic diamniotic twin pregnancy.": Study on twin placenta as a natural experiment. *J Obstet Gynaecol Res* 2018;44(7):1336-1337.

Takahashi H, Matsubara D, Matsubara S. Severe growth restriction undelivered at term and ultrasound examination: Some clarifications. *Aus N Z J Obstet Gynaecol* 2018;58(5):E14-E15

Takahashi H, Baba Y, Usui R, Ohkuchi A, Matsubara S. Video image: Matsubara's Nelaton and Fishing methods for easier Bakri balloon insertion and avoiding its prolapse during cesarean section. *Hypertens Res Pregnancy* 2018 (in press)

Takahashi H, Baba Y, Usui R, Suzuki H, Ohkuchi A, Matsubara S. Laterally-positioned placenta in placenta previa. *J Matern Fetal Neonatal Med* 2018 Dec 5:1-161.
doi.org/10.1080/14767058.2018.1556634

Takahashi H, Baba Y, Ogozawa M, Suzuki H, Ohkuchi A, Usui R, Matsubara S. Does previous cesarean section per se, especially its number, increase the risk of allogeneic blood transfusion at cesarean section for placenta previa? *Clin Exp Obstet Gynecol* (in press)

Takahashi H, Ohkuchi A, Usui R, Suzuki H, Baba Y, Matsubara S. Matsubara-Takahashi cervix-holding technique for massive postpartum hemorrhage in patients with placenta previa with or without

placenta accreta spectrum disorders. Intern J Gynaecol Obstet 2018;140:357-64.

Takahashi H, Baba Y, Usui R, Suzuki H, Horie K, Yano H, Ohkuchi A, Matsubara S.

Matsubara-Yano suture: A simple uterine compression suture for postpartum hemorrhage during cesarean section. Arch Gynecol Obstet <https://doi.org/10.1007/s00404-018-4947-6>

Ushijima J, Wang L, Ko H, Horiuchi I, **Chikazawa K**, Sasaki S, **Kuwata T**, Takagi K, Tanaka A.: Rupture of hidden abnormal myometrial vessels during cesarean delivery of a patient with subserosal leiomyoma: A possible pathogenesis of sudden-onset disseminated intravascular coagulation. Clin Case Rep. 2018 13;6(9):1747-1750.

Wang L, Sasaki S, Kimura A, **Kuwata T**, **Ariga H**, **Chikazawa K**, Horiuchi I, Takagi K.: A closed external cervical OS with visible bulging membranes may indicate uterine rupture.: Taiwan J Obstet Gynecol. 2018 ;57(5):775.

Wang L, **Kuwata T**, Horiuchi I, **Ariga H**, **Imai K**, Ko H, Kimura A, **Chikazawa K**, Oide S, Takagi K.: Open fan sign: An ultrasound finding suggesting postpartum intrauterine forgotten gauze. Clin Case Rep. 2018 22;6(12):2507-2508.

Yumura Y, Tsujimura A, Okada H, Ota K, Kitazawa M, **Suzuki T**, Kakinuma T, Takae S, Suzuki N, Iwamoto T. Current status of sperm banking for young cancer patients in Japanese nationwide survey. Asian J Androl. 2018; 20(4): 336-341.

Yumura Y, Tsujimura A, Okada H, Ota K, Kitazawa M, **Suzuki T**, Kakinuma T, Watanabe C, Takae S, Suzuki N, Iwamoto T. Recognition and attitudes of Japanese hematologists on sperm banking before chemotherapy: present status from nationwide questionnaire survey. Int J Clin Oncol. 2018 Aug 20. doi: 10.1007/s10147-018-1334-z.

伊東孝晃、種市明代、日置智之、神谷浩二、大槻マミ太郎、藤本揚子、織田恭子、高橋寿々代、町田静生、竹井裕二、藤原寛行、松原茂樹。悪性疾患との鑑別を要した外陰部侵襲性血管粘液腫：症例報告 栃木県産婦人科医報 2017 ; 44 : 55-58. (昨年未掲載)

伊藤千紗、馬場洋介、石田洋一、平嶋洋斗、鈴木寛正、薄井里英、大口昭英、宇賀神敦、中村仁康、松原茂樹。一次治療として選択的血管塞栓術(IVR)を施行した分娩時腔壁血腫：症例報告 栃木県産婦人科医報 2017 ; 44 : 47-50 (昨年未掲載)

種市明代 太田邦明 北澤正文 近澤研郎 有馬宏和 渡辺美千明 関口勲 柿沼敏行 町田静生 藤原寛行。栃木県における腹腔鏡研修会の試み—よりよい研修会を目指しての評価と考察—。日本産科婦人科内視鏡学会雑誌 2018 ; 34(2) : 152-158

斗澤昇平、鈴木寛正、佐野実穂、鈴木潤、薄井里英、大口昭英、松原茂樹。切迫早産妊婦の下痢症：Clostridium difficile 感染症例 栃木県母性衛生学会雑誌:とちぼ 2018 ; 44 : 5-7

発表

Chikazawa K, Imai K, Matsushita C, Oide S, Kuwata T, Konno R; Bevacizumab improves overall survival in platinum refractory ovarian cancer patients, 17th BIENNIAL MEETING OF THE INTERNATIONAL GYNECOLOGIC CANCER SOCIETY, 2018.09(Kyoto)

Chikazawa K, Akita K, Imai K, Kuwata T; Our gynecologic surgery based on fascia, 4th ASIAN ASSOCIATION OF CLINICAL OF ANATOMISTS (Symposium) 2018.10(Busan)

Fujiwara H, Suzuki M. Cytology and HPV co-testing for cervical cancer screening in the Oyama area. The 60th Annual meeting of the Japan Society of Gynecologic Oncology, Kyoto, Sep 14-16, 2018.

Fujiwara H, Ushijima K, Nagao S, Takei Y, Shimada M, Takano M, Yoshino K, Kawano Y, Hirashima Y, Nagase S, Nishio S, Nishikawa Y, Ito K, Shoji T, Kimura E, Takano T, Sugiyama T, Kigawa J, Fujiwara K, Suzuki M. Phase 2, randomized controlled study of pegylated liposomal doxorubicin and carboplatin versus gemcitabine and carboplatin in platinum-sensitive recurrent ovarian cancer (GOTIC03/INTERGROUP STUDY). 17th Biennial meeting of the International Gynecologic Cancer Society (IGCS), Kyoto, Sep 14-16, 2018.

Fujiwara H, Ushijima K, Nagao S, **Takei Y**, Shimada M, Takano M, Yoshino K, Kawano Y, Hirashima Y, Nagase S, Nishio S, Nishikawa T, Ito K, Shoji T, Kimura E, Takano T, Sugiyama T, Kigawa J, Fujiwara K, **Suzuki M**. Phase 2, randomized controlled study of pegylated liposomal doxorubicin and carboplatin versus gemcitabine and carboplatin in platinum-sensitive recurrent ovarian cancer (GOTIC003/intergroup study). 17th Biennial Meeting of the International Gynecologic Cancer Society (IGCS 2018) Kyoto 2018.9.14-16

Takei Y, Machida S, Taneichi A, Takahashi S, Takahashi Y, Yoshida T, Morisawa H, Yoshida C, Iwashita A, Saga Y, Fujiwara H, Matsubara S. Preoperative neutrophil/lymphocyte ratio and CA125 may be predictive factors for recurrence in stage I ovarian clear cell carcinoma. 第70回日本産科婦人科学会 仙台 2018年5月10-13日

Takahashi H. Potential role of exosomal placenta-associated microRNA for extravillous trophoblast. IFPA2018 Workshop. 2018年9月22日 Tokyo

Takahashi Y, Takei Y, Machida S, Taneichi A, Takahashi S, Yoshida T, Morisawa H, Yoshida C, Tamura K, Saga Y, Fujiwara H, Matsubara S. Efficacy and toxicity of PEGylated liposomal doxorubicin for recurrent ovarian cancer according to number of previous chemotherapy regimens: Comparison with gemcitabine. 第70回日本産科婦人科学会 仙台 2018年5月10-13日

石田洋一, 鈴木達也, 伊藤淳史, 天野雄介, 池田伴衣, 大橋麻衣, 杉山瑞穂, 松原茂樹. 妊娠初期に菌血症を伴う感染流産に至った凍結融解胚盤胞移植妊娠の一例. 第63回日本生殖医学会, 旭川, 2018年9月6-7日

一井直樹、高橋寿々代、種市明代、高橋詳史、葭葉貴弘、森澤宏行、竹井裕二、藤原寛行、松原茂樹。低用量エストロゲン・プロゲステン製剤開始後に脳梗塞を発症した症例。第88回栃木県産科婦人科学会 宇都宮 2018年9月2日

伊藤千紗、平嶋洋斗、薄井里英、香川景子、渡辺 尚、馬場洋介、高橋宏典、大口昭英、松原茂樹。帝王切開癒痕部妊娠に発症したA群溶連菌感染症。2018年6月30日 第43回栃木県母性衛生学会総会 自治医科大学看護学部

今井賢、近澤研郎、入江佑子、佐々木重胤、牛嶋順子、堀内功、桑田知之、高木健次郎；癒着胎盤の治療4ヵ月後に診断したAsherman's症候群・日本産科婦人科学会雑誌70(2)793, 2018.02

今井賢、近澤研郎、大井手志保、松下智香子、李冬平、木村あずさ、有賀治子、王良誠、桑田知之、今野良；位置感覚を養うためのオリジナルトレーニング法の考案 十字トレーニング・日本産科婦人科内視鏡学会雑誌34(Suppl.I)269, 2018.08

内田真一郎、種市明代、香川景子、伊東孝晃、成見莉紗、佐野実穂、高橋詳史、高橋寿々代、町田静生、竹井裕二、藤原寛行、松原茂樹。レボノルゲストレル放出子宮内システム (LNG-IUS) が奏効した複雑型子宮内膜異型増殖症の一例。第 135 回関東連合産科婦人科学会 東京 2018 年 6 月 16-17 日

大井手志保、今井賢、木村あずさ、李冬平、松下智佳子、有賀治子、王良誠、近澤研郎、桑田知之、今野良；Laparoscopic surgeryにおける術者の合併症 女性婦人科医の経験した頸肩腕症候群を中心に・日本産科婦人科内視鏡学会雑誌34(Suppl.I)286, 2018.08

小古山学、大口昭英、島知子、松原茂樹、齋藤滋、瀧澤俊広。妊娠初期流産における末梢血および脱落膜NK細胞の遺伝子発現解析:mRNA-miRNA 解析。2018 年 5 月 12 日(日産婦誌 2018;70:825) 仙台国際センター

木村あずさ、桑田知之、近澤研郎、佐々木重胤、今井賢、李冬平、王良誠、入江佑子、牛嶋順子、高木健次郎；妊娠初期の卵巣腫瘍合併妊娠に対する、腹腔鏡補助下卵巣腫瘍核出術の検討・日本周産期・新生児医学会雑誌 54(2)524, 2018.06

小林亜美、高橋宏典、堀江健司、平嶋洋斗、薄井里英、大口昭英、松原茂樹。機械弁置換後妊娠における妊娠後期の急性心不全：症例報告。第 136 回日本産科婦人科学会関東連合地方部会 2018 年 11 月 24 日。東京・一橋会館

小林なつみ、高橋宏典、塚田祐子。初産婦における実母との関係性が育児困難感に与える影響。第 59 回母性衛生学会学術集会 2018 年 10 月 20 日。新潟市・朱鷺メッセ (母性衛生 2018; 59: 324)

嵯峨 泰、高橋詳史、小柳貴裕、葭葉貴弘、高橋寿々代、森澤宏行、町田静生、種市明代、竹井裕二、藤原寛行、松原茂樹。血管新生調節因子バソヒビン 1 は免疫抑制酵素であるインドールアミン酵素添加酵素発現を低下させて卵巣がんの腫瘍免疫寛容を抑制する。2018 年 5 月 12 日 (日産婦誌 2018;70:680) 仙台国際センター

嵯峨 泰、高橋詳史、小柳貴裕、葭葉貴弘、高橋寿々代、森澤宏行、町田静生、種市明代、竹井裕二、藤原寛行、松原茂樹。血管新生調節因子バソヒビン 1 は免疫抑制酵素であるイン

ドールアミン酸素添加酵素発現を低下させて卵巣がんの腫瘍免疫寛容を抑制する。第 70 回日本産科婦人科学会 仙台 2018 年 5 月 10-13 日

櫻井学、佐藤豊美、竹井裕二、藤原寛行、中村和人、鹿沼達哉、藤原恵一、鈴木光明。タキサン+プラチナ療法後の治療関連白血病の発症に関する後方視的研究 (GOTIC-011)。第 60 回日本婦人科腫瘍学会 京都 2018 年 9 月 14-16 日

佐野実穂、高橋宏典、堀江健司、藤本揚子、平嶋洋斗、鈴木寛正、馬場洋介、薄井里英、大口昭英、松原茂樹。帝王切開癒痕部妊娠における MTX 局注療法の成績。第 54 回日本周産期・新生児学会総会。2018 年 7 月 8 日東京国際フォーラム (周産期新生児医学会雑誌 2018; 54: 615)

鈴木達也。[シンポジウム] ヒト精子の運動能・受精能を臨床から考える。第 37 回日本アンドロロジー学会、神戸市、2018 年 6 月 15 日

鈴木寛正、平嶋 周子、永山 志穂、小古山 学、馬場洋介、高橋宏典、高橋 佳代、薄井里英、大口昭英、松原茂樹。妊娠高血圧腎症、HELLP 症候群の発生週数別 sFlt-1,PIGF,及び sFlt-1/ PIGF の比較。2018 年 5 月 12 日 (日産婦誌 2018;70:812) 仙台国際センター

高橋宏典。シンポジウム 1 Network Medicine 帝王切開を考える。産褥出血に対する止血法 : Uterine compression suture (MY 縫合)、Bakri バルーン、MT-holding。第 54 回日本周産期・新生児学会総会。2018 年 7 月 8 日東京国際フォーラム (周産期新生児医学会誌 2018; 54: 419)

高橋宏典、小古山 学、石田洋一、大口昭英、瀧澤俊広、松原茂樹。WNT10B による CD44 を介した絨毛外栄養膜の浸潤促進。2018 年 5 月 12 日仙台国際センター (日産婦誌 2018;70:688)

高橋宏典、小古山 学、鈴木寛正、堀江健司、大橋麻衣、松原茂樹。筋強直性ジストロフィー妊婦の塩酸リトドリンによる横紋筋融解症についての検討。第 4 回産婦人科遺伝診療学会学術集会 2018 年 12 月 13 日。東京・スクエア荏原 (日本産科婦人科遺伝診療学会誌 2018; 15: 88)

高橋宏典、小古山 学、永山 志穂、大口昭英、瀧澤俊広、松原茂樹。WNT10B による絨毛外栄養膜の浸潤促進。第 33 回生殖免疫学会学術集会 2018 年 11 月 24 日。東京・日本医大 (J Reproductive Immunology & Biology 2018; 1-2: 104)

瀧澤俊広、高橋宏典、Chaw Kyi-Tha-Thu、小古山 学、大口昭英、竹下俊行、松原茂樹、ヒト胎盤胞体栄養膜細胞は miRNA 合成酵素の DICER1 を発現している。2018 年 5 月 13 日（日産婦誌 2018;70:882）仙台国際センター

瀧澤俊広、チータートウ・チョウ、高橋宏典、小古山 学、大口昭英、竹下俊行、松原茂樹。ヒト胎盤絨毛における CD63 に関する免疫組織化学的発現解析。第 59 回日本組織細胞化学会学術集会 2018 年 9 月 29 日。宮崎市・宮崎市民プラザ（日本組織細胞化学会総会・学術集会講演プログラム・予稿集 2018; 68）

竹井裕二、町田静生、種市明代、高橋詳史、藤原寛行、松原茂樹。当科におけるロボット支援下手術の導入状況 ―トレーニング専用 da Vinci Si を用いて―。第 6 回日本婦人科ロボット手術研究会 鹿児島 2018 年 1 月 20 日

竹井裕二、町田静生、種市明代、高橋詳史、高橋寿々代、藤原寛行、松原茂樹。当科のロボット支援下手術の成績と今後の展望 第 87 回栃木県産科婦人科学会学術講演会とちぎ健康の森 2018 年 2 月 4 日

竹井裕二、種市明代、高橋寿々代、高橋詳史、葭葉貴弘、森澤宏行、小柳貴裕、嵯峨 泰、藤原寛行、松原茂樹。子宮体癌妊孕性温存療法で寛解後生児を得た患者に対する予防的子宮全摘術の時期～生児獲得数に着目して～。第 60 回日本婦人科腫瘍学会 京都 2018 年 9 月 14-16 日

田村昂平、高橋宏典、内田真一郎、堀江健司、小林亜美、平嶋洋斗、馬場洋介、薄井里英、大口昭英、松原茂樹。「弛緩出血」として管理された常位付着の「癒着胎盤」：症例報告。第 136 回関東連合産科婦人科学会 総会・学術集会 2018 年 11 月 24 日 一橋大学一橋講堂(関東連合産科婦人科学会誌 2018; 55(3): 370)

近澤研郎、今井賢、大井手志保、松下智香子、有賀治子、王良誠、桑田知之、今野良；早朝「教育枠」の設置と当院での働き方改革・日本産科婦人科内視鏡学会雑誌 34(Suppl.I)293, 2018.08

近澤研郎、今井賢、桑田知之、今野良；腹腔鏡下子宮全摘の前方アプローチ：膀胱下腹筋膜周囲と、「あわあわの層」を意識する・埼玉県内視鏡内視鏡研究会 2018.2

近澤研郎、竹中慎、野上侑哉、尾崎理恵、植田彰彦、堀澤信、小松宏彰、新納恵美子；
TLHの手技と工夫 若手術者のチームバトル(ワークショップ)・日本産科婦人科内視鏡学
会雑誌 34(Suppl.I)146, 2018.08

馬場洋介、高橋宏典、伊藤千紗、伊東孝晃、織田恭子、香川景子、斗澤昇平、藤本揚子、鈴木寛
正、薄井里英、大口昭英、松原茂樹。蛋白尿は同種間輸血の独立危険因子：単胎 10.523 名、双胎
900 名の解析。2018 年 5 月 12 日（日産婦誌 2018;70:784）仙台国際センター

平嶋洋斗、大口昭英、小古山 学、永山 志穂、平嶋 周子、高橋 佳代、鈴木寛正、馬場洋
介、高橋宏典、薄井里英、藤原寛行、松原茂樹。産褥 5 日に PRES に脳実質出血を併し
た抗リン脂質抗体症候群合併妊婦症例報告。第 54 回日本周産期・新生児学会総会。2018
年 7 月 10 日東京国際フォーラム（周産期新生児医学会誌 2018; 54: 610）

藤本揚子、高橋宏典、堀江健司、平嶋洋斗、馬場洋介、薄井里英、大口昭英、藤原寛行、
松原茂樹。妊娠中の卵巣腫瘍急速増大：retention cyst に留意。第 87 回栃木県産科婦人科学
会学術講演会 とちぎ健康の森 2018 年 2 月 4 日

藤原寛行 [シンポジウム] 細胞診・HPV 検査併用子宮頸がん検診の有効性の検証～小山地
区モデル事業結果から。第 135 回関東連合産科婦人科学会総会・学術集会。東京 2018 年 6
月 17 日。

堀内功、李冬平、王良誠、佐々木重胤、近澤研郎、今井賢、脇本裕、澤井英明、柴原浩
章、桑田知之、高木健次郎；自然流産絨毛染色体検査 127 症例の検討・日本生殖医学会雑
誌 63(3)426, 2018.08

堀江健司、青木宏明、永松健、叶谷愛弓、兵頭博信、寺田佳世子、中井章人、米田徳子、
齋藤滋、松田義雄、大口昭英。シンポジウム 切迫早産有症状 / 無症状別, 子宮頸管長別
の, 早産発生率 (<35 週), 及び早期娩出率 (<7 日): 多施設共同後向きコホート研究 -
PLASH-1 study - 第 54 回日本周産期・新生児学会総会。2018 年 7 月 8 日東京国際フォー
ラム（周産期新生児医学会雑誌 2018; 54: 424）

堀江健司、高橋宏典、馬場洋介、薄井里英、大口昭英、松原茂樹。たこつぼ心筋症と妊
娠高血圧腎症の合併：症例報告。第 54 回日本周産期・新生児学会総会。2018 年 7 月 9 日
東京国際フォーラム(周産期新生児医学会雑誌 2018; 54: 615)

森澤宏行 藤原寛行 木村孔三 佐山雅昭 鈴木光明。 LBC/HPV 併用検診の有効性を細胞診単独検査と比較する 小山地区モデル事業。第 27 回日本婦人科がん検診学会総会・学術講演会 2018 年 9 月 8-9 日 東京 帝京大学板橋キャンパス

山口順子、堀江健司、馬場洋介、高橋 佳代、高橋宏典、松原茂樹、岡健介、松原大輔、片岡功一。治療に否定的な感情を示した両親への心理支援：肯定的感情への変化の過程を振り返る。第 24 回日本胎児心臓病学会。2018 年 2 月 17 日。さいたま市ラフレさいたま

湯村寧、太田邦明、岩本晃明、岡田弘、辻村晃、北澤正文、鈴木達也、柿沼敏行、高江正道、鈴木直。我が国における精子凍結施行施設へのアンケート実態調査(厚生労働省調査研究より)。第 106 回日本泌尿器科学会、京都、2018 年 4 月 19-22 日

湯村寧、岡田弘、太田邦明、岩本晃明、柿沼敏行、北澤正文、鈴木達也、渡邊知映、高江正道、辻村晃、鈴木直。血液内科施設への精子凍結に関するアンケート調査結果(厚労省調査結果より)。第 106 回日本泌尿器科学会、京都、2018 年 4 月 19-22 日

湯村寧、辻村晃、岡田弘、太田邦明、北澤正文、鈴木達也、柿沼敏行、高江正道、岩本晃明、鈴木直。我が国における 2015 年度の抗がん剤治療前の精子凍結患者数調査(厚労省調査研究より)。第 106 回日本泌尿器科学会、京都、2018 年 4 月 19-22 日

李冬平、王良誠、佐々木重胤、近澤研郎、今井賢、桑田知之、高木健次郎；発作性夜間ヘモグロビン尿症合併妊娠で二回妊娠、出産に成功した 1 例・日本周産期・新生児医学会雑誌 54(2)750, 2018.06

若松修平、鈴木寛正、坂本有紀、今吉真由美、岡島毅、小沼誠一、高橋宏典、松原茂樹。胎盤用手剥離後の癒着胎盤による大出血への対応：Matsubara-Yano 縫合+Holding the cervix 併用法の有効例。第 87 回栃木県産科婦人科学会学術講演会 とちぎ健康の森 2018 年 2 月 4 日

著書・総説

鈴木達也。反復不成功症例への対策。「図説 よくわかる臨床不妊症学。生殖補助医療編。第 3 版」(編) 柴原浩章, 他。中外医学社。東京。pp313-322, 2018.

鈴木達也。不妊治療における女性ホルモンデータはどう解釈すべきですか? 「検査説明 Q&A」。臨床検査 62 : 672-675, 2018.

鈴木達也. 卵子提供後妊娠と免疫. 「実践 臨床生殖免疫学」 (編) 柴原浩章. 中外医学社. 東京. pp460-464, 2018.

鈴木寛正、松原茂樹. 血液型不適合妊娠. In: 柴原浩章 編. 臨床生殖免疫学. 中外医学社. 2018年. pp383-90

高橋宏典、松原茂樹. 産科合併症の薬物療法 つわり・妊娠悪阻. 周産期医学 2018;48:37-39.

高橋詳史、竹井裕二、藤原寛行. 性索間質性腫瘍の治療. 婦人科癌-最新の研究動向一. 日本臨牀 2017;76:689-693

竹井裕二、藤原寛行. 子宮がん. In 泉孝英 (編集主幹). ガイドライン外来診療 2018 日経メディカル開発 2018 pp594-599

松原茂樹. 前置胎盤・低置胎盤. In (福井次矢ら編集)今日の治療指針 2018, 1340 医学書院 東京

松原茂樹 (翻訳) 妊娠と授乳 In: Hall JE, 石川義弘ら (編著) ガイトン生理学13版 pp 966-981 2018 Elsevier

松原茂樹. 「患者さんが病気と闘った記録を正しく残すこと」の重要性. 病理解剖5000症例記念誌. 自治医科大学病理学講座. 2018. P34

松原茂樹ら計23名 (監修). 病気がみえる Vol 10 産科 MedicMedia 東京 2018 pp1-456

講演・その他

Matsubara S. Clinical Research Support Team (CRST) system and rural medicine. Rural Remote Health (Journal) Net Discussion: (Internet での国際講演)

<https://www.facebook.com/events/210423213056492/permalink/220383925393754/>

今井賢. ブタの解剖・第6回とちぎ婦人科内視鏡研修会: 福島, 2018.05.27

今井賢. ブタの解剖・腹腔鏡下傍大動脈リンパ節郭清セミナー: 神奈川, 2018.06.03

今井賢。内膜症癒着により尿管剥離に難渋したTLH（ビデオクリニック）・コヴィディエンTLHセミナー：神奈川，2018.08.25

今井賢。トレーニングに必要なブタの解剖・STEPS第4期：長野，2018.11.04

今井賢。腹腔鏡手術が上手くなるために～今日からできるトレーニング（基礎編）～・第136回 関東連合産科婦人科学会 総会・学術集会 ハンズオンセミナー：東京，2018.11.14

今井賢。ブタの解剖～よりよいトレーニングを行うために～：新潟，2018.12.09

大館花子。自治医大におけるがん関連VTEの現状。がんと循環器を考える会 in 薬師寺。下野 2018年11月30日

鈴木達也。精子調整法・顕微授精。第17回日本卵子学会生殖補助医療資格認定制度講習会，東京，2018年4月21日

鈴木達也。がん・生殖医療～若年がん患者に対する妊孕性温存の取り組み～。宇都宮市産婦人科医会学術講演会，宇都宮市，2018年6月8日

高橋宏典。教育講演：癒着胎盤の画像診断と対処法。2018年度宇都宮産婦人科医会および各群市部合同研修会 2018年5月18日宇都宮文化会館

高橋宏典。領域横断6プライマリ・ケアにおける超音波検査実践活用術～腎・泌尿器、女性生殖器～婦人科疾患における超音波所見。第91回日本超音波医学会学術講演会 2018年6月10日。神戸ポートピアホテル

高橋宏典。「簡単に書けるようになる」論文の書き方。リカレントセミナー2018 2018年11月11日 東京工業大学

高橋詳史。婦人科領域におけるCancer-VTEの治療戦略。担がん患者のTotal Careを考える。群馬 2018年5月18日

高橋詳史。当院における周術期VTE予防の取り組み。がんと血栓症セミナー。宇都宮 2018年9月20日

種市明代。「腺筋症核出術 ～先進医療で実施可能に～」.第3回とちぎ婦人科腫瘍セミナー
一 下野 2018年11月15日

種市明代。「腺筋症核出術 ～先進医療で実施可能に～」.リムパーザ発売記念講演会 in
栃木 宇都宮 2018年11月29日

近澤研郎。どんな時でもやる気をだすために・婦人科ラパロ真剣ゼミ-縫合結紮セミナー基礎編- ; 京都,2018.5.19

近澤研郎。子宮体癌に対する腹腔鏡下準広汎子宮全摘術 ; 第2回婦人科手術研究会 ; 東京,2018.5.26

近澤研郎。ハーモニック HD の適正使用・第6回とちぎ内視鏡研究会 ; 福島,2018.5.27

近澤研郎。腹腔鏡下の傍大動脈郭清・LAP 傍大動脈リンパ節郭清セミナー ; 東京,2018.6.3

近澤研郎。明日から活かせる腹腔鏡下手術の技術を学ぼう・第135回関東連合産科婦人科学会 総会・学術集会 ハンズオンセミナー : 東京,2018.6.16

近澤研郎。練習でやる気を出し続けるために・第2回 昭和大学病院 産婦人科「腹腔鏡 DRYBOX スキルアップセミナー」: 神奈川,2018.6.24

近澤研郎。徹底的に卵巣機能温存にこだわった卵巣腫瘍核出術 ; 第6回新潟婦人科内視鏡手術セミナー,新潟 , 2018.7.1

近澤研郎。ヘラ型電極での膀胱子宮靱帯前層処理・第3回女性骨盤解剖研究会,2018.7.7

近澤研郎。ビデオクリニック コメンテーター・司会・第7回とちぎ産婦人科内視鏡研修会,2018,10,14

近澤研郎。鏡視下の解剖学、子宮動脈、尿管同定について・婦人科ラパロ真剣ゼミ-縫合結紮セミナー応用編- ; 京都, 2018.11.3

近澤研郎。明日から活かせる腹腔鏡下手術の技術を学ぼう・第136回関東連合産科婦人科学会 総会・学術集会 ハンズオンセミナー : 東京,2018.11.14

近澤研郎。TLH の解剖 前方アプローチと側方アプローチの違い；東京,2018.11.17

近澤研郎。38 歳からのリサーチマインド、鏡視下解剖学から開腹への回帰，新潟 2018.12.9

藤原寛行。GOTIC003 iPLAS 試験結果報告・GCIG 参加報告。第 28 回 GOTIC 教育セミナー。東京 2018 年 2 月 3 日。

藤原寛行。卵巣癌治療～個別化治療 update。中外製薬社内勉強会。宇都宮 2018 年 2 月 15 日。

藤原寛行。婦人科手術の実際。テルモ株式会社社内勉強会。2018 年 3 月 8 日。

藤原寛行。産婦人科での女性医師の働き方の現状と取り組み。第 6 回 Jichi Joy Café。2018 年 3 月 23 日。

藤原寛行。HPV 検査と細胞診併用検診の有効性の検証。愛知県産婦人科臨床懇話会。名古屋 2018 年 4 月 7 日。

藤原寛行。GCIG 参加報告。第 29 回 GOTIC 教育セミナー。東京 2018 年 6 月 16 日。

藤原寛行。当院における子宮内膜症の治療方針。あすか製薬社内勉強会。宇都宮 2018 年 6 月 21 日。

藤原寛行。月経困難症の EBM～疼痛対策を中心に。宇都宮産婦人科医会・二金会。宇都宮 2018 年 10 月 12 日。

藤原寛行。月経困難症の EBM～疼痛対策を中心に。京都産科婦人科学会/平成 30 年度学術集会。京都 2018 年 10 月 20 日。

藤原寛行。再発卵巣がん治療 update。第 9 回 Network Gynecologic Cancer。東京 2018 年 11 月 2 日。

藤原寛行。卵巣がん治療。持田製薬社内勉強会。東京 2018 年 11 月 8 日。

松原茂樹。Introductory remark: 産科手術の特殊性。2018 年度宇都宮産婦人科医会および各群市部合同研修会 2018 年 5 月 18 日 宇都宮文化会館

松原茂樹。出血死だけは絶対回避する新規止血術：MY縫合、MY sandwich、Nelaton法とFishing法。137回近畿産婦人科学会学術集会2018年6月10日。大阪リーガロイヤルホテル

松原茂樹。Systematic な論文作成支援：困っている仲間を学術面から助ける。Clinical Research Support Team -Jichi (CRST)。Kissei Kur 2018;11(2):17-18.

松原茂樹。Introductory remarks: 帝王切開を考える。第54回日本周産期・新生児学会総会。2018年7月8日。東京国際フォーラム

松原茂樹。特別講演：負けない産科手術：出血死だけは絶対回避する新規3策。MY縫合、MY-sandwich, Bakri balloon挿入・保持法（Nelaton法とFishing法）。第40回茨城医学会産婦人科分科会（187回茨城産婦人科学会）。水戸Medical Center。2018年10月13日。

松原茂樹。うまい論文の書き方：編集者・査読者を味方にする術。共同企画セミナー招請講演。第63回日本新生児成育医学会学術総会。都市センター。東京。2018年11月23日