

論文

2025

2024

1. Primadharsini PP, Takahashi M, Nishizawa T, Sato Y, **Nagashima S**, Murata K, Okamoto H. The full-genome analysis and generation of an infectious cDNA clone of a genotype 6 hepatitis E virus variant obtained from a Japanese wild boar: In vitro cultivation in human cell lines. *Viruses* 16(6):842, 2024. doi: 10.3390/v16060842.
2. Takahashi M, Nishizawa T, Nishizono A, Kawakami M, Sato Y, Kawakami K, Irokawa M, Tamaru T, Miyazaki S, Shimada M, Ozaki H, Primadharsini PP, **Nagashima S**, Murata K, Okamoto H. Recent decline in hepatitis E virus prevalence among wild boars in Japan: Probably due to countermeasures implemented in response to outbreaks of classical swine fever virus infection. *Virus Res.* 348:199438, 2024. doi: 10.1016/j.virusres.2024.199438.
3. Kanda T, Li TC, Takahashi M, **Nagashima S**, Primadharsini PP, Kunita S, Sasaki-Tanaka R, Inoue J, Tsuchiya A, Nakamoto S, Abe R, Fujiwara K, Yokosuka O, Suzuki R, Ishii K, Yotsuyanagi H, Okamoto H; AMED HAV and HEV Study Group. Recent advances in hepatitis E virus research and the Japanese clinical practice guidelines for hepatitis E virus infection. *Hepatol Res.* 54(8):1-30, 2024. doi: 10.1111/hepr.14062.
4. Kobayashi T, Takahashi M, Ohta S, Hoshino Y, Yamada K, Jirintai S, Primadharsini PP, **Nagashima S**, Murata K, Okamoto H. Production and characterization of self-assembled virus-like particles comprising capsid proteins from genotypes 3 and 4 hepatitis E virus (HEV) and rabbit HEV expressed in *Escherichia coli*. *Viruses* 16(9):1400, 2024. doi: 10.3390/v16091400.
5. **Nagashima S**, Primadharsini PP, Takahashi M, Nishiyama T, Murata K, Okamoto H. Role of Rab13, protein kinase A, and zonula occludens-1 in hepatitis E virus entry and cell-to-cell spread: Comparative analysis of quasi-enveloped and non-enveloped forms. *Pathogens* 13(12):1130, 2024. doi: 10.3390/pathogens13121130.

2023

1. Primadharsini PP, **Nagashima S**, Tanaka T, Jirintai S, Takahashi M, Murata K, Okamoto H. Development and characterization of efficient cell culture systems for genotype 1 hepatitis E virus and its infectious cDNA clone. *Viruses* 15(4):845, 2023. doi: 10.3390/v15040845.

2. Takakusagi S, Takagi H, Yamazaki Y, Kosone T, **Nagashima S**, Takahashi M, Murata K, Okamoto H. Chronic hepatitis E in an elderly immunocompetent patient who achieved a sustained virologic response with ribavirin treatment. *Clin J Gastroenterol*. 16(2):206-15, 2023. doi: 10.1007/s12328-022-01733-2.
3. Takahashi M, Kunita S, Nishizawa T, Ohnishi H, Primadharsini PP, **Nagashima S**, Murata K, Okamoto H. Infection dynamics and genomic mutations of hepatitis E virus in naturally infected pigs on a farrow-to-finish farm in Japan: A survey from 2012 to 2021. *Viruses* 15(7):1516, 2023. doi: 10.3390/v15071516.
4. Primadharsini PP, **Nagashima S**, Nishiyama T, Okamoto H. Three distinct reporter systems of hepatitis E virus and their utility as drug screening platforms. *Viruses* 15(10):1989, 2023. doi: 10.3390/v15101989.
5. **Nagashima S**, Primadharsini PP, Nishiyama T, Takahashi M, Murata K, Okamoto H. Development of a HiBiT-tagged reporter hepatitis E virus and its utility as an antiviral drug screening platform. *J Virol*. 97(9):e00508-23, 2023. doi: 10.1128/jvi.00508-23.

2022

1. Takahashi M, Nishizono A, Kawakami M, Fukui E, Isogai E, Matsuoka H, Yamamoto S, Mizuo H, **Nagashima S**, Murata K, Okamoto H. Identification of hepatitis E virus in wild sika deer in Japan. *Virus Res*. 308:198645, 2022. doi: 10.1016/j.virusres.2021.198645.
2. Primadharsini PP, **Nagashima S**, Nishiyama T, Takahashi M, Murata K, Okamoto H. Development of recombinant infectious hepatitis E virus harboring the nanoKAZ gene and its application in drug screening. *J Virol*. 96(6):e01906-21, 2022. doi: 10.1128/jvi.01906-21.
3. Takahashi M, Kunita S, Kawakami M, Kadosaka T, Fujita H, Takada N, Miyake M, Kobayashi T, Ohnishi H, **Nagashima S**, Murata K, Okamoto H. First detection and characterization of rat hepatitis E virus (HEV-C1) in Japan. *Virus Res*. 314:198766, 2022. doi: 10.1016/j.virusres.2022.198766.
4. Hatanaka T, Kakizaki S, Kaburagi T, Saito N, Nakano S, Hazama Y, Yoshida S, Hachisu Y, Tanaka Y, Yoshinaga T, Kashiwabara K, Naganuma A, Yamazaki Y, Uraoka T, **Nagashima S**, Takahashi M, Nishizawa T, Murata K, Okamoto H. Chronic infection with hepatitis C virus subtype 1 g in a Japanese patient successfully treated with glecaprevir/pibrentasvir. *Intern Med*. 61(10):1537-43, 2022. doi:

10.2169/internalmedicine.8673-21

5. Hasegawa I, Nakano T, Koguchi H, Jinno N, Hirashima N, **Nagashima S**, Takahashi M, Murata K, Okamoto H. Subclinical hepatitis E virus (HEV) infection detected by nucleic acid amplification test on blood donation: short-term positivity for immunoglobulin G class of antibody against HEV. Clin J Gastroenterol. 15(4):750-4, 2022. doi: 10.1007/s12328-022-01635-3

6. Primadharsini PP, **Nagashima S**, Takahashi M, Murata K, Okamoto H. Ritonavir blocks hepatitis E virus internalization and clears hepatitis E virus in vitro with ribavirin. Viruses 14(11):2440, 2022. doi: 10.3390/v14112440.

2021

1. Nishizawa T, Takahashi M, Tsatsralt-Od B, Nyamdavaa K, Dulmaa N, Osorjin B, Tseren-Ochir EO, Sharav T, Bayasgalan C, Sukhbaatar B, **Nagashima S**, Murata K, Okamoto H. Identification and a full genome analysis of novel camel hepatitis E virus strains obtained from Bactrian camels in Mongolia. Virus Res. 299:198355, 2021. doi: 10.1016/j.virusres.2021.198355.

2. Primadharsini PP, **Nagashima S**, Okamoto H. Mechanism of cross-species transmission, adaptive evolution and pathogenesis of hepatitis E virus. Viruses 13(5):909, 2021. doi: 10.3390/v13050909.

3. Kobayashi T, Takahashi M, Ohta S, **Nagashima S**, Primadharsini PP, Mulyanto, Kunita S, Murata K, Okamoto H. Production of capsid proteins of rat hepatitis E virus in *Escherichia coli* and characterization of self-assembled virus-like particles. Virus Res. 302:198483, 2021. doi: 10.1016/j.virusres.2021.198483.

4. Takakusagi S, Takagi H, Yokoyama Y, Kizawa K, Marubashi K, Kosone T, **Nagashima S**, Takahashi M, Murata K, Okamoto H. Spontaneous reactivation of hepatitis B virus with a frameshift mutation in the precore region in an elderly hepatitis B virus carrier with lifestyle-related diseases. Clin J Gastroenterol. 14(4):1202-10, 2021. doi: 10.1007/s12328-021-01423-5.

2020

1. Murata K, Kang JH, **Nagashima S**, Matsui T, Karino Y, Yamamoto Y, Atarashi T, Oohara M, Uebayashi M, Sakata H, Matsubayashi K, Takahashi K, Arai M, Mishihiro S, Sugiyama M, Mizokami M, Okamoto H. IFN- λ 3 as a host immune response in acute hepatitis E virus infection. Cytokine 125:154816, 2020. doi: 10.1016/j.cyto.2019.154816.

2. Primadharsini PP, **Nagashima S**, Takahashi M, Kobayashi T, Nishiyama T, Nishizawa T, Yasuda J, Mulyanto, Okamoto H. Multivesicular body sorting and the exosomal pathway are required for the release of rat hepatitis E virus from infected cells. *Virus Res.* 278:197868, 2020. doi: 10.1016/j.virusres.2020.197868.

3. Owada Y, Oshiro Y, Inagaki Y, Harada H, Fujiyama N, Kawagishi N, Yagisawa T, Usui J, Akutsu N, Itabashi Y, Saito K, Watarai Y, Ichimaru N, Imamura R, Kyakuno M, Ide K, Shibuya Y, Okabe Y, Ono M, Sasaki K, Shiose A, Yamagishi K, Ohnishi H, **Nagashima S**, Takahashi M, Yuzawa K, Okamoto H, Ohkohchi N. A nationwide survey of hepatitis E virus infection and chronic hepatitis in heart and kidney transplant recipients in Japan. *Transplantation* 104(2):437-44, 2020. doi: 10.1097/TP.0000000000002801.

4. Okano H, Nakano T, Ito R, Tanaka A, Hoshi Y, Matsubayashi K, Asakawa H, Nose K, Tsuruga S, Tochio T, Kumazawa H, Isono Y, Tanaka H, Matsusaki S, Sase T, Saito T, Mukai K, Nishimura A, Kawakami K, **Nagashima S**, Takahashi M, Okamoto H. The spontaneous clearance of hepatitis E virus (HEV) and emergence of HEV antibodies in a transfusion-transmitted chronic hepatitis E case after completion of chemotherapy for acute myeloid leukemia. *Clin J Gastroenterol.* 13(2):252-9, 2020. doi: 10.1007/s12328-019-01024-3.

5. Takahashi M, Nishizawa T, Sato Y, Miyazaki S, Aikawa T, Ashida K, Tamaru T, Oguro K, Hayakawa F, Matsuoka H, Ozaki H, Koderia Y, Irokawa M, Hirose H, **Nagashima S**, Kawakami M, Mizuo H, Okamoto H, Murata K. Prevalence and genotype/subtype distribution of hepatitis E virus (HEV) among wild boars in Japan: Identification of a genotype 5 HEV strain. *Virus Res.* 287:198106, 2020. doi: 10.1016/j.virusres.2020.198106.

6. Sato N, Watanabe S, Miura K, Morimoto N, Takaoka Y, Nomoto H, Isoda N, **Nagashima S**, Takahashi M, Okamoto H, Yamamoto H. Clinical and virologic features of hepatitis E virus infection at a university hospital in Japan between 2000 and 2019. *J Med Virol.* 92(12):3572-83, 2020. doi: 10.1002/jmv.26248.

2019

1. Nishiyama T, Kobayashi T, Jirintai S, Kii I, **Nagashima S**, Primadharsini PP, Nishizawa T, Okamoto H. Screening of novel drugs for inhibiting hepatitis E virus replication. *J Virol Methods.* 270:1-11, 2019. doi: 10.1016/j.jviromet.2019.04.017.

2. Watanabe S, Morimoto N, Miura K, Takaoka Y, Nomoto H, Tsukui M, Isoda N, Ohnishi H, **Nagashima S**, Takahashi M, Okamoto H, Yamamoto H. Full-genome characterization of the RIVM-HAV16-090-like hepatitis A virus strains recovered from Japanese men who have sex with men, with sporadic acute hepatitis A. *Hepatol Res.* 49(5):521-30, 2019. doi: 10.1111/hepr.13313.
3. Primadharsini PP, **Nagashima S**, Okamoto H. Genetic variability and evolution of hepatitis E virus. *Viruses.* 11(5):456, 2019. doi: 10.3390/v11050456.
4. Nishiyama T, Kobayashi T, Jirintai S, **Nagashima S**, Primadharsini PP, Nishizawa T, Okamoto H. Antiviral candidates against the hepatitis E virus (HEV) and their combinations inhibit HEV growth in in vitro. *Antiviral Res.* 170:104570, 2019. doi: 10.1016/j.antiviral.2019.104570.
5. Nakano T, Okano H, Takahashi M, **Nagashima S**, Shiraki K, Oya Y, Inoue H, Ohmori S, Tsukimoto M, Ishida S, Fujimoto S, Kobayashi M, Yamawaki M, Kumagai M, Ninomiya J, Maegawa T, Kojima Y, Araki J, Hamaoka S, Horiike S, Yoshimura H, Takeuchi K, Itoh K, Akachi S, Uraki S, Yamamoto N, Ogura S, Sugimoto K, Yoshikawa K, Hasegawa H, Iwasa M, Takei Y, Okamoto H. Changing clinical and molecular characteristics of hepatitis E virus infection in Mie Prefecture, Japan: Disappearance of indigenous subtype 3e strains. *Hepatol Res.* 49(9):1003-14, 2019. doi:10.1111/hepr.13357.
6. Sato N, Watanabe S, Miura K, Goka R, Morimoto N, Takaoka Y, Nomoto H, Tsukui M, Isoda N, **Nagashima S**, Takahashi M, Okamoto H, Yamamoto H. Acute liver failure caused by the transmission of hepatitis B virus from the spouse after 38 years of marriage. *Intern Med.* 58(20):2963-8, 2019. doi: 10.2169/internalmedicine.3028-19.

2018

1. Nakano T, Takahashi M, Takahashi K, **Nagashima S**, Suzuki Y, Nishigaki Y, Tomita E, Okano H, Oya Y, Shiraki K, Takase K, Sugimoto K, Koyama J, Mizuo H, Ikezawa K, Aikawa T, Arai M, Okamoto H. Hepatitis E virus subtype 3f strains isolated from Japanese hepatitis patients with no history of travel to endemic areas – The origin analyzed by molecular evolution. *Virology* 513:146-52, 2018. doi: 10.1016/j.virol.2017.08.008.
2. Tsatsralt-Od B, Primadharsini PP, Nishizawa T, Ohnishi H, **Nagashima S**, Takahashi M, Jirintai S, Nyamkhuu D, Okamoto H. Distinct changing profiles of hepatitis A and E virus infection among patients with acute hepatitis in Mongolia: The first report of the

full genome sequence of a novel genotype 1 hepatitis E virus strain. *J Med Virol.* 90(1):84-92, 2018. doi: 10.1002/jmv.24907.

3. Ishikawa-Sasaki K, **Nagashima S**, Taniguchi K, Sasaki J. A model of OSBP-mediated cholesterol supply to Aichi virus RNA replication sites involving protein-protein interactions among viral proteins, ACBD3, OSBP, VAP-A/B, and SAC1. *J Virol.* 92(8):e01952-17, 2018. doi: 10.1128/JVI.01952-17.

4. Tanggis, Kobayashi T, Takahashi M, Jirintai S, Nishizawa T, **Nagashima S**, Nishiyama T, Kunita S, Hayama E, Tanaka T, Mulyanto, Okamoto H. An analysis of two open reading frames (ORF3 and ORF4) of rat hepatitis E virus genome using its infectious cDNA clones with mutations in ORF3 or ORF4. *Virus Res.* 249:16-30, 2018. doi: 10.1016/j.virusres.2018.02.014.

5. Hashimoto K, Miura K, Takaoka Y, Nomoto H, Watanabe S, Tsukui M, Morimoto N, Isoda N, **Nagashima S**, Takahashi M, Okamoto H, Yamamoto H. A 79-year-old woman with acute hepatitis B caused by the infection of subgenotype D1 hepatitis B virus in Japan: A case study. *Intern Med.* 57(21):3099-104, 2018. doi: 10.2169/internalmedicine.0977-18.

2017

1. Yamaguchi Y, Takagi H, Suzuki Y, Maruhashi K, Kosone T, Kakizaki S, Sato K, Yamada M, **Nagashima S**, Takahashi M, Okamoto H. Autochthonous sporadic acute hepatitis E caused by two distinct subgenotype 3b hepatitis E virus strains with only 90% nucleotide identity. *Clin J Gastroenterol.* 10(2):168-73, 2017. doi: 10.1007/s12328-017-0718-3.

2. Miura M, Inoue J, Tsuruoka M, Nishizawa T, **Nagashima S**, Takahashi M, Shimosegawa T, Okamoto H. Full-length genomic sequence analysis of new subtype 3k hepatitis E virus isolates with 99.97% nucleotide identity obtained from two consecutive acute hepatitis patients in a city in northeast Japan. *J Med Virol.* 89(6):1116-20, 2017. doi: 10.1002/jmv.24743.

3. Yamazaki Y, Naganuma A, Arai Y, Takeuchi S, Kobayashi T, Takakusagi S, Hatanaka T, Hoshino T, Namikawa M, Hashizume H, Takizawa D, Ohyama T, Suzuki H, Horiguchi N, Takagi H, Sato K, Kakizaki S, Kusano M, **Nagashima S**, Takahashi M, Okamoto H, Yamada M. Clinical and virological features of acute hepatitis E in Gunma prefecture, Japan between 2004 and 2015. *Hepatol Res.* 47(5):435-45, 2017. doi:

10.1111/hepr.12765.

4. Primadharsini PP, Miyake M, Kunita S, Nishizawa T, Takahashi M, **Nagashima S**, Tanggis, Ohnishi H, Kobayashi T, Nishiyama T, Jirintai S, Okamoto H. Full-length genome of a novel genotype 3 hepatitis E virus strain obtained from domestic pigs in Japan. *Virus Res.* 240:147-153, 2017. doi: 10.1016/j.virusres.2017.08.003.

5. Yokoyama K, Kumagai H, Takahashi M, **Nagashima S**, Okamoto H, Yamagata T. Occult hepatitis B virus infection in immunized children born to carrier mothers. *Pediatr Int.* 59(9):1010-16, 2017. doi: 10.1111/ped.13352.

6. Nishizawa T, Primadharsini PP, Namikawa M, Yamazaki Y, Uraki S, Okano H, Horiike S, Nakano T, Takaki S, Kawakami M, **Nagashima S**, Takahashi M, Okamoto H. Full-length genomic sequences of new subtype 1g hepatitis E virus strains obtained from four patients with imported or autochthonous acute hepatitis E in Japan. *Infect Genet Evol.* 55:343-349, 2017. doi: 10.1016/j.meegid.2017.10.007.

7. **Nagashima S**, Takahashi M, Kobayashi T, Tanggis, Nishizawa T, Nishiyama T, Primadharsini PP, Okamoto H. Characterization of the quasi-enveloped hepatitis E virus particles released by the cellular exosomal pathway. *J Virol.* 91(22):e00822-17, 2017. doi: 10.1128/JVI.00822-17.

2016

1. Tsatsralt-Od B, Baasanjav N, Nyamkhuu D, Ohnishi H, Takahashi M, Kobayashi T, **Nagashima S**, Nishizawa T, Okamoto H. Molecular analysis of hepatitis A virus strains obtained from patients with acute hepatitis A in Mongolia, 2004-2013. *J Med Virol.* 88(4):622-30, 2016. doi: 10.1002/jmv.24380.

2. Kobayashi T, Takahashi M, Tanggis, Mulyanto, Jirintai S, **Nagashima S**, Nishizawa T, Okamoto H. Characterization and epitope mapping of monoclonal antibodies raised against rat hepatitis E virus capsid protein: An evaluation of their neutralizing activity in a cell culture system. *J Virol Methods.* 233:78-88, 2016. doi: 10.1016/j.jviromet.2016.03.004.

3. **Nagashima S**, Kobayashi T, Tanaka T, Tanggis, Jirintai S, Takahashi M, Nishizawa T, Okamoto H. Analysis of adaptive mutations selected during the consecutive passages of hepatitis E virus produced from an infectious cDNA clone. *Virus Res.* 223:170-80, 2016. doi: 10.1016/j.virusres.2016.07.011.

4. Takahashi M, Kobayashi T, Tanggis, Jirintai S, Mulyanto, **Nagashima S**, Nishizawa T, Kunita S, Okamoto H. Production of monoclonal antibodies against the ORF3 protein of rat hepatitis E virus (HEV) and demonstration of the incorporation of the ORF3 protein into enveloped rat HEV particles. Arch Virol. 161(12):3391-404, 2016. doi: 10.1007/s00705-016-3047-9.

5. Nishizawa T, Hoshino T, Naganuma A, Kobayashi T, **Nagashima S**, Takahashi M, Takagi H, Okamoto H. Enhanced pregenomic RNA levels and lowered precore mRNA transcription efficiency in a genotype A hepatitis B virus genome with C1766T and T1768A mutations obtained from a fulminant hepatitis patient. J Gen Virol. 97(10):2643-56, 2016. doi: 10.1099/jgv.0.000566.

2015

1. Kamitsukasa H, Iri M, Tanaka A, **Nagashima S**, Takahashi M, Nishizawa T, Okamoto H. Spontaneous reactivation of hepatitis B virus (HBV) infection in patients with resolved or occult HBV infection. J Med Virol. 87(4):589-600, 2015. doi: 10.1002/jmv.24115.

2. Yazaki Y, Sugawara K, Honda M, Ohnishi H, **Nagashima S**, Takahashi M, Okamoto H. Characteristics of 20 patients with autochthonous acute hepatitis E in Hokkaido, Japan: first report of bilateral facial palsy following the infection with genotype 4 hepatitis E virus. Tohoku J Exp Med. 236(4):263-71, 2015. doi: 10.1620/tjem.236.263.

3. Inagaki Y, Oshiro Y, Tanaka T, Yoshizumi T, Okajima H, Ishiyama K, Nakanishi C, Hidaka M, Wada H, Hibi T, Takagi K, Honda M, Kuramitsu K, Tanaka H, Toyama T, Ikegami T, Imura S, Shimamura T, Nakayama Y, Urahashi T, Yamagishi K, Ohnishi H, **Nagashima S**, Takahashi M, Shirabe K, Kokudo N, Okamoto H, Ohkohchi N. A nationwide survey of hepatitis E virus infection and chronic hepatitis E in liver transplant recipients in Japan. EBioMedicine 2(11):1607-12, 2015. doi: 10.1016/j.ebiom.2015.09.030.

2014

1. Takahashi M, Nishizawa T, **Nagashima S**, Jirintai S, Kawakami M, Sonoda Y, Suzuki T, Yamamoto S, Shigemoto K, Ashida K, Sato Y, Okamoto H. Molecular characterization of a novel hepatitis E virus (HEV) strain obtained from a wild boar in Japan that is highly divergent from the previously recognized HEV strains. Virus Res. 180:59-69, 2014. doi: 10.1016/j.virusres.2013.12.014.

2. Mulyanto, Suparyatmo JB, Andayani IGA, Khalid, Takahashi M, Ohnishi H, Jirintai S,

Nagashima S, Nishizawa T, Okamoto H. Marked genomic heterogeneity of rat hepatitis E virus strains in Indonesia demonstrated on a full-length genome analysis. *Virus Res.* 179:102-12, 2014. doi: 10.1016/j.virusres.2013.10.029.

3. Jirintai S, Tanggis, Mulyanto, Suparyatmo JB, Takahashi M, Kobayashi T, **Nagashima S**, Nishizawa T, Okamoto H. Rat hepatitis E virus derived from wild rats (*Rattus rattus*) propagates efficiently in human hepatoma cell lines. *Virus Res.* 185:92-102, 2014. doi: 10.1016/j.virusres.2014.03.002.

4. **Nagashima S**, Takahashi M, Jirintai S, Tanggis, Kobayashi T, Nishizawa T, Okamoto H. The membrane on the surface of hepatitis E virus particles is derived from the intracellular membrane and contains trans-Golgi network protein 2. *Arch Virol.* 159(5):979-91, 2014. doi: 10.1007/s00705-013-1912-3.

5. Okano H, Nakano T, Sugimoto K, Takahashi K, **Nagashima S**, Takahashi M, Arai M, Okamoto H. High genomic similarity between European type hepatitis E virus subgenotype 3e strains isolated from an acute hepatitis patient and a wild boar in Mie, Japan. *Hepatol Res.* 44(6):694-9, 2014. doi: 10.1111/hepr.12155.

6. Okamoto D, Nakayama H, Ikeda T, Ikeya S, **Nagashima S**, Takahashi M, Sugai Y, Okamoto H. Molecular analysis of the interspousal transmission of hepatitis B virus in two Japanese patients who acquired fulminant hepatitis B after 50 and 49 years of marriage. *J Med Virol.* 86(11):1851-60, 2014. doi: 10.1002/jmv.24040.

7. **Nagashima S**, Jirintai S, Takahashi M, Kobayashi T, Tanggis, Nishizawa T, Kouki T, Yashiro T, Okamoto H. Hepatitis E virus egress depends on the exosomal pathway, with secretory exosomes derived from multivesicular bodies. *J Gen Virol.* 95(Pt 10):2166-75, 2014. doi: 10.1099/vir.0.066910-0.

8. Okano H, Takahashi M, Isono Y, Tanaka H, Nakano T, Oya Y, Sugimoto K, Ito K, Ohmori S, Maegawa T, Kobayashi M, **Nagashima S**, Nishizawa T, Okamoto H. Characterization of sporadic acute hepatitis E and comparison of hepatitis E virus genomes in acute hepatitis patients and pig liver sold as food in Mie, Japan. *Hepatol Res.* 44(10):E63-76, 2014. doi: 10.1111/hepr.12216.

2013

1. Mulyanto, Depamede SN, Sriasih M, Takahashi M, **Nagashima S**, Jirintai S, Nishizawa T, Okamoto H. Frequent detection and characterization of hepatitis E virus variants in

wild rats (*Rattus rattus*) in Indonesia. Arch Virol. 158(1):87-96, 2013. doi: 10.1007/s00705-012-1462-0.

2012

1. Mulyanto, Pancawardani P, Depamede SN, Wahyono A, Jirintai S, **Nagashima S**, Takahashi M, Nishizawa T, Okamoto H. Identification of four novel subgenotypes (C13–C16) and two inter-genotypic recombinants (C12/G and C13/B3) of hepatitis B virus in Papua Province, Indonesia. Virus Res. 163(1):129-40, 2012. doi: 10.1016/j.virusres.2011.09.002.

2. Takahashi H, Tanaka T, Jirintai S, **Nagashima S**, Takahashi M, Nishizawa T, Mizuo H, Yazaki Y, Okamoto H. A549 and PLC/PRF/5 cells can support the efficient propagation of swine and wild boar hepatitis E virus (HEV) strains: demonstration of HEV infectivity of porcine liver sold as food. Arch Virol. 157(2):235-46, 2012. doi: 10.1007/s00705-011-1153-2.

3. Jirintai S, Jinshan, Tanggis, Manglai D, Mulyanto, Takahashi M, **Nagashima S**, Kobayashi T, Nishizawa T, Okamoto H. Molecular analysis of hepatitis E virus from farm rabbits in Inner Mongolia, China and its successful propagation in A549 and PLC/PRF/5 cells. Virus Res. 170(1-2):126-37, 2012. doi: 10.1016/j.virusres.2012.09.015.

2011

1. Mulyanto, Depamede SN, Wahyono A, Jirintai, **Nagashima S**, Takahashi M, Okamoto H. Analysis of the full-length genomes of novel hepatitis B virus subgenotypes C11 and C12 in Papua, Indonesia. J Med Virol. 83(1):54-64, 2011. doi: 10.1002/jmv.21931.

2. **Nagashima S**, Takahashi M, Jirintai, Tanaka T, Yamada K, Nishizawa T, Okamoto H. A PSAP motif in the ORF3 protein of hepatitis E virus is necessary for virion release from infected cells. J Gen Virol. 92(2):269-78, 2011. doi: 10.1099/vir.0.025791-0.

3. Takahashi M, Nishizawa T, Sato H, Sato Y, Jirintai, **Nagashima S**, Okamoto H. Analysis of the full-length genome of a hepatitis E virus isolate obtained from a wild boar in Japan that is classifiable into a novel genotype. J Gen Virol. 92(4):902-8, 2011. doi: 10.1099/vir.0.029470-0.

4. Ribas Mde L, **Nagashima S**, Calzado A, Acosta G, Tejero Y, Cordero Y, Piedra D, Kobayashi N. Emergence of G9 as a predominant genotype of human rotaviruses in Cuba. J Med Virol. 83(4):738-744, 2011. doi: 10.1002/jmv.22020.

5. Ganesh B, Banyai K, Masachessi G, Mladenova Z, **Nagashima S**, Ghosh S, Nataraju SM, Pativada M, Kumar R, Kobayashi N. Genogroup I picobirnavirus in diarrhoeic foals: Can the horse serve as a natural reservoir for human infection? *Vet Res.* 42(1):52, 2011. doi: 10.1186/1297-9716-42-52.

6. Sato Y, Sato H, Naka K, Furuya S, Tsukiji H, Kitagawa K, Sonoda Y, Usui T, Sakamoto H, Yoshino S, Shimizu Y, Takahashi M, **Nagashima S**, Jirintai, Nishizawa T, Okamoto H. A nationwide survey of hepatitis E virus (HEV) infection in wild boars in Japan: identification of boar HEV strains of genotypes 3 and 4 and unrecognized genotypes. *Arch Virol.* 156(8):1345-58, 2011. doi: 10.1007/s00705-011-0988-x.

7. Ganesh B, **Nagashima S**, Ghosh S, Nataraju SM, Rajendran K, Manna B, Ramamurthy T, Niyogi SK, Kanungo S, Sur D, Kobayashi N, Krishnan T. Detection and molecular characterization of multiple strains of Picobirnavirus causing mixed infection in a diarrhoeic child: Emergence of prototype Genogroup II-like strain in Kolkata, India. *Int J Mol Epidemiol Genet.* 2(1):61-72, 2011.

8. Ghosh S, Paul SK, Yamamoto D, **Nagashima S**, Kobayashi N. Full genomic analyses of human rotavirus strains possessing the rare P[8]b VP4 subtype. *Infect Genet Evol.* 11(6):1481-1486, 2011. doi: 10.1016/j.meegid.2011.05.014.

9. Yokoyama K, Takahashi M, Nishizawa T, **Nagashima S**, Jirintai S, Yotsumoto S, Okamoto H, Momoi M Y. Identification and characterization of a natural inter-genotypic (2b/1b) recombinant hepatitis C virus in Japan. *Arch Virol.* 156(9):1591-601, 2011. doi: 10.1007/s00705-011-1038-4.

10. **Nagashima S**, Takahashi M, Jirintai S, Tanaka T, Nishizawa T, Yasuda J, Okamoto H. Tumour susceptibility gene 101 and the vacuolar protein sorting pathway are required for release of hepatitis E virions. *J Gen Virol.* 92(Pt 12): 2838-48, 2011. doi: 10.1099/vir.0.035378-0.

2010

1. Takahashi M, Tamura K, Hoshino Y, **Nagashima S**, Yazaki Y, Mizuo H, Iwamoto S, Okayama M, Nakamura Y, Kajii E, Okamoto H. A nationwide survey of hepatitis E virus infection in the general population of Japan. *J Med Virol.* 82(2):271-81, 2010. doi: 10.1002/jmv.21678.

2. Nishimura N, Isoda N, Higashizawa T, Otake T, Tsukui M, **Nagashima S**, Takahashi

M, Okamoto H, Sugano K. A case of acute hepatitis C caused by interspousal transmission after 30 years of marriage. *Clin J Gastroenterol.* 3(1):50-6, 2010. doi: 10.1007/s12328-009-0127-3.

3. Ghosh S, Kobayashi N, **Nagashima S**, Chawla-Sarkar M, Krishnan T, Ganesh B, Naik TN. Molecular characterization of the VP1, VP2, VP4, VP6, NSP1 and NSP2 genes of bovine group B rotaviruses: identification of a novel VP4 genotype. *Arch Virol.* 155(2):159-167, 2010. doi: 10.1007/s00705-009-0555-x.

4. Ghosh S, Kobayashi N, **Nagashima S**, Chawla-Sarkar M, Krishnan T, Ganesh B, Naik TN. Full genomic analysis and possible origin of a porcine G12 rotavirus strain RU172. *Virus Genes.* 40(3):382-388, 2010. doi: 10.1007/s11262-010-0454-y.

5. Ganesh B, Nataraju SM, Rajendran K, Ramamurthy T, Kanungo S, Manna B, **Nagashima S**, Sur D, Kobayashi N, Krishnan T. Detection of closely related Picobirnaviruses among diarrhoeic children in Kolkata: evidence of zoonoses? *Infect Genet Evol.* 10(4):511-516, 2010. doi: 10.1016/j.meegid.2010.02.008.

6. Llanes R, Soria C, **Nagashima S**, Kobayashi N, Gala A, Guzmán D, Feliciano O, Valdés L, Gutiérrez O, Fernández H, Llop A, Wada A. Phenotypic and genetic characterization of antimicrobial profiles of *Helicobacter pylori* strains in Cuba. *J Health Popul Nutr.* 28(2):124-129, 2010.

7. Wang YH, Kobayashi N, **Nagashima S**, Zhou X, Ghosh S, Peng JS, Hu Q, Zhou DJ, Yang ZQ. Full genomic analysis of a porcine-bovine reassortant G4P[6] rotavirus strain R479 isolated from an infant in China. *J Med Virol.* 82(6):1094-1102, 2010. doi: 10.1002/jmv.21760.

8. **Nagashima S**, Kobayashi N, Paul SK, Ghosh S, Chawla-Sarkar M, Hossain MA, Krishnan T. Identification of P[8]b subtype in OP354-like human rotavirus strains by a modified RT-PCR method. *Jpn J Infect Dis.* 63(3):208-211, 2010.

9. Takahashi M, Tanaka T, Takahashi H, Hoshino Y, **Nagashima S**, Jirintai, Mizuo H, Yazaki Y, Takagi T, Azuma M, Kusano E, Isoda N, Sugano K, Okamoto H. Hepatitis E virus (HEV) strains in serum samples can replicate efficiently in cultured cells despite the coexistence of HEV antibodies: characterization of HEV virions in blood circulation. *J Clin Microbiol.* 48(4):1112-25, 2010. doi: 10.1128/JCM.02002-09.

10. Mulyanto, Depamede SN, Surayah K, Tjahyono AA, Jirintai, **Nagashima S**, Takahashi M, Okamoto H. Identification and characterization of novel hepatitis B virus subgenotype C10 in Nusa Tenggara, Indonesia. Arch Virol. 155(5):705-15, 2010. doi: 10.1007/s00705-010-0628-x.

11. Jinshan, Jirintai, Manglai D, Takahashi M, **Nagashima S**, Okamoto H. Molecular and serological survey of hepatitis E virus infection among domestic pigs in Inner Mongolia, China. Arch Virol. 155(8):1217-26, 2010. doi: 10.1007/s00705-010-0706-0.

2009

1. Maeno Y, Shinzato M, **Nagashima S**, Rittling SR, Denhardt DT, Uede T, Taniguchi K. Effect of osteopontin on diarrhea duration and innate immunity in suckling mice infected with a murine rotavirus. Viral Immunol. 22(2):139-144, 2009. doi: 10.1089/vim.2008.0054.

2. Wang YH, Kobayashi N, Zhou X, **Nagashima S**, Zhu ZR, Peng JS, Liu MQ, Hu Q, Zhou DJ, Watanabe S, Ishino M. Phylogenetic analysis of rotaviruses with predominant G3 and emerging G9 genotypes from adults and children in Wuhan, China. J Med Virol. 81(2):382-389, 2009. doi: 10.1002/jmv.21387.

3. Watanabe S, Kobayashi N, Quiñones D, Hayakawa S, **Nagashima S**, Uehara N, Watanabe N. Genetic diversity of the low-level vancomycin resistance gene vanC-2/vanC-3 and identification of a novel vanC subtype (vanC-4) in Enterococcus casseliflavus. Microb Drug Resist. 15(1):1-9, 2009. doi: 10.1089/mdr.2009.0856.

4. Mukherjee A, Dutta D, Ghosh S, Bagchi P, Chattopadhyay S, **Nagashima S**, Kobayashi N, Dutta P, Krishnan T, Naik TN, Chawla-Sarkar M. Full genomic analysis of a human group A rotavirus G9P[6] strain from Eastern India provides evidence for porcine-to-human interspecies transmission. Arch Virol. 154(5):733-746, 2009. doi: 10.1007/s00705-009-0363-3.

5. **Nagashima S**, Kobayashi N, Paul SK, Alam MM, Chawla-Sarkar M, Krishnan T. Characterization of full-length VP4 genes of OP354-like P[8] human rotavirus strains detected in Bangladesh representing a novel P[8] subtype. Arch Virol. 54(8):1223-1231, 2009. doi: 10.1007/s00705-009-0436-3.

6. Ghosh S, Kobayashi N, **Nagashima S**, Naik TN. Molecular characterization of full-length genomic segment 2 of a bovine picobirnavirus (PBV) strain: evidence for high

genetic diversity with genogroup I PBVs. *J Gen Virol.* 90(Pt 10):2519-2524, 2009. doi: 10.1099/vir.0.013987-0.

7. Dutta D, Bagchi P, Chatterjee A, Nayak MK, Mukherjee A, Chattopadhyay S, **Nagashima S**, Kobayashi N, Komoto S, Taniguchi K, Chawla-Sarkar M. The molecular chaperone heat shock protein-90 positively regulates rotavirus infectionx. *Virology* 391(2):325-333, 2009. doi: 10.1016/j.virol.2009.06.044.

8. Watanabe S, Kobayashi N, Quiñones D, **Nagashima S**, Uehara N, Watanabe N. Genetic diversity of enterococci harboring the high-level gentamicin resistance gene *aac(6')-Ie-aph(2'')-Ia* or *aph(2'')-Ie* in a Japanese hospital. *Microb Drug Resist.* 15(3):185-194, 2009. Doi: 10.1089/mdr.2009.0917.

9. Aung TS, Kobayashi N, **Nagashima S**, Ghosh S, Aung MS, Oo KY, Win N. Detection of group B rotavirus in an adult with acute gastroenteritis in Yangon, Myanmar. *J Med Virol.* 81(11):1968-1974, 2009. doi: 10.1002/jmv.21613.

10. Quiñones D, Kobayashi N, **Nagashima S**. Molecular epidemiologic analysis of *Enterococcus faecalis* isolates in Cuba by multilocus sequence typing. *Microb Drug Resist.* 15(4):287-293, 2009. doi: 10.1089/mdr.2009.0028.

11. Tanaka T, Takahashi M, Takahashi H, Ichiyama K, Hoshino Y, **Nagashima S**, Mizuo H, Okamoto H. Development and characterization of a hepatitis E virus genotype 4 cell culture system using the HE-JF5/15F strain recovered from a fulminant hepatitis patient. *J Clin Microbiol.* 47(6):1906-10, 2009. doi: 10.1128/JCM.00629-09.

12. Toda T, Mitsui T, Tsukamoto Y, Ebara T, Hirose A, Masuko K, **Nagashima S**, Takahashi M, Okamoto H. Molecular analysis of transmission of hepatitis C virus in a nurse who acquired acute hepatitis C after caring for a viremic patient with epistaxis. *J Med Virol.* 81(8):1363-70, 2009. doi: 10.1002/jmv.21537.

13. Yamada K, Takahashi M, Hoshino Y, Takahashi H, Ichiyama K, **Nagashima S**, Tanaka T, Okamoto H. ORF3 protein of hepatitis E virus is essential for virion release from infected cells. *J Gen Virol.* 90(8):1880-91, 2009. doi: 10.1099/vir.0.010561-0.

14. Ichiyama K, Yamada K, Tanaka T, **Nagashima S**, Jirintai, Takahashi M, Okamoto H. Determination of the 5'-terminal sequence of subgenomic RNA of hepatitis E virus strains in cultured cells. *Arch Virol.* 154(12):1945-51, 2009. doi: 10.1007/s00705-009-0538-y.

2008

1. **Nagashima S**, Sasaki J, Taniguchi K. Interaction between polypeptide 3ABC and the 5'-terminal structural elements of the genome of Aichi virus: implication for negative-strand RNA synthesis. *J Virol.* 82(13):6161-6171, 2008. doi: 10.1128/JVI.02151-07.
2. Alam MM, Kobayashi N, Ishino M, **Nagashima S**, Paul SK, Chawla-Sarkar M, Krishnan T, Naik TN. Identical rearrangement of NSP3 genes found in three independently isolated virus clones derived from mixed infection and multiple passages of Rotaviruses. *Arch Virol.* 153(3):555-559, 2008. doi: 10.1007/s00705-007-0004-7.
3. Kinoshita M, Kobayashi N, **Nagashima S**, Ishino M, Otokozawa S, Mise K, Sumi A, Tsutsumi H, Uehara N, Watanabe N, Endo M. Diversity of staphylocoagulase and identification of novel variants of staphylocoagulase gene in *Staphylococcus aureus*. *Microbiol Immunol.* 52(7):334-348, 2008. doi: 10.1111/j.1348-0421.2008.00045.x.
4. Afroz S, Kobayashi N, **Nagashima S**, Alam MM, Hossain AB, Rahman MA, Islam MR, Lutfor AB, Muazzam N, Khan MA, Paul SK, Shamsuzzaman AK, Mahmud MC, Musa AK, Hossain MA. Genetic characterization of *Staphylococcus aureus* isolates carrying Panton-Valentine leukocidin genes in Bangladesh. *Jpn J Infect Dis.* 61(5):393-396, 2008.
5. **Nagashima S**, Kobayashi N, Ishino M, Alam MM, Ahmed MU, Paul SK, Ganesh B, Chawla-Sarkar M, Krishnan T, Naik TN, Wang YH. Whole genomic characterization of a human rotavirus strain B219 belonging to a novel group of the genus Rotavirus. *J Med Virol.* 80(11):2023-2033, 2008. doi: 10.1002/jmv.21286.
6. Paul SK, Kobayashi N, **Nagashima S**, Ishino M, Watanabe S, Alam MM, Ahmed MU, Hossain MA, Naik TN. Phylogenetic analysis of rotaviruses with genotypes G1, G2, G9 and G12 in Bangladesh: evidence for a close relationship between rotaviruses from children and adults. *Arch Virol.* 153(11):1999-2012, 2008. doi: 10.1007/s00705-008-0212-9.

2006

1. Maeno Y, Nakazawa S, Yamamoto N, Shinzato M, **Nagashima S**, Tanaka K, Sasaki J, Rittling SR, Denhardt DT, Uede T, Taniguchi K. Osteopontin participates in Th1-mediated host resistance against nonlethal malaria parasite *Plasmodium chabaudi* infection in mice. *Infect Immun.* 74(4):2423-2427, 2006. doi: 10.1128/IAI.74.4.2423-2427.2006.

2005

1. **Nagashima S**, Sasaki J, Taniguchi K. The 5'-terminal region of the Aichi virus genome encodes cis-acting replication elements required for positive- and negative-strand RNA synthesis. *J Virol.* 79(11):6918-6931, 2005. doi: 10.1128/JVI.79.11.6918-6931.2005.

2004

1. Shinozaki K, Okada M, **Nagashima S**, Kaiho I, Taniguchi K. Characterization of human rotavirus strains with G12 and P[9] detected in Japan. *J Med Virol.* 73(4):612-616, 2004. doi: 10.1002/jmv.20134.

2003

1. Maeno Y, Nakazawa S, **Nagashima S**, Sasaki J, Higo KM, Taniguchi K. Utility of the dried blood on filter paper as a source of cytokine mRNA for the analysis of immunoreactions in *Plasmodium yoelii* infection. *Acta Trop.* 87(2):295-300, 2003. doi: 10.1016/S0001-706X(03)00096-2.

2. Adah MI, **Nagashima S**, Wakuda M, Taniguchi K. Close relationship between G8-serotype bovine and human rotaviruses isolated in Nigeria. *J Clin Microbiol.* 41(8):3945-3950, 2003. doi: 10.1128/JCM.41.8.3945-3950.2003.

3. **Nagashima S**, Sasaki J, Taniguchi K. Functional analysis of the stem-loop structures at the 5' end of the Aichi virus genome. *Virology* 313(1):56-65, 2003. doi: 10.1016/S0042-6822(03)00346-5.

4. Sasaki J, **Nagashima S**, Taniguchi K. Aichi virus leader protein is involved in viral RNA replication and encapsidation. *J Virol.* 77(20):10799-10807, 2003. doi: 10.1128/JVI.77.20.10799-10807.2003.

5. Wakuda M, **Nagashima S**, Kobayashi N, Pongsuwanna Y, Taniguchi K. Serologic and genomic characterization of a G12 human rotavirus in Thailand. *J Clin Microbiol.* 41(12):5764-5769, 2003. doi: 10.1128/JCM.41.12.5764-5769.2003.